

Owner: DG TAXUD	Issue Date: 26/10/2015	Version: 19.40
TAXATION AND CUSTOMS UNION DG CUST-DEV3 - FC TAXUD/2013/CC/124 - SC 03 SUBJECT: DDNTA for NCTS P4 Appendix T: Document Type Definitions (CUST-DEV3-SC03-DDNTA_APP_T)		
FRAMEWORK CONTRACT TAXUD/2013/CC/124 SPECIFIC CONTRACT 03		

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
1. Introduction	

1. Introduction

This document presents the Document Type Definitions for all the messages used for NCTS P4.

The following convention is used to create these DTDs:

- Every Data Group and Data Item is added as a comment (<!-- xxx -->).
- Every Data Group is shown as a 'Node'. Each node also lists all its sub-nodes and leaves..
- Every Data Item is shown as a Leaf.

The following convention is used to specify the optionality:

- none 1 (R, 1x)
- + 1...n (R, nx)
- ? 0...1 (O/D, 1x)
- * 0...n (O/D, nx) n>=1

Where

- R = Required
- O = Optional
- D = Dependent

Example of a node:

```
<!-- Node: (AUTHORISED CONSIGNEE) TRADER -->
<!ELEMENT TRAAUTCONTRA (TINTRA59)>
```

Example of a leaf:

```
<!--Leaf: Name -->
<!ELEMENT NamPC17 (#PCDATA)>
```

DDNA RFC-List Alignment

The specific Appendix is aligned to DDNA RFC-List V0.28

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
2. IE001 C_AAR_SND AAR	

2. IE001 C_AAR_SND AAR

```

<!-- Node: MESSAGE -->
<ELEMENT CD001B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAPRIPC1, TRACONCO1?, TRACONCE1?, TRAAUTCONTRA?, CUSOFFDEPEPT,
CUSOFFTRARNS*, CUSOFFDESEST, CONRESERS, SEAINFSLI?, GOOITEGDS+, ITI*, RISANA*, CARTRA100?,
TRACORSEC037?, TRACONSEC029?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, TypOfDecHEA24, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?,
AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, PlaOfLoaCodHEA46?, CouOfDisCodHEA55?,
CusSubPlaHEA66?, TraModAtBorHEA76?, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?,
NatOfMeaOfTraAtDHEA80?, IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?,
ConIndHEA96, AccDatHEA158, IssDatHEA186, NCTSAccDocHEA601LNG, TotNumOfIteHEA305, TotNumOfPacHEA306?,
TotGroMasHEA307, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?, SecHEA358?, ConRefNumHEA?,
CodPIUnHEA357?, CodPIUnHEA357LNG?)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17, StrAndNumPC122, PosCodPC123, CitPC124, CouPC125, NADLNGPC?, TINPC159?,
HITPC126?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO1 (NamCO17, StrAndNumCO122, PosCodCO123, CitCO124, CouCO125, NADLNGCO?,
TINCO159?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (AUTHORISED CONSIGNEE) TRADER -->
<ELEMENT TRAAUTCONTRA (TINTRA59)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (TRANSIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFTRARNS (RefNumRNS1, ArrTimTRACUS085?)>
<!-- Node: (DESTINATION) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESEST (RefNumEST1)>
<!-- Node: CONTROL RESULT -->
<ELEMENT CONRESERS (ConResCodERS16, DatLimERS69)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID+)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, ComCodTarCodGDS10?, DecTypGDS15?, GooDesGDS23, GooDesGDS23LNG?,
GroMasGDS46?, NetMasGDS48?, CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ComRefNumGIM1?,
UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPEMENMT2*, TRACONCO2?, TRACONCE2?, CONNR2*,
PACGS2+, SGICODSD2*, TRACORSECGOO021?, TRACONSECGOO013?)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: RISK ANALYSIS -->
<ELEMENT RISANA (IteNumInvRKA1?, RisAnaResCodRKA1, RisAnaTexRKA1?, RisAnaTexRKA1LNG?)>
<!-- Node: (CARRIER) TRADER -->
<ELEMENT CARTRA100 (NamCARTRA121, StrAndNumCARTRA254, PosCodCARTRA121, CitCARTRA789,
CouCodCARTRA587, NADCARTRA121?, TINCARTRA254?)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSEC037 (NamTRACORSEC041, StrNumTRACORSEC043, PosCodTRACORSEC042,
CitTRACORSEC038, CouCodTRACORSEC039, TRACORSEC037LNG?, TINTRACORSEC044?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSEC029 (NameTRACONSEC033, StrNumTRACONSEC035, PosCodTRACONSEC034,
CitTRACONSEC030, CouCodTRACONSEC031, TRACONSEC029LNG?, TINTRACONSEC036?)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
2. IE001 C_AAR_SND AAR	

```

<!-- Node: SEALS ID -->
<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?, ComOfInfAR29?,
ComOfInfAR29LNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23?, DocRefDCLNG?, ComOfInfDC25?, ComOfInfDC25LNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfCodMT23, ExpFroECMT24?, ExpFroCouMT25?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO2 (NamCO27, StrAndNumCO222, PosCodCO223, CitCO224, CouCO225, NADLNGGTCO?,
TINCO259?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Node: SGI CODES -->
<ELEMENT SGICODSD2 (SenGooCodSD22?, SenQuaSD23)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSECGOO021 (NamTRACORSECGOO025, StrNumTRACORSECGOO027,
PosCodTRACORSECGOO026, CitTRACORSECGOO022, CouCodTRACORSECGOO023, TRACORSECGOO021LNG?,
TINTRACORSECGOO028?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSECGOO013 (NamTRACONSECGOO017, StrNumTRACONSECGOO019,
PosCodTRACONSECGOO018, CityTRACONSECGOO014, CouCodTRACONSECGOO015, TRACONSECGOO013LNG?,
TINTRACONSECGOO020?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
2. IE001 C_AAR_SND AAR	

```

<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<ELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<ELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<ELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<ELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Place of loading, code -->
<ELEMENT PlaOfLoaCodHEA46 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<ELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<ELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport at departure -->
<ELEMENT NatOfMeaOfTraAtDHEA80 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<ELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<ELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<ELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<ELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<ELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Issuing date -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
2. IE001 C_AAR_SND AAR	

```

<ELEMENT IssDatHEA186 (#PCDATA)>
<!-- Leaf: NCTS accompanying document language code -->
<ELEMENT NCTSAccDocHEA601LNG (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Security -->
<ELEMENT SecHEA358 (#PCDATA)>
<!-- Leaf: Conveyance reference number -->
<ELEMENT ConRefNumHEA (#PCDATA)>
<!-- Leaf: Place of unloading, code -->
<ELEMENT CodPIUnHEA357 (#PCDATA)>
<!-- Leaf: Place of unloading LNG -->
<ELEMENT CodPIUnHEA357LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO159 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
2. IE001 C_AAR_SND AAR	

```

<!-- Leaf: Name -->
<ELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRA59 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNS1 (#PCDATA)>
<!-- Leaf: Arrival Time -->
<ELEMENT ArrTimTRACUS085 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEST1 (#PCDATA)>
<!-- Leaf: Control result code -->
<ELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Date limit -->
<ELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodTarCodGDS10 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT DecTypGDS15 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
2. IE001 C_AAR_SND AAR	

```

<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<ELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<ELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfAR29 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfAR29LNG (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfDC25 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfDC25LNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Export from EC -->
<ELEMENT ExpFroECMT24 (#PCDATA)>
<!-- Leaf: Export from country -->
<ELEMENT ExpFroCouMT25 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGTCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE224 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
2. IE001 C_AAR_SND AAR	

```

<!-- Leaf: Country code -->
<ELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<ELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<ELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<ELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<ELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<ELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<ELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<ELEMENT SenGooCodSD22 (#PCDATA)>
<!-- Leaf: Sensitive quantity -->
<ELEMENT SenQuaSD23 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSECGOO025 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSECGOO027 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSECGOO026 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSECGOO022 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSECGOO023 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSECGOO021LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSECGOO028 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACONSECGOO017 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSECGOO019 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSECGOO018 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CityTRACONSECGOO014 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSECGOO015 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSECGOO013LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSECGOO020 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<ELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Item Number involved -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
2. IE001 C_AAR_SND AAR	

```

<ELEMENT IteNumInvRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis result code -->
<ELEMENT RisAnaResCodRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis text -->
<ELEMENT RisAnaTexRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis LNG -->
<ELEMENT RisAnaTexRKA1LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCARTRA121 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCARTRA254 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCARTRA121 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCARTRA789 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodCARTRA587 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADCARTRA121 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCARTRA254 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSEC041 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSEC043 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSEC042 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSEC038 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSEC039 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSEC037LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSEC044 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NameTRACONSEC033 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSEC035 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSEC034 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACONSEC030 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSEC031 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSEC029LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSEC036 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
3. IE002 C_AAR_REQ AAR REQUEST	

3. IE002 C_AAR_REQ AAR REQUEST

```

<!-- Node: MESSAGE -->
<ELEMENT CD002A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFPREOFFRES)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, CouOfDepCodHEA67)>
<!-- Node: (PRESENTATION OFFICE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFPREOFFRES (RefNumRES1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Country of departure code -->
<ELEMENT CouOfDepCodHEA67 (#PCDATA)>
<!-- Leaf: Reference number -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
3. IE002 C_AAR_REQ AAR REQUEST	

<!ELEMENT RefNumRES1 (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
4. IE003 C_AAR_RSP AAR RESPONSE	

4. IE003 C_AAR_RSP AAR RESPONSE

```

<!-- Node: MESSAGE -->
<ELEMENT CD003B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAPRIPC1?, TRACONCO1?, TRACONCE1?, TRAAUTCONTRA?, CUSOFFDEPEPT?,
CUSOFFPREOFFRES, CUSOFFTRARNS*, CUSOFFDESEST?, CONRESERS?, SEAINFSLI?, GOOITEGDS*, ITI*, RISANA*,
CARTRA100?, TRACORSEC037?, TRACONSEC029?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, TypOfDecHEA24?, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?,
AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, PlaOfLoaCodHEA46?, CouOfDisCodHEA55?,
CusSubPlaHEA66?, TraModAtBorHEA76?, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?,
NatOfMeaOfTraAtDHEA80?, IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?,
ConIndHEA96?, AccDatHEA158?, IssDatHEA186?, NCTSAccDocHEA601LNG?, TotNumOfIteHEA305?,
TotNumOfPacHEA306?, TotGroMasHEA307?, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?,
AARRejReaCodHEA201?, AARRejReaHEA234?, AARRejReaHEA234LNG?, SecHEA358?, ConRefNumHEA?,
CodPIUnHEA357?, CodPIUnHEA357LNG?)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17, StrAndNumPC122, PosCodPC123, CitPC124, CouPC125, NADLNGPC?, TINPC159?,
HITPC126?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO1 (NamCO17, StrAndNumCO122, PosCodCO123, CitCO124, CouCO125, NADLNGCO?,
TINCO159?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (AUTHORISED CONSIGNEE) TRADER -->
<ELEMENT TRAAUTCONTRA (TINTRA59)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (PRESENTATION OFFICE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFPREOFFRES (RefNumRES1)>
<!-- Node: (TRANSIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFTRARNS (RefNumRNS1, ArrTimTRACUS085?)>
<!-- Node: (DESTINATION) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESEST (RefNumEST1)>
<!-- Node: CONTROL RESULT -->
<ELEMENT CONRESERS (ConResCodERS16, DatLimERS69)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID+)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, ComCodTarCodGDS10?, DecTypGDS15?, GooDesGDS23, GooDesGDS23LNG?,
GroMasGDS46?, NetMasGDS48?, CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ComRefNumGIM1?,
UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPEMENMT2*, TRACONCO2?, TRACONCE2?, CONNR2*,
PACGS2+, SGICODSD2*, TRACORSECGOO021?, TRACONSECGOO013?)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: RISK ANALYSIS -->
<ELEMENT RISANA (IteNumInvRKA1?, RisAnaResCodRKA1, RisAnaTexRKA1?, RisAnaTexRKA1LNG?)>
<!-- Node: (CARRIER) TRADER -->
<ELEMENT CARTRA100 (NamCARTRA121, StrAndNumCARTRA254, PosCodCARTRA121, CitCARTRA789,
CouCodCARTRA587, NADCARTRA121?, TINCARTRA254?)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSEC037 (NamTRACORSEC041, StrNumTRACORSEC043, PosCodTRACORSEC042,
CitTRACORSEC038, CouCodTRACORSEC039, TRACORSEC037LNG?, TINTRACORSEC044?)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
4. IE003 C_AAR_RSP AAR RESPONSE	

```

<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSEC029 (NameTRACONSEC033, StrNumTRACONSEC035, PosCodTRACONSEC034,
CitTRACONSEC030, CouCodTRACONSEC031, TRACONSEC029LNG?, TINTRACONSEC036?)>
<!-- Node: SEALS ID -->
<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?, ComOfInfAR29?,
ComOfInfAR29LNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23?, DocRefDCLNG?, ComOfInfDC25?, ComOfInfDC25LNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfCodMT23, ExpFroECMT24?, ExpFroCouMT25?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO2 (NamCO27, StrAndNumCO222, PosCodCO223, CitCO224, CouCO225, NADLNGGTCO?,
TINCO259?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Node: SGI CODES -->
<ELEMENT SGICODSD2 (SenGooCodSD22?, SenQuaSD23)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSECGOO021 (NamTRACORSECGOO025, StrNumTRACORSECGOO027,
PosCodTRACORSECGOO026, CitTRACORSECGOO022, CouCodTRACORSECGOO023, TRACORSECGOO021LNG?,
TINTRACORSECGOO028?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSECGOO013 (NamTRACONSECGOO017, StrNumTRACONSECGOO019,
PosCodTRACONSECGOO018, CityTRACONSECGOO014, CouCodTRACONSECGOO015, TRACONSECGOO013LNG?,
TINTRACONSECGOO020?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
4. IE003 C_AAR_RSP AAR RESPONSE	

```

<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<ELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<ELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<ELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<ELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Place of loading, code -->
<ELEMENT PlaOfLoaCodHEA46 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<ELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<ELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport at departure -->
<ELEMENT NatOfMeaOfTraAtDHEA80 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<ELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<ELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<ELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<ELEMENT ConIndHEA96 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
4. IE003 C_AAR_RSP AAR RESPONSE	

```

<!-- Leaf: Acceptance date -->
<ELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Issuing date -->
<ELEMENT IssDatHEA186 (#PCDATA)>
<!-- Leaf: NCTS accompanying document language code -->
<ELEMENT NCTSAccDocHEA601LNG (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: AAR rejection reason code -->
<ELEMENT AARRejReaCodHEA201 (#PCDATA)>
<!-- Leaf: AAR rejection reason -->
<ELEMENT AARRejReaHEA234 (#PCDATA)>
<!-- Leaf: AAR rejection reason LNG -->
<ELEMENT AARRejReaHEA234LNG (#PCDATA)>
<!-- Leaf: Security -->
<ELEMENT SecHEA358 (#PCDATA)>
<!-- Leaf: Conveyance reference number -->
<ELEMENT ConRefNumHEA (#PCDATA)>
<!-- Leaf: Place of unloading, code -->
<ELEMENT CodPIUnHEA357 (#PCDATA)>
<!-- Leaf: Place of unloading LNG -->
<ELEMENT CodPIUnHEA357LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO122 (#PCDATA)>
<!-- Leaf: Postal code -->

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
4. IE003 C_AAR_RSP AAR RESPONSE	

```

<IELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGCO (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCO159 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRA59 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumRES1 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumRNS1 (#PCDATA)>
<!-- Leaf: Arrival Time -->
<IELEMENT ArrTimTRACUS085 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumEST1 (#PCDATA)>
<!-- Leaf: Control result code -->
<IELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Date limit -->
<IELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Seals number -->
<IELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<IELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<IELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<IELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Commodity code -->
<IELEMENT ComCodTarCodGDS10 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<IELEMENT DecTypGDS15 (#PCDATA)>
<!-- Leaf: Goods description -->
<IELEMENT GooDesGDS23 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
4. IE003 C_AAR_RSP AAR RESPONSE	

```

<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<ELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<ELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfAR29 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfAR29LNG (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfDC25 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfDC25LNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Export from EC -->
<ELEMENT ExpFroECMT24 (#PCDATA)>
<!-- Leaf: Export from country -->
<ELEMENT ExpFroCouMT25 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
4. IE003 C_AAR_RSP AAR RESPONSE	

```

<IELEMENT NADLNGGTCO (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<IELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<IELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<IELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<IELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<IELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<IELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<IELEMENT SenGooCodSD22 (#PCDATA)>
<!-- Leaf: Sensitive quantity -->
<IELEMENT SenQuaSD23 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTRACORSECGOO025 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrNumTRACORSECGOO027 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTRACORSECGOO026 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTRACORSECGOO022 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTRACORSECGOO023 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRACORSECGOO021LNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRACORSECGOO028 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTRACONSECGOO017 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrNumTRACONSECGOO019 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTRACONSECGOO018 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
4. IE003 C_AAR_RSP AAR RESPONSE	

```

<!-- Leaf: City -->
<ELEMENT CityTRACONSECGOO014 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSECGOO015 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSECGOO013LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSECGOO020 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<ELEMENT CouOfRouCodIT11 (#PCDATA)>
<!-- Leaf: Item Number involved -->
<ELEMENT IteNumInvRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis result code -->
<ELEMENT RisAnaResCodRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis text -->
<ELEMENT RisAnaTexRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis LNG -->
<ELEMENT RisAnaTexRKA1LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCARTRA121 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCARTRA254 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCARTRA121 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCARTRA789 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodCARTRA587 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADCARTRA121 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCARTRA254 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSEC041 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSEC043 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSEC042 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSEC038 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSEC039 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSEC037LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSEC044 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NameTRACONSEC033 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSEC035 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSEC034 (#PCDATA)>
<!-- Leaf: City -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
4. IE003 C_AAR_RSP AAR RESPONSE	

<ELEMENT CitTRACONSEC030 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSEC031 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSEC029LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSEC036 (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
5. IE004 E_AMD_ACC AMENDMENT ACCEPTANCE	

5. IE004 E_AMD_ACC AMENDMENT ACCEPTANCE

```

<!-- Node: MESSAGE -->
<ELEMENT CC004A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, CUSOFFDEPEPT)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, AmdDatHEA599, AmeAccDatHEA602)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17?, StrAndNumPC122?, PosCodPC123?, CitPC124?, CouPC125?, NADLNGPC?,
TINPC159?, HITPC126?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
5. IE004 E_AMD_ACC AMENDMENT ACCEPTANCE	

```

<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date of amendment -->
<ELEMENT AmdDatHEA599 (#PCDATA)>
<!-- Leaf: Amendment acceptance date -->
<ELEMENT AmeAccDatHEA602 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
6. IE005 E_AMD_REJ AMENDMENT REJECTION	

6. IE005 E_AMD_REJ AMENDMENT REJECTION

```

<!-- Node: MESSAGE -->
<ELEMENT CC005A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrldMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, CUSOFFDEPEPT,
FUNERRER1*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, AmdDatHEA599, AmeRejDatHEA603, AmeRejMotCodHEA604?,
AmeRejMotTexHEA605?, AmeRejMotTexHEA605LNG?)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17?, StrAndNumPC122?, PosCodPC123?, CitPC124?, CouPC125?, NADLNGPC?,
TINPC159?, HITPC126?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: FUNCTIONAL ERROR -->
<ELEMENT FUNERRER1 (ErrTypER11, ErrPoiER12, ErrReaER13?, OriAttValER14?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
6. IE005 E_AMD_REJ AMENDMENT REJECTION	

```

<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date of amendment -->
<ELEMENT AmdDatHEA599 (#PCDATA)>
<!-- Leaf: Amendment rejection date -->
<ELEMENT AmeRejDatHEA603 (#PCDATA)>
<!-- Leaf: Amendment rejection motivation code -->
<ELEMENT AmeRejMotCodHEA604 (#PCDATA)>
<!-- Leaf: Amendment rejection motivation text -->
<ELEMENT AmeRejMotTexHEA605 (#PCDATA)>
<!-- Leaf: Amendment rejection motivation text LNG -->
<ELEMENT AmeRejMotTexHEA605LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Error type -->
<ELEMENT ErrTypER11 (#PCDATA)>
<!-- Leaf: Error pointer -->
<ELEMENT ErrPoiER12 (#PCDATA)>
<!-- Leaf: Error reason -->
<ELEMENT ErrReaER13 (#PCDATA)>
<!-- Leaf: Original attribute value -->
<ELEMENT OriAttValER14 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
7. IE006 C_ARR_ADV ARRIVAL ADVICE	

7. IE006 C_ARR_ADV ARRIVAL ADVICE

```

<!-- Node: MESSAGE -->
<ELEMENT CD006A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFDEPEPT, CUSOFFPREOFFRES)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, ArrDatHEA140)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (PRESENTATION OFFICE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFPREOFFRES (RefNumRES1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Arrival date -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
7. IE006 C_ARR_ADV ARRIVAL ADVICE	

<ELEMENT ArrDatHEA140 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRES1 (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
8. IE007 E_ARR_NOT ARRIVAL NOTIFICATION	

8. IE007 E_ARR_NOT ARRIVAL NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC007A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRADESTRD, CUSOFFPREOFFRES,
ENROUEVETEV*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, CusSubPlaHEA66?, ArrNotPlaHEA60, ArrNotPlaHEA60LNG?, ArrAgrLocCodHEA62?,
ArrAgrLocOfGooHEA63?, ArrAgrLocOfGooHEA63LNG?, ArrAutLocOfGooHEA65?, SimProFlaHEA132, ArrNotDatHEA141,
DiaLanIndAtDesHEA255?)>
<!-- Node: (DESTINATION) TRADER -->
<ELEMENT TRADESTRD (NamTRD7?, StrAndNumTRD22?, PosCodTRD23?, CitTRD24?, CouTRD25?, NADLNGRD?,
TINTRD59?)>
<!-- Node: (PRESENTATION OFFICE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFPREOFFRES (RefNumRES1)>
<!-- Node: EN ROUTE EVENT -->
<ELEMENT ENROUEVETEV (PlaTEV10, PlaTEV10LNG?, CouTEV13, CTLCTL, INCINC?, SEAINFSF1?, TRASHP?)>
<!-- Node: CTL_CONTROL -->
<ELEMENT CTLCTL (AirInNCTCTL29)>
<!-- Node: INCIDENT -->
<ELEMENT INCINC (IncFlaINC3?, InclnflINC4?, InclnflINC4LNG?, EndDatINC6?, EndAutINC7?, EndAutINC7LNG?,
EndPlaINC10?, EndPlaINC10LNG?, EndCouINC12?)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSF1 (SeaNumSF12, SEAIDS1+)>
<!-- Node: TRANSHIPMENT -->
<ELEMENT TRASHP (NewTraMealdeSHP26?, NewTraMealdeSHP26LNG?, NewTraMeaNatSHP54?, EndDatSHP60?,
EndAutSHP61?, EndAutSHP61LNG?, EndPlaSHP63?, EndPlaSHP63LNG?, EndCouSHP65?, CONNR3*)>
<!-- Node: SEALS ID -->
<ELEMENT SEAIDS11 (SealdeSI11, SealdeSI11LNG?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR3 (ConNumNR31)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
8. IE007 E_ARR_NOT ARRIVAL NOTIFICATION	

```

<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<ELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Arrival notification place -->
<ELEMENT ArrNotPlaHEA60 (#PCDATA)>
<!-- Leaf: Arrival notification place LNG -->
<ELEMENT ArrNotPlaHEA60LNG (#PCDATA)>
<!-- Leaf: Arrival agreed Location code -->
<ELEMENT ArrAgrLocCodHEA62 (#PCDATA)>
<!-- Leaf: Arrival agreed Location of goods -->
<ELEMENT ArrAgrLocOfGooHEA63 (#PCDATA)>
<!-- Leaf: Arrival agreed Location of goods LNG -->
<ELEMENT ArrAgrLocOfGooHEA63LNG (#PCDATA)>
<!-- Leaf: Arrival authorised location of goods -->
<ELEMENT ArrAutLocOfGooHEA65 (#PCDATA)>
<!-- Leaf: Simplified procedure flag -->
<ELEMENT SimProFlaHEA132 (#PCDATA)>
<!-- Leaf: Arrival notification date -->
<ELEMENT ArrNotDatHEA141 (#PCDATA)>
<!-- Leaf: Dialog language indicator at destination -->
<ELEMENT DiaLanIndAtDesHEA255 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRD7 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTRD22 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRD23 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRD24 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouTRD25 (#PCDATA)>
<!-- Leaf: NAD LNG -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
8. IE007 E_ARR_NOT ARRIVAL NOTIFICATION	

```

<ELEMENT NADLNGRD (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRD59 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRES1 (#PCDATA)>
<!-- Leaf: Place -->
<ELEMENT PlaTEV10 (#PCDATA)>
<!-- Leaf: Place LNG -->
<ELEMENT PlaTEV10LNG (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouTEV13 (#PCDATA)>
<!-- Leaf: Already in NCTS -->
<ELEMENT AlrInNCTCTL29 (#PCDATA)>
<!-- Leaf: Incident flag -->
<ELEMENT IncFlaINC3 (#PCDATA)>
<!-- Leaf: Incident information -->
<ELEMENT IncInfINC4 (#PCDATA)>
<!-- Leaf: Incident information LNG -->
<ELEMENT IncInfINC4LNG (#PCDATA)>
<!-- Leaf: Endorsement date -->
<ELEMENT EndDatINC6 (#PCDATA)>
<!-- Leaf: Endorsement authority -->
<ELEMENT EndAutINC7 (#PCDATA)>
<!-- Leaf: Endorsement authority LNG -->
<ELEMENT EndAutINC7LNG (#PCDATA)>
<!-- Leaf: Endorsement place -->
<ELEMENT EndPlaINC10 (#PCDATA)>
<!-- Leaf: Endorsement place LNG -->
<ELEMENT EndPlaINC10LNG (#PCDATA)>
<!-- Leaf: Endorsement country -->
<ELEMENT EndCouINC12 (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSF12 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSI11 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSI11LNG (#PCDATA)>
<!-- Leaf: New transport means identity -->
<ELEMENT NewTraMealdeSHP26 (#PCDATA)>
<!-- Leaf: New transport means identity LNG -->
<ELEMENT NewTraMealdeSHP26LNG (#PCDATA)>
<!-- Leaf: New transport means nationality -->
<ELEMENT NewTraMeaNatSHP54 (#PCDATA)>
<!-- Leaf: Endorsement date -->
<ELEMENT EndDatSHP60 (#PCDATA)>
<!-- Leaf: Endorsement authority -->
<ELEMENT EndAutSHP61 (#PCDATA)>
<!-- Leaf: Endorsement authority LNG -->
<ELEMENT EndAutSHP61LNG (#PCDATA)>
<!-- Leaf: Endorsement place -->
<ELEMENT EndPlaSHP63 (#PCDATA)>
<!-- Leaf: Endorsement place LNG -->
<ELEMENT EndPlaSHP63LNG (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
8. IE007 E_ARR_NOT ARRIVAL NOTIFICATION	

<!-- Leaf: Endorsement country -->
<!ELEMENT EndCouSHP65 (#PCDATA)>
<!-- Leaf: Container number -->
<!ELEMENT ConNumNR31 (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
9. IE008 E_ARR_REJ ARRIVAL NOTIFICATION REJECTION	

9. IE008 E_ARR_REJ ARRIVAL NOTIFICATION REJECTION

```

<!-- Node: MESSAGE -->
<ELEMENT CC008A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, FUNERRER1*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, ArrRejDatHEA142, ActToBeTakHEA238?, ActToBeTakHEA238LNG?,
ArrRejReaHEA242?, ArrRejReaHEA242LNG?)>
<!-- Node: FUNCTIONAL ERROR -->
<ELEMENT FUNERRER1 (ErrTypER11, ErrPoiER12, ErrReaER13?, OriAttValER14?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
9. IE008 E_ARR_REJ ARRIVAL NOTIFICATION REJECTION	

```

<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Arrival rejection date -->
<ELEMENT ArrRejDatHEA142 (#PCDATA)>
<!-- Leaf: Action to be taken -->
<ELEMENT ActToBeTakHEA238 (#PCDATA)>
<!-- Leaf: Action to be taken LNG -->
<ELEMENT ActToBeTakHEA238LNG (#PCDATA)>
<!-- Leaf: Arrival rejection reason -->
<ELEMENT ArrRejReaHEA242 (#PCDATA)>
<!-- Leaf: Arrival rejection reason LNG -->
<ELEMENT ArrRejReaHEA242LNG (#PCDATA)>
<!-- Leaf: Error type -->
<ELEMENT ErrTypER11 (#PCDATA)>
<!-- Leaf: Error pointer -->
<ELEMENT ErrPoiER12 (#PCDATA)>
<!-- Leaf: Error reason -->
<ELEMENT ErrReaER13 (#PCDATA)>
<!-- Leaf: Original attribute value -->
<ELEMENT OriAttValER14 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
10. IE009 E_CAN_DEC CANCELLATION DECISION	

10. IE009 E_CAN_DEC CANCELLATION DECISION

```

<!-- Node: MESSAGE -->
<ELEMENT CC009A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecldeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrldMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, CUSOFFDEPEPT)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, CanDecHEA93?, DatOfCanReqHEA147?, CanIniByCusHEA94,
DatOfCanDecHEA146, CanJusHEA248?, CanJusHEA248LNG?)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17?, StrAndNumPC122?, PosCodPC123?, CitPC124?, CouPC125?, NADLNGPC?,
TINPC159?, HITPC126?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
10. IE009 E_CAN_DEC CANCELLATION DECISION	

```

<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Cancellation decision -->
<ELEMENT CanDecHEA93 (#PCDATA)>
<!-- Leaf: Date of cancellation request -->
<ELEMENT DatOfCanReqHEA147 (#PCDATA)>
<!-- Leaf: Cancellation initiated by customs -->
<ELEMENT CanIniByCusHEA94 (#PCDATA)>
<!-- Leaf: Date of cancellation decision -->
<ELEMENT DatOfCanDecHEA146 (#PCDATA)>
<!-- Leaf: Cancellation justification -->
<ELEMENT CanJusHEA248 (#PCDATA)>
<!-- Leaf: Cancellation justification LNG -->
<ELEMENT CanJusHEA248LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
11. IE010 C_CAN_NOT CANCELLATION NOTIFICATION	

11. IE010 C_CAN_NOT CANCELLATION NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CD010A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFDEPEPT, CUSOFFTRADECCOF*, CUSOFFDESDECDDC)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DatOfCanHEA145)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (TRANSIT DECLARED) CUSTOMS OFFICE -->
<ELEMENT CUSOFFTRADECCOF (RefNumCOF1)>
<!-- Node: (DESTINATION DECLARED) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESDECDDC (RefNumDDC1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
11. IE010 C_CAN_NOT CANCELLATION NOTIFICATION	

<!ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date of cancellation -->
<!ELEMENT DatOfCanHEA145 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumCOF1 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumDDC1 (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
12. IE011 C_SGI_NOT SENSITIVE GOODS NOTIFICATION	

12. IE011 C_SGI_NOT SENSITIVE GOODS NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CD011A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAPRIPC1, TRACONCO1?, TRACONCE1?, TRAAUTCONTRA?, CUSOFFDEPEPT,
CUSOFFTRARNS*, CUSOFFDESEST, CONRESERS, SEAINFSLI?, GOOITEGDS+, ITI*, RISANA*, CARTRA100?,
TRACORSEC037?, TRACONSEC029?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, TypOfDecHEA24, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?,
AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, PlaOfLoaCodHEA46?, CouOfDisCodHEA55?,
CusSubPlaHEA66?, TraModAtBorHEA76?, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?,
NatOfMeaOfTraAtDHEA80?, IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?,
ConIndHEA96, AccDatHEA158, IssDatHEA186, NCTSAccDocHEA601LNG, TotNumOfIteHEA305, TotNumOfPacHEA306?,
TotGroMasHEA307, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?, SecHEA358?, ConRefNumHEA?,
CodPIUnHEA357?, CodPIUnHEA357LNG?)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17, StrAndNumPC122, PosCodPC123, CitPC124, CouPC125, NADLNGPC?, TINPC159?,
HITPC126?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO1 (NamCO17, StrAndNumCO122, PosCodCO123, CitCO124, CouCO125, NADLNGCO?,
TINCO159?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (AUTHORISED CONSIGNEE) TRADER -->
<ELEMENT TRAAUTCONTRA (TINTRA59)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (TRANSIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFTRARNS (RefNumRNS1, ArrTimTRACUS085?)>
<!-- Node: (DESTINATION) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESEST (RefNumEST1)>
<!-- Node: CONTROL RESULT -->
<ELEMENT CONRESERS (ConResCodERS16, DatLimERS69)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID+)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, ComCodTarCodGDS10?, DecTypGDS15?, GooDesGDS23, GooDesGDS23LNG?,
GroMasGDS46?, NetMasGDS48?, CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ComRefNumGIM1?,
UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPEMENMT2*, TRACONCO2?, TRACONCE2?, CONNR2*,
PACGS2+, SGICODSD2*, TRACORSECGOO021?, TRACONSECGOO013?)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: RISK ANALYSIS -->
<ELEMENT RISANA (IteNumInvRKA1?, RisAnaResCodRKA1, RisAnaTexRKA1?, RisAnaTexRKA1LNG?)>
<!-- Node: (CARRIER) TRADER -->
<ELEMENT CARTRA100 (NamCARTRA121, StrAndNumCARTRA254, PosCodCARTRA121, CitCARTRA789,
CouCodCARTRA587, NADCARTRA121?, TINCARTRA254?)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSEC037 (NamTRACORSEC041, StrNumTRACORSEC043, PosCodTRACORSEC042,
CitTRACORSEC038, CouCodTRACORSEC039, TRACORSEC037LNG?, TINTRACORSEC044?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSEC029 (NameTRACONSEC033, StrNumTRACONSEC035, PosCodTRACONSEC034,
CitTRACONSEC030, CouCodTRACONSEC031, TRACONSEC029LNG?, TINTRACONSEC036?)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
12. IE011 C_SGI_NOT SENSITIVE GOODS NOTIFICATION	

```

<!-- Node: SEALS ID -->
<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?, ComOfInfAR29?,
ComOfInfAR29LNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23?, DocRefDCLNG?, ComOfInfDC25?, ComOfInfDC25LNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfCodMT23, ExpFroECMT24?, ExpFroCouMT25?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO2 (NamCO27, StrAndNumCO222, PosCodCO223, CitCO224, CouCO225, NADLNGGTCO?,
TINCO259?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Node: SGI CODES -->
<ELEMENT SGICODSD2 (SenGooCodSD22?, SenQuaSD23)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSECGOO021 (NamTRACORSECGOO025, StrNumTRACORSECGOO027,
PosCodTRACORSECGOO026, CitTRACORSECGOO022, CouCodTRACORSECGOO023, TRACORSECGOO021LNG?,
TINTRACORSECGOO028?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSECGOO013 (NamTRACONSECGOO017, StrNumTRACONSECGOO019,
PosCodTRACONSECGOO018, CityTRACONSECGOO014, CouCodTRACONSECGOO015, TRACONSECGOO013LNG?,
TINTRACONSECGOO020?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
12. IE011 C_SGI_NOT SENSITIVE GOODS NOTIFICATION	

```

<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<ELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<ELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<ELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<ELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Place of loading, code -->
<ELEMENT PlaOfLoaCodHEA46 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<ELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<ELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport at departure -->
<ELEMENT NatOfMeaOfTraAtDHEA80 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<ELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<ELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<ELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<ELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<ELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Issuing date -->

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
12. IE011 C_SGI_NOT SENSITIVE GOODS NOTIFICATION	

```

<ELEMENT IssDatHEA186 (#PCDATA)>
<!-- Leaf: NCTS accompanying document language code -->
<ELEMENT NCTSAccDocHEA601LNG (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Security -->
<ELEMENT SecHEA358 (#PCDATA)>
<!-- Leaf: Conveyance reference number -->
<ELEMENT ConRefNumHEA (#PCDATA)>
<!-- Leaf: Place of unloading, code -->
<ELEMENT CodPIUnHEA357 (#PCDATA)>
<!-- Leaf: Place of unloading LNG -->
<ELEMENT CodPIUnHEA357LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO159 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
12. IE011 C_SGI_NOT SENSITIVE GOODS NOTIFICATION	

```

<!-- Leaf: Name -->
<ELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRA59 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNS1 (#PCDATA)>
<!-- Leaf: Arrival Time -->
<ELEMENT ArrTimTRACUS085 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEST1 (#PCDATA)>
<!-- Leaf: Control result code -->
<ELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Date limit -->
<ELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodTarCodGDS10 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT DecTypGDS15 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
12. IE011 C_SGI_NOT SENSITIVE GOODS NOTIFICATION	

```

<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<ELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<ELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfAR29 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfAR29LNG (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfDC25 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfDC25LNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Export from EC -->
<ELEMENT ExpFroECMT24 (#PCDATA)>
<!-- Leaf: Export from country -->
<ELEMENT ExpFroCouMT25 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGTCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE224 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
12. IE011 C_SGI_NOT SENSITIVE GOODS NOTIFICATION	

```

<!-- Leaf: Country code -->
<ELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<ELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<ELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<ELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<ELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<ELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<ELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<ELEMENT SenGooCodSD22 (#PCDATA)>
<!-- Leaf: Sensitive quantity -->
<ELEMENT SenQuaSD23 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSECGOO025 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSECGOO027 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSECGOO026 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSECGOO022 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSECGOO023 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSECGOO021LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSECGOO028 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACONSECGOO017 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSECGOO019 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSECGOO018 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CityTRACONSECGOO014 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSECGOO015 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSECGOO013LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSECGOO020 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<ELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Item Number involved -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
12. IE011 C_SGI_NOT SENSITIVE GOODS NOTIFICATION	

```

<ELEMENT IteNumInvRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis result code -->
<ELEMENT RisAnaResCodRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis text -->
<ELEMENT RisAnaTexRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis LNG -->
<ELEMENT RisAnaTexRKA1LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCARTRA121 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCARTRA254 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCARTRA121 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCARTRA789 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodCARTRA587 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADCARTRA121 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCARTRA254 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSEC041 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSEC043 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSEC042 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSEC038 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSEC039 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSEC037LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSEC044 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NameTRACONSEC033 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSEC035 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSEC034 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACONSEC030 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSEC031 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSEC029LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSEC036 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
13. IE013 E_DEC_AMD DECLARATION AMENDMENT	

13. IE013 E_DEC_AMD DECLARATION AMENDMENT

```

<!-- Node: MESSAGE -->
<ELEMENT CC013B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, TRACONCO1?, TRACONCE1?,
TRAAUTCONTRA?, CUSOFFDEPEPT, CUSOFFTRARNS*, CUSOFFDESEST, CTLCL1, CONRESERS?, REPREP?,
SEAINFSLI?, GUAGUA+, GOOITEGDS+, ITI*, CARTRA100?, TRACORSEC037?, TRACONSEC029?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, TypOfDecHEA24, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?,
AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, PlaOfLoaCodHEA46?, CouOfDisCodHEA55?,
CusSubPlaHEA66?, IniTraModHEA75?, TraModAtBorHEA76?, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?,
NatOfMeaOfTraAtDHEA80?, IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?,
TypOfMeaOfTraCroHEA88?, ConIndHEA96, DiaLanIndAtDepHEA254?, NCTSAccDocHEA601LNG, TotNumOfIteHEA305,
TotNumOfPacHEA306?, TotGroMasHEA307, AmdPlaHEA598, AmdPlaHEA598LNG?, AmdDatHEA599, SpeCirIndHEA1?,
TraChaMetOfPayHEA1?, ComRefNumHEA?, SecHEA358?, ConRefNumHEA?, CodPIUnHEA357?, CodPIUnHEA357LNG?)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17?, StrAndNumPC122?, PosCodPC123?, CitPC124?, CouPC125?, NADLNGPC?,
TINPC159?, HITPC126?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO1 (NamCO17, StrAndNumCO122, PosCodCO123, CitCO124, CouCO125, NADLNGCO?,
TINCO159?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (AUTHORISED CONSIGNEE) TRADER -->
<ELEMENT TRAAUTCONTRA (TINTRA59)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (TRANSIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFTRARNS (RefNumRNS1, ArrTimTRACUS085?)>
<!-- Node: (DESTINATION) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESEST (RefNumEST1)>
<!-- Node: CTL_CONTROL -->
<ELEMENT CTLCL1 (AmeTypFlaCL628)>
<!-- Node: CONTROL RESULT -->
<ELEMENT CONRESERS (ConResCodERS16, DatLimERS69)>
<!-- Node: REPRESENTATIVE -->
<ELEMENT REPREP (NamREP5, RepCapREP18?, RepCapREP18LNG?)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID+)>
<!-- Node: GUARANTEE -->
<ELEMENT GUAGUA (GuaTypGUA1, GUAREFREF*)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, ComCodTarCodGDS10?, DecTypGDS15?, GooDesGDS23, GooDesGDS23LNG?,
GroMasGDS46?, NetMasGDS48?, CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ComRefNumGIM1?,
UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPEMENMT2*, TRACONCO2?, TRACONCE2?, CONNR2*,
PACGS2+, SGICODSD2*, TRACORSECGOO021?, TRACONSECGOO013?)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: (CARRIER) TRADER -->
<ELEMENT CARTRA100 (NamCARTRA121?, StrAndNumCARTRA254?, PosCodCARTRA121?, CitCARTRA789?,
CouCodCARTRA587?, NADCARTRA121?, TINCARTRA254?)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSEC037 (NamTRACORSEC041?, StrNumTRACORSEC043?, PosCodTRACORSEC042?,
CitTRACORSEC038?, CouCodTRACORSEC039?, TRACORSEC037LNG?, TINTRACORSEC044?)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
13. IE013 E_DEC_AMD DECLARATION AMENDMENT	

```

<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSEC029 (NameTRACONSEC033?, StrNumTRACONSEC035?, PosCodTRACONSEC034?,
CitTRACONSEC030?, CouCodTRACONSEC031?, TRACONSEC029LNG?, TINTRACONSEC036?)>
<!-- Node: SEALS ID -->
<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREFREF (GuaRefNumGRNREF1?, OthGuaRefREF4?, AccCodREF6?, VALLIMECVLE?,
VALLIMNONECLIM*)>
<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?, ComOfInfAR29?,
ComOfInfAR29LNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23?, DocRefDCLNG?, ComOfInfDC25?, ComOfInfDC25LNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfMT21?, AddInfMT21LNG?, AddInfCodMT23?, ExpFroECMT24?, ExpFroCouMT25?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO2 (NamCO27, StrAndNumCO222, PosCodCO223, CitCO224, CouCO225, NADLNGGTCO?,
TINCO259?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Node: SGI CODES -->
<ELEMENT SGICODSD2 (SenGooCodSD22?, SenQuaSD23)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSECGOO021 (NamTRACORSECGOO025?, StrNumTRACORSECGOO027?,
PosCodTRACORSECGOO026?, CitTRACORSECGOO022?, CouCodTRACORSECGOO023?, TRACORSECGOO021LNG?,
TINTRACORSECGOO028?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSECGOO013 (NamTRACONSECGOO017?, StrNumTRACONSECGOO019?,
PosCodTRACONSECGOO018?, CityTRACONSECGOO014?, CouCodTRACONSECGOO015?, TRACONSECGOO013LNG?,
TINTRACONSECGOO020?)>
<!-- Node: VALIDITY LIMITATION EC -->
<ELEMENT VALLIMECVLE (NotValForECVLE1)>
<!-- Node: VALIDITY LIMITATION NON EC -->
<ELEMENT VALLIMNONECLIM (NotValForOthConPLIM2)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
13. IE013 E_DEC_AMD DECLARATION AMENDMENT	

```

<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<ELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<ELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<ELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<ELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Place of loading, code -->
<ELEMENT PlaOfLoaCodHEA46 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<ELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Inland transport mode -->
<ELEMENT IniTraModHEA75 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<ELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
13. IE013 E_DEC_AMD DECLARATION AMENDMENT	

```

<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport at departure -->
<ELEMENT NatOfMeaOfTraAtDHEA80 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<ELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<ELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<ELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Type of means of transport crossing border -->
<ELEMENT TypOfMeaOfTraCroHEA88 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<ELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Dialog language indicator at departure -->
<ELEMENT DiaLanIndAtDepHEA254 (#PCDATA)>
<!-- Leaf: NCTS accompanying document language code -->
<ELEMENT NCTSAccDocHEA601LNG (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Amendment place -->
<ELEMENT AmdPlaHEA598 (#PCDATA)>
<!-- Leaf: Amendment place LNG -->
<ELEMENT AmdPlaHEA598LNG (#PCDATA)>
<!-- Leaf: Date of amendment -->
<ELEMENT AmdDatHEA599 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Security -->
<ELEMENT SecHEA358 (#PCDATA)>
<!-- Leaf: Conveyance reference number -->
<ELEMENT ConRefNumHEA (#PCDATA)>
<!-- Leaf: Place of unloading, code -->
<ELEMENT CodPIUnHEA357 (#PCDATA)>
<!-- Leaf: Place of unloading LNG -->
<ELEMENT CodPIUnHEA357LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
13. IE013 E_DEC_AMD DECLARATION AMENDMENT	

```

<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO159 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRA59 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNS1 (#PCDATA)>
<!-- Leaf: Arrival Time -->
<ELEMENT ArrTimTRACUS085 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEST1 (#PCDATA)>
<!-- Leaf: Amendment type flag -->
<ELEMENT AmeTypFlaCL628 (#PCDATA)>
<!-- Leaf: Control result code -->
<ELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Date limit -->
<ELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Name -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
13. IE013 E_DEC_AMD DECLARATION AMENDMENT	

```

<ELEMENT NamREP5 (#PCDATA)>
<!-- Leaf: Representative capacity -->
<ELEMENT RepCapREP18 (#PCDATA)>
<!-- Leaf: Representative capacity LNG -->
<ELEMENT RepCapREP18LNG (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Guarantee type -->
<ELEMENT GuaTypGUA1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF1 (#PCDATA)>
<!-- Leaf: Other guarantee reference -->
<ELEMENT OthGuaRefREF4 (#PCDATA)>
<!-- Leaf: Access code -->
<ELEMENT AccCodREF6 (#PCDATA)>
<!-- Leaf: Not valid for EC -->
<ELEMENT NotValForECVLE1 (#PCDATA)>
<!-- Leaf: Not valid for other contracting parties -->
<ELEMENT NotValForOthConPLIM2 (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodTarCodGDS10 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT DecTypGDS15 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<ELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<ELEMENT PreDocRefLNG (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
13. IE013 E_DEC_AMD DECLARATION AMENDMENT	

```

<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfAR29 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfAR29LNG (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfDC25 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfDC25LNG (#PCDATA)>
<!-- Leaf: Additional information -->
<ELEMENT AddInfMT21 (#PCDATA)>
<!-- Leaf: Additional information LNG -->
<ELEMENT AddInfMT21LNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Export from EC -->
<ELEMENT ExpFroECMT24 (#PCDATA)>
<!-- Leaf: Export from country -->
<ELEMENT ExpFroCouMT25 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGTCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
13. IE013 E_DEC_AMD DECLARATION AMENDMENT	

```

<ELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<ELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<ELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<ELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<ELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<ELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<ELEMENT SenGooCodSD22 (#PCDATA)>
<!-- Leaf: Sensitive quantity -->
<ELEMENT SenQuaSD23 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSECGOO025 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSECGOO027 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSECGOO026 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSECGOO022 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSECGOO023 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSECGOO021LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSECGOO028 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACONSECGOO017 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSECGOO019 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSECGOO018 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CityTRACONSECGOO014 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSECGOO015 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSECGOO013LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSECGOO020 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<ELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCARTRA121 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCARTRA254 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCARTRA121 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCARTRA789 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
13. IE013 E_DEC_AMD DECLARATION AMENDMENT	

```

<!-- Leaf: Country code -->
<ELEMENT CouCodCARTRA587 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADCARTRA121 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCARTRA254 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSEC041 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSEC043 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSEC042 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSEC038 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSEC039 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSEC037LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSEC044 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NameTRACONSEC033 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSEC035 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSEC034 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACONSEC030 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSEC031 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSEC029LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSEC036 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
14. IE014 E_DEC_CAN DECLARATION CANCELLATION REQUEST	

14. IE014 E_DEC_CAN DECLARATION CANCELLATION REQUEST

```

<!-- Node: MESSAGE -->
<ELEMENT CC014A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, CUSOFFDEPEPT)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DatOfCanReqHEA147, CanReaHEA250, CanReaHEA250LNG?)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17?, StrAndNumPC122?, PosCodPC123?, CitPC124?, CouPC125?, NADLNGPC?,
TINPC159?, HITPC126?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
14. IE014 E_DEC_CAN DECLARATION CANCELLATION REQUEST	

```

<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date of cancellation request -->
<ELEMENT DatOfCanReqHEA147 (#PCDATA)>
<!-- Leaf: Cancellation reason -->
<ELEMENT CanReaHEA250 (#PCDATA)>
<!-- Leaf: Cancellation reason LNG -->
<ELEMENT CanReaHEA250LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
15. IE015 E_DEC_DAT DECLARATION DATA	

15. IE015 E_DEC_DAT DECLARATION DATA

```

<!-- Node: MESSAGE -->
<ELEMENT CC015B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, TRACONCO1?, TRACONCE1?,
TRAAUTCONTRA?, CUSOFFDEPEPT, CUSOFFTRARNS*, CUSOFFDESEST, CONRESERS?, REPREP?, SEAINFSLI?,
GUAGUA+, GOOITEGDS+, ITI*, CARTRA100?, TRACORSEC037?, TRACONSEC029?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (RefNumHEA4, TypOfDecHEA24, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?,
AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, PlaOfLoaCodHEA46?, CouOfDisCodHEA55?,
CusSubPlaHEA66?, IniTraModHEA75?, TraModAtBorHEA76?, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?,
NatOfMeaOfTraAtDHEA80?, IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?,
TypOfMeaOfTraCroHEA88?, ConIndHEA96, DiaLanIndAtDepHEA254?, NCTSAccDocHEA601LNG, TotNumOfIteHEA305,
TotNumOfPacHEA306?, TotGroMasHEA307, DecDatHEA383, DecPlaHEA394, DecPlaHEA394LNG?, SpeCirIndHEA1?,
TraChaMetOfPayHEA1?, ComRefNumHEA?, SecHEA358?, ConRefNumHEA?, CodPIUnHEA357?, CodPIUnHEA357LNG?)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17?, StrAndNumPC122?, PosCodPC123?, CitPC124?, CouPC125?, NADLNGPC?,
TINPC159?, HITPC126?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO1 (NamCO17, StrAndNumCO122, PosCodCO123, CitCO124, CouCO125, NADLNGCO?,
TINCO159?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (AUTHORISED CONSIGNEE) TRADER -->
<ELEMENT TRAAUTCONTRA (TINTRA59)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (TRANSIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFTRARNS (RefNumRNS1, ArrTimTRACUS085?)>
<!-- Node: (DESTINATION) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESEST (RefNumEST1)>
<!-- Node: CONTROL RESULT -->
<ELEMENT CONRESERS (ConResCodERS16, DatLimERS69)>
<!-- Node: REPRESENTATIVE -->
<ELEMENT REPREP (NamREP5, RepCapREP18?, RepCapREP18LNG?)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID+)>
<!-- Node: GUARANTEE -->
<ELEMENT GUAGUA (GuaTypGUA1, GUAREFREF*)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, ComCodTarCodGDS10?, DecTypGDS15?, GooDesGDS23, GooDesGDS23LNG?,
GroMasGDS46?, NetMasGDS48?, CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ComRefNumGIM1?,
UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPEMENMT2*, TRACONCO2?, TRACONCE2?, CONNR2*,
PACGS2+, SGICODSD2*, TRACORSECGOO021?, TRACONSECGOO013?)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: (CARRIER) TRADER -->
<ELEMENT CARTRA100 (NamCARTRA121?, StrAndNumCARTRA254?, PosCodCARTRA121?, CitCARTRA789?,
CouCodCARTRA587?, NADCARTRA121?, TINCARTRA254?)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSEC037 (NamTRACORSEC041?, StrNumTRACORSEC043?, PosCodTRACORSEC042?,
CitTRACORSEC038?, CouCodTRACORSEC039?, TRACORSEC037LNG?, TINTRACORSEC044?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
15. IE015 E_DEC_DAT DECLARATION DATA	

```

<ELEMENT TRACONSEC029 (NameTRACONSEC033?, StrNumTRACONSEC035?, PosCodTRACONSEC034?,
CitTRACONSEC030?, CouCodTRACONSEC031?, TRACONSEC029LNG?, TINTRACONSEC036?)>
<!-- Node: SEALS ID -->
<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREFREF (GuaRefNumGRNREF1?, OthGuaRefREF4?, AccCodREF6?, VALLIMECVLE?,
VALLIMNONECLIM*)>
<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?, ComOfInfAR29?,
ComOfInfAR29LNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23?, DocRefDCLNG?, ComOfInfDC25?, ComOfInfDC25LNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfMT21?, AddInfMT21LNG?, AddInfCodMT23?, ExpFroECMT24?, ExpFroCouMT25?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO2 (NamCO27, StrAndNumCO222, PosCodCO223, CitCO224, CouCO225, NADLNGGTCO?,
TINCO259?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Node: SGI CODES -->
<ELEMENT SGICODSD2 (SenGooCodSD22?, SenQuaSD23)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSECGOO021 (NamTRACORSECGOO025?, StrNumTRACORSECGOO027?,
PosCodTRACORSECGOO026?, CitTRACORSECGOO022?, CouCodTRACORSECGOO023?, TRACORSECGOO021LNG?,
TINTRACORSECGOO028?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSECGOO013 (NamTRACONSECGOO017?, StrNumTRACONSECGOO019?,
PosCodTRACONSECGOO018?, CityTRACONSECGOO014?, CouCodTRACONSECGOO015?, TRACONSECGOO013LNG?,
TINTRACONSECGOO020?)>
<!-- Node: VALIDITY LIMITATION EC -->
<ELEMENT VALLIMECVLE (NotValForECVLE1)>
<!-- Node: VALIDITY LIMITATION NON EC -->
<ELEMENT VALLIMNONECLIM (NotValForOthConPLIM2)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
15. IE015 E_DEC_DAT DECLARATION DATA	

```

<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<ELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<ELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<ELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<ELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Place of loading, code -->
<ELEMENT PlaOfLoaCodHEA46 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<ELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Inland transport mode -->
<ELEMENT IniTraModHEA75 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<ELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
15. IE015 E_DEC_DAT DECLARATION DATA	

```

<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport at departure -->
<ELEMENT NatOfMeaOfTraAtDHEA80 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<ELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<ELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<ELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Type of means of transport crossing border -->
<ELEMENT TypOfMeaOfTraCroHEA88 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<ELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Dialog language indicator at departure -->
<ELEMENT DiaLanIndAtDepHEA254 (#PCDATA)>
<!-- Leaf: NCTS accompanying document language code -->
<ELEMENT NCTSAccDocHEA601LNG (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Declaration date -->
<ELEMENT DecDatHEA383 (#PCDATA)>
<!-- Leaf: Declaration place -->
<ELEMENT DecPlaHEA394 (#PCDATA)>
<!-- Leaf: Declaration place LNG -->
<ELEMENT DecPlaHEA394LNG (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Security -->
<ELEMENT SecHEA358 (#PCDATA)>
<!-- Leaf: Conveyance reference number -->
<ELEMENT ConRefNumHEA (#PCDATA)>
<!-- Leaf: Place of unloading, code -->
<ELEMENT CodPIUnHEA357 (#PCDATA)>
<!-- Leaf: Place of unloading LNG -->
<ELEMENT CodPIUnHEA357LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
15. IE015 E_DEC_DAT DECLARATION DATA	

```

<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO159 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRA59 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNS1 (#PCDATA)>
<!-- Leaf: Arrival Time -->
<ELEMENT ArrTimTRACUS085 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEST1 (#PCDATA)>
<!-- Leaf: Control result code -->
<ELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Date limit -->
<ELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamREP5 (#PCDATA)>
<!-- Leaf: Representative capacity -->
<ELEMENT RepCapREP18 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
15. IE015 E_DEC_DAT DECLARATION DATA	

```

<!-- Leaf: Representative capacity LNG -->
<ELEMENT RepCapREP18LNG (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Guarantee type -->
<ELEMENT GuaTypGUA1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF1 (#PCDATA)>
<!-- Leaf: Other guarantee reference -->
<ELEMENT OthGuaRefREF4 (#PCDATA)>
<!-- Leaf: Access code -->
<ELEMENT AccCodREF6 (#PCDATA)>
<!-- Leaf: Not valid for EC -->
<ELEMENT NotValForECVLE1 (#PCDATA)>
<!-- Leaf: Not valid for other contracting parties -->
<ELEMENT NotValForOthConPLIM2 (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodTarCodGDS10 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT DecTypGDS15 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<ELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<ELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfAR29 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
15. IE015 E_DEC_DAT DECLARATION DATA	

```

<ELEMENT ComOfInfAR29LNG (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfDC25 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfDC25LNG (#PCDATA)>
<!-- Leaf: Additional information -->
<ELEMENT AddInfMT21 (#PCDATA)>
<!-- Leaf: Additional information LNG -->
<ELEMENT AddInfMT21LNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Export from EC -->
<ELEMENT ExpFroECMT24 (#PCDATA)>
<!-- Leaf: Export from country -->
<ELEMENT ExpFroCouMT25 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGTCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<ELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<ELEMENT MarNumOfPacGS21 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
15. IE015 E_DEC_DAT DECLARATION DATA	

```

<!-- Leaf: Marks & numbers of packages LNG -->
<IELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<IELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<IELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<IELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<IELEMENT SenGooCodSD22 (#PCDATA)>
<!-- Leaf: Sensitive quantity -->
<IELEMENT SenQuaSD23 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTRACORSECGOO025 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrNumTRACORSECGOO027 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTRACORSECGOO026 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTRACORSECGOO022 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTRACORSECGOO023 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRACORSECGOO021LNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRACORSECGOO028 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTRACONSECGOO017 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrNumTRACONSECGOO019 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTRACONSECGOO018 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CityTRACONSECGOO014 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTRACONSECGOO015 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRACONSECGOO013LNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRACONSECGOO020 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<IELEMENT CouOfRouCodIT11 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCARTRA121 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCARTRA254 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCARTRA121 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCARTRA789 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodCARTRA587 (#PCDATA)>
<!-- Leaf: NAD LNG -->

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
15. IE015 E_DEC_DAT DECLARATION DATA	

```

<IELEMENT NADCARTRA121 (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCARTRA254 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTRACORSEC041 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrNumTRACORSEC043 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTRACORSEC042 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTRACORSEC038 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTRACORSEC039 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRACORSEC037LNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRACORSEC044 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NameTRACONSEC033 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrNumTRACONSEC035 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTRACONSEC034 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTRACONSEC030 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTRACONSEC031 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRACONSEC029LNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRACONSEC036 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
16. IE016 E_DEC_REJ DECLARATION REJECTED	

16. IE016 E_DEC_REJ DECLARATION REJECTED

```

<!-- Node: MESSAGE -->
<ELEMENT CC016A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, FUNERRER1*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (RefNumHEA4, TypOfDecHEA24, DecRejDatHEA159, DecRejReaHEA252?,
DecRejReaHEA252LNG?)>
<!-- Node: FUNCTIONAL ERROR -->
<ELEMENT FUNERRER1 (ErrTypER11, ErrPoiER12, ErrReaER13?, OriAttValER14?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
16. IE016 E_DEC_REJ DECLARATION REJECTED	

```

<!-- Leaf: Reference number -->
<ELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Declaration rejection date -->
<ELEMENT DecRejDatHEA159 (#PCDATA)>
<!-- Leaf: Declaration rejection reason -->
<ELEMENT DecRejReaHEA252 (#PCDATA)>
<!-- Leaf: Declaration rejection reason LNG -->
<ELEMENT DecRejReaHEA252LNG (#PCDATA)>
<!-- Leaf: Error type -->
<ELEMENT ErrTypER11 (#PCDATA)>
<!-- Leaf: Error pointer -->
<ELEMENT ErrPoiER12 (#PCDATA)>
<!-- Leaf: Error reason -->
<ELEMENT ErrReaER13 (#PCDATA)>
<!-- Leaf: Original attribute value -->
<ELEMENT OriAttValER14 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
17. IE017 N_DEP_CON DEPARTURE CONTROL RESULTS	

17. IE017 N_DEP_CON DEPARTURE CONTROL RESULTS

```

<!-- Node: MESSAGE -->
<ELEMENT CC017B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAPRIPC1, TRACONCO1?, TRACONCE1?, TRAAUTCONTRA?, CUSOFFDEPEPT,
CUSOFFTRARNS*, CUSOFFDESEST?, CONRESERS, RESOFCON534*, SEAINFSLI?, GOOITEGDS*, ITI*, CARTRA100?,
TRACORSEC037?, TRACONSEC029?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, TypOfDecHEA24?, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?,
AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, PlaOfLoaCodHEA46?, CouOfDisCodHEA55?,
CusSubPlaHEA66?, IniTraModHEA75?, TraModAtBorHEA76?, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?,
NatOfMeaOfTraAtDHEA80?, IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?,
TypOfMeaOfTraCroHEA88?, ConIndHEA96?, RelReqHEA105?, RelReqDatHEA154?, TotNumOfIteHEA305?,
TotNumOfPacHEA306?, TotGroMasHEA307?, BinlItiHEA246, SecCodHEA378, SpeCirIndHEA1?, TraChaMetOfPayHEA1?,
ComRefNumHEA?, SecHEA358?, ConRefNumHEA?, CodPIUnHEA357?, CodPIUnHEA357LNG?)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17?, StrAndNumPC122?, PosCodPC123?, CitPC124?, CouPC125?, NADLNGPC?,
TINPC159?, HITPC126?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO1 (NamCO17?, StrAndNumCO122?, PosCodCO123?, CitCO124?, CouCO125?, NADLNGCO?,
TINCO159?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17?, StrAndNumCE122?, PosCodCE123?, CitCE124?, CouCE125?, NADLNGCE?,
TINCE159?)>
<!-- Node: (AUTHORISED CONSIGNEE) TRADER -->
<ELEMENT TRAAUTCONTRA (TINTRA59)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (TRANSIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFTRARNS (RefNumRNS1, ArrTimTRACUS085?)>
<!-- Node: (DESTINATION) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESEST (RefNumEST1)>
<!-- Node: CONTROL RESULT -->
<ELEMENT CONRESERS (ConDatERS14, ConResCodERS16, ConByERS18, ConByERS18LNG?, RemERS24?,
RemERS24LNG?, DatLimERS69)>
<!-- Node: RESULTS OF CONTROL -->
<ELEMENT RESOFCON534 (DesTOC2?, DesTOC2LNG?, ConInd424, PoiToTheAttTOC5?, CorValTOC4?)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID+)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, ComCodTarCodGDS10?, DecTypGDS15?, GooDesGDS23?,
GooDesGDS23LNG?, GroMasGDS46?, NetMasGDS48?, CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?,
ComRefNumGIM1?, UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPEMENMT2*, RESOFCONROC+,
TRACONCO2?, TRACONCE2?, CONNR2*, PACGS2*, SGICODSD2*, TRACORSECGOO021?, TRACONSECGOO013?)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: (CARRIER) TRADER -->
<ELEMENT CARTRA100 (NamCARTRA121?, StrAndNumCARTRA254?, PosCodCARTRA121?, CitCARTRA789?,
CouCodCARTRA587?, NADCARTRA121?, TINCARTRA254?)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSEC037 (NamTRACORSEC041?, StrNumTRACORSEC043?, PosCodTRACORSEC042?,
CitTRACORSEC038?, CouCodTRACORSEC039?, TRACORSEC037LNG?, TINTRACORSEC044?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSEC029 (NameTRACONSEC033?, StrNumTRACONSEC035?, PosCodTRACONSEC034?,
CitTRACONSEC030?, CouCodTRACONSEC031?, TRACONSEC029LNG?, TINTRACONSEC036?)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
17. IE017 N_DEP_CON DEPARTURE CONTROL RESULTS	

```

<!-- Node: SEALS ID -->
<ELEMENT SEALSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREAMREFAR2 (PreDocTypAR21?, PreDocRefAR26?, PreDocRefLNG?, ComOfInfAR29?,
ComOfInfAR29LNG?, ComConAR211)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23?, DocRefDCLNG?, ComOfInfDC25?, ComOfInfDC25LNG?,
ComConDC27)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfMT21?, AddInfMT21LNG?, AddInfCodMT23?, ExpFroECMT24?, ExpFroCouMT25?,
ComConMT26)>
<!-- Node: RESULTS OF CONTROL -->
<ELEMENT RESOFCONROC (DesROC2?, DesROC2LNG?, ConIndROC1, PoiToTheAttROC51?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO2 (NamCO27?, StrAndNumCO222?, PosCodCO223?, CitCO224?, CouCO225?, NADLNGGTCO?,
TINCO259?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27?, StrAndNumCE222?, PosCodCE223?, CitCE224?, CouCE225?, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21, ComConNR22)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?, ConPacGS26?, ConPacGS26LNG?, ComConGS28)>
<!-- Node: SGI CODES -->
<ELEMENT SGICODSD2 (SenGooCodSD22?, SenQuaSD23, ComConSD25)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSECGOO021 (NamTRACORSECGOO025?, StrNumTRACORSECGOO027?,
PosCodTRACORSECGOO026?, CitTRACORSECGOO022?, CouCodTRACORSECGOO023?, TRACORSECGOO021LNG?,
TINTRACORSECGOO028?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSECGOO013 (NamTRACONSECGOO017?, StrNumTRACONSECGOO019?,
PosCodTRACONSECGOO018?, CityTRACONSECGOO014?, CouCodTRACONSECGOO015?, TRACONSECGOO013LNG?,
TINTRACONSECGOO020?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
17. IE017 N_DEP_CON DEPARTURE CONTROL RESULTS	

```

<!-- Leaf: Recipient's reference/password qualifier -->
<IELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<IELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<IELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<IELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<IELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<IELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<IELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<IELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<IELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<IELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<IELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<IELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<IELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<IELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<IELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<IELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Place of loading, code -->
<IELEMENT PlaOfLoaCodHEA46 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<IELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<IELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Inland transport mode -->
<IELEMENT InlTraModHEA75 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<IELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<IELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<IELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport at departure -->
<IELEMENT NatOfMeaOfTraAtDHEA80 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<IELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<IELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
17. IE017 N_DEP_CON DEPARTURE CONTROL RESULTS	

```

<ELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Type of means of transport crossing border -->
<ELEMENT TypOfMeaOfTraCroHEA88 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<ELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Release requested -->
<ELEMENT RelReqHEA105 (#PCDATA)>
<!-- Leaf: Date of release request -->
<ELEMENT RelReqDatHEA154 (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Binding itinerary -->
<ELEMENT BinItiHEA246 (#PCDATA)>
<!-- Leaf: Security code -->
<ELEMENT SecCodHEA378 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Security -->
<ELEMENT SecHEA358 (#PCDATA)>
<!-- Leaf: Conveyance reference number -->
<ELEMENT ConRefNumHEA (#PCDATA)>
<!-- Leaf: Place of unloading, code -->
<ELEMENT CodPIUnHEA357 (#PCDATA)>
<!-- Leaf: Place of unloading LNG -->
<ELEMENT CodPIUnHEA357LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO122 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
17. IE017 N_DEP_CON DEPARTURE CONTROL RESULTS	

```

<!-- Leaf: Postal code -->
<IELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGCO (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCO159 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRA59 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumRNS1 (#PCDATA)>
<!-- Leaf: Arrival Time -->
<IELEMENT ArrTimTRACUS085 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumEST1 (#PCDATA)>
<!-- Leaf: Control date -->
<IELEMENT ConDatERS14 (#PCDATA)>
<!-- Leaf: Control result code -->
<IELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Controlled by -->
<IELEMENT ConByERS18 (#PCDATA)>
<!-- Leaf: Controlled by LNG -->
<IELEMENT ConByERS18LNG (#PCDATA)>
<!-- Leaf: Remark -->
<IELEMENT RemERS24 (#PCDATA)>
<!-- Leaf: Remark LNG -->
<IELEMENT RemERS24LNG (#PCDATA)>
<!-- Leaf: Date limit -->
<IELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Description -->
<IELEMENT DesTOC2 (#PCDATA)>
<!-- Leaf: Description LNG -->
<IELEMENT DesTOC2LNG (#PCDATA)>
<!-- Leaf: Control indicator -->

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
17. IE017 N_DEP_CON DEPARTURE CONTROL RESULTS	

```

<ELEMENT ConInd424 (#PCDATA)>
<!-- Leaf: Pointer to the attribute -->
<ELEMENT PoiToTheAttTOC5 (#PCDATA)>
<!-- Leaf: Corrected value -->
<ELEMENT CorValTOC4 (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodTarCodGDS10 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT DecTypGDS15 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<ELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<ELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfAR29 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfAR29LNG (#PCDATA)>
<!-- Leaf: Complete control -->
<ELEMENT ComConAR211 (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
17. IE017 N_DEP_CON DEPARTURE CONTROL RESULTS	

```

<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfDC25 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfDC25LNG (#PCDATA)>
<!-- Leaf: Complete control -->
<ELEMENT ComConDC27 (#PCDATA)>
<!-- Leaf: Additional information -->
<ELEMENT AddInfMT21 (#PCDATA)>
<!-- Leaf: Additional information LNG -->
<ELEMENT AddInfMT21LNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Export from EC -->
<ELEMENT ExpFroECMT24 (#PCDATA)>
<!-- Leaf: Export from country -->
<ELEMENT ExpFroCouMT25 (#PCDATA)>
<!-- Leaf: Complete control -->
<ELEMENT ComConMT26 (#PCDATA)>
<!-- Leaf: Description -->
<ELEMENT DesROC2 (#PCDATA)>
<!-- Leaf: Description LNG -->
<ELEMENT DesROC2LNG (#PCDATA)>
<!-- Leaf: Control indicator -->
<ELEMENT ConIndROC1 (#PCDATA)>
<!-- Leaf: Pointer to the attribute -->
<ELEMENT PoiToTheAttROC51 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGTCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
17. IE017 N_DEP_CON DEPARTURE CONTROL RESULTS	

```

<IELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<IELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Complete control -->
<IELEMENT ComConNR22 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<IELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<IELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<IELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<IELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<IELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Controlled packages -->
<IELEMENT ConPacGS26 (#PCDATA)>
<!-- Leaf: Controlled packages LNG -->
<IELEMENT ConPacGS26LNG (#PCDATA)>
<!-- Leaf: Complete control -->
<IELEMENT ComConGS28 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<IELEMENT SenGooCodSD22 (#PCDATA)>
<!-- Leaf: Sensitive quantity -->
<IELEMENT SenQuaSD23 (#PCDATA)>
<!-- Leaf: Complete control -->
<IELEMENT ComConSD25 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTRACORSECGOO025 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrNumTRACORSECGOO027 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTRACORSECGOO026 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTRACORSECGOO022 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTRACORSECGOO023 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRACORSECGOO021LNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRACORSECGOO028 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTRACONSECGOO017 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrNumTRACONSECGOO019 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTRACONSECGOO018 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CityTRACONSECGOO014 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTRACONSECGOO015 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRACONSECGOO013LNG (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
17. IE017 N_DEP_CON DEPARTURE CONTROL RESULTS	

```

<!-- Leaf: TIN -->
<IELEMENT TINTRACONSECGOO020 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<IELEMENT CouOfRouCodIT11 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCARTRA121 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCARTRA254 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCARTRA121 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCARTRA789 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodCARTRA587 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADCARTRA121 (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCARTRA254 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTRACORSEC041 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrNumTRACORSEC043 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTRACORSEC042 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTRACORSEC038 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTRACORSEC039 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRACORSEC037LNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRACORSEC044 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NameTRACONSEC033 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrNumTRACONSEC035 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTRACONSEC034 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTRACONSEC030 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTRACONSEC031 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRACONSEC029LNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRACONSEC036 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
18. IE018 C_DES_CON DESTINATION CONTROL RESULTS	

18. IE018 C_DES_CON DESTINATION CONTROL RESULTS

```

<!-- Node: MESSAGE -->
<ELEMENT CD018B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFDEPEPT, CUSOFFPREOFFRES, CONRESERS, RESOFCON534*,
ENROUEVETEV*, GOOITEGDS*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?,
NatOfMeaOfTraAtDHEA80?, TotNumOfIteHEA305, TotNumOfPacHEA306?, TotGroMasHEA307)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (PRESENTATION OFFICE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFPREOFFRES (RefNumRES1)>
<!-- Node: CONTROL RESULT -->
<ELEMENT CONRESERS (ConDatERS14, ConResCodERS16, WaiForDisResERS67?, StaOfTheSeaOKERS70?)>
<!-- Node: RESULTS OF CONTROL -->
<ELEMENT RESOFCON534 (DesTOC2?, DesTOC2LNG?, ConInd424, PoiToTheAttTOC5?, CorValTOC4?)>
<!-- Node: EN ROUTE EVENT -->
<ELEMENT ENROUEVETEV (PlaTEV10, PlaTEV10LNG?, CouTEV13, INCINC?, SEAINFSF1?, TRASHP?)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, ComCodTarCodGDS10?, GooDesGDS23?, GooDesGDS23LNG?,
GroMasGDS46?, NetMasGDS48?, PRODOCDC2*, RESOFCONROC*, CONNR2*, PACGS2*, SGICODSD2*)>
<!-- Node: INCIDENT -->
<ELEMENT INCINC (IncFlaINC3?, IncInfINC4?, IncInfINC4LNG?, EndDatINC6?, EndAutINC7?, EndAutINC7LNG?,
EndPlaINC10?, EndPlaINC10LNG?, EndCouINC12?)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSF1 (SeaNumSF12, SEAIDS1+)>
<!-- Node: TRANSHIPMENT -->
<ELEMENT TRASHP (NewTraMealdeSHP26?, NewTraMealdeSHP26LNG?, NewTraMeaNatSHP54?, EndDatSHP60?,
EndAutSHP61?, EndAutSHP61LNG?, EndPlaSHP63?, EndPlaSHP63LNG?, EndCouSHP65?, CONNR3*)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23?, DocRefDCLNG?, ComOfInfDC25?, ComOfInfDC25LNG?)>
<!-- Node: RESULTS OF CONTROL -->
<ELEMENT RESOFCONROC (DesROC2?, DesROC2LNG?, ConIndROC1, PoiToTheAttROC51?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Node: SGI CODES -->
<ELEMENT SGICODSD2 (SenGooCodSD22?, SenQuaSD23)>
<!-- Node: SEALS ID -->
<ELEMENT SEAIDS1 (SealdeSI11, SealdeSI11LNG?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR3 (ConNumNR31)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
18. IE018 C_DES_CON DESTINATION CONTROL RESULTS	

```

<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport at departure -->
<ELEMENT NatOfMeaOfTraAtDHEA80 (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRES1 (#PCDATA)>
<!-- Leaf: Control date -->
<ELEMENT ConDatERS14 (#PCDATA)>
<!-- Leaf: Control result code -->
<ELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Waiting for discrepancies resolution -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
18. IE018 C_DES_CON DESTINATION CONTROL RESULTS	

```

<ELEMENT WaiForDisResERS67 (#PCDATA)>
<!-- Leaf: State of seals ok -->
<ELEMENT StaOfTheSeaOKERS70 (#PCDATA)>
<!-- Leaf: Description -->
<ELEMENT DesTOC2 (#PCDATA)>
<!-- Leaf: Description LNG -->
<ELEMENT DesTOC2LNG (#PCDATA)>
<!-- Leaf: Control indicator -->
<ELEMENT ConInd424 (#PCDATA)>
<!-- Leaf: Pointer to the attribute -->
<ELEMENT PoiToTheAttTOC5 (#PCDATA)>
<!-- Leaf: Corrected value -->
<ELEMENT CorValTOC4 (#PCDATA)>
<!-- Leaf: Place -->
<ELEMENT PlaTEV10 (#PCDATA)>
<!-- Leaf: Place LNG -->
<ELEMENT PlaTEV10LNG (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouTEV13 (#PCDATA)>
<!-- Leaf: Incident flag -->
<ELEMENT IncFlaINC3 (#PCDATA)>
<!-- Leaf: Incident information -->
<ELEMENT IncInfINC4 (#PCDATA)>
<!-- Leaf: Incident information LNG -->
<ELEMENT IncInfINC4LNG (#PCDATA)>
<!-- Leaf: Endorsement date -->
<ELEMENT EndDatINC6 (#PCDATA)>
<!-- Leaf: Endorsement authority -->
<ELEMENT EndAutINC7 (#PCDATA)>
<!-- Leaf: Endorsement authority LNG -->
<ELEMENT EndAutINC7LNG (#PCDATA)>
<!-- Leaf: Endorsement place -->
<ELEMENT EndPlaINC10 (#PCDATA)>
<!-- Leaf: Endorsement place LNG -->
<ELEMENT EndPlaINC10LNG (#PCDATA)>
<!-- Leaf: Endorsement country -->
<ELEMENT EndCouINC12 (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSF12 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSI11 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSI11LNG (#PCDATA)>
<!-- Leaf: New transport means identity -->
<ELEMENT NewTraMealdeSHP26 (#PCDATA)>
<!-- Leaf: New transport means identity LNG -->
<ELEMENT NewTraMealdeSHP26LNG (#PCDATA)>
<!-- Leaf: New transport means nationality -->
<ELEMENT NewTraMeaNatSHP54 (#PCDATA)>
<!-- Leaf: Endorsement date -->
<ELEMENT EndDatSHP60 (#PCDATA)>
<!-- Leaf: Endorsement authority -->
<ELEMENT EndAutSHP61 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
18. IE018 C_DES_CON DESTINATION CONTROL RESULTS	

```

<!-- Leaf: Endorsement authority LNG -->
<ELEMENT EndAutSHP61LNG (#PCDATA)>
<!-- Leaf: Endorsement place -->
<ELEMENT EndPlaSHP63 (#PCDATA)>
<!-- Leaf: Endorsement place LNG -->
<ELEMENT EndPlaSHP63LNG (#PCDATA)>
<!-- Leaf: Endorsement country -->
<ELEMENT EndCouSHP65 (#PCDATA)>
<!-- Leaf: Container number -->
<ELEMENT ConNumNR31 (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodTarCodGDS10 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfDC25 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfDC25LNG (#PCDATA)>
<!-- Leaf: Description -->
<ELEMENT DesROC2 (#PCDATA)>
<!-- Leaf: Description LNG -->
<ELEMENT DesROC2LNG (#PCDATA)>
<!-- Leaf: Control indicator -->
<ELEMENT ConIndROC1 (#PCDATA)>
<!-- Leaf: Pointer to the attribute -->
<ELEMENT PoiToTheAttROC51 (#PCDATA)>
<!-- Leaf: Container number -->
<ELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<ELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<ELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<ELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<ELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<ELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
18. IE018 C_DES_CON DESTINATION CONTROL RESULTS	

<!ELEMENT SenGooCodSD22 (#PCDATA)>

<!-- Leaf: Sensitive quantity -->

<!ELEMENT SenQuaSD23 (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
19. IE019 E_DIS_SND DISCREPANCIES	

19. IE019 E_DIS_SND DISCREPANCIES

```

<!-- Node: MESSAGE -->
<ELEMENT CC019A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrldMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, GUARANTOR?,
CUSOFFDEPEPT)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DisNotDatHEA608, DisNotTxtHEA609?, DisNotTxtHEA609LNG?)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17, StrAndNumPC122, PosCodPC123, CitPC124, CouPC125, NADLNGPC?, TINPC159?,
HITPC126?)>
<!-- Node: GUARANTOR -->
<ELEMENT GUARANTOR (NamGU620, StrAndNumGU621, PosCodGU622, CitGU623, CouGU624, NADLNGGU?,
TINGU626?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
19. IE019 E_DIS_SND DISCREPANCIES	

```

<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Discrepancies notification date -->
<ELEMENT DisNotDatHEA608 (#PCDATA)>
<!-- Leaf: Discrepancies notification text -->
<ELEMENT DisNotTxtHEA609 (#PCDATA)>
<!-- Leaf: Discrepancies notification text LNG -->
<ELEMENT DisNotTxtHEA609LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamGU620 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumGU621 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodGU622 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitGU623 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouGU624 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGU (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINGU626 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
20. IE020 C_DIS_SOL DISCREPANCIES SOLVED NOTIFICATION	

20. IE020 C_DIS_SOL DISCREPANCIES SOLVED NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CD020A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFDEPEPT, CUSOFFPREOFFRES)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DisSolNotDatHEA611, DisSolNotCodHEA610, DisSolNotTxtHEA612?,
DisSolNotTxtHEA612LNG?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (PRESENTATION OFFICE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFPREOFFRES (RefNumRES1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
20. IE020 C_DIS_SOL DISCREPANCIES SOLVED NOTIFICATION	

```

<!-- Leaf: Discrepancies solved notification date -->
<ELEMENT DisSolNotDatHEA611 (#PCDATA)>
<!-- Leaf: Discrepancies solved notification code -->
<ELEMENT DisSolNotCodHEA610 (#PCDATA)>
<!-- Leaf: Discrepancies solved notification text -->
<ELEMENT DisSolNotTxtHEA612 (#PCDATA)>
<!-- Leaf: Discrepancies solved notification text LNG -->
<ELEMENT DisSolNotTxtHEA612LNG (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRES1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
21. IE021 E_REJ_NOT AAR REJECTION NOTIFICATION	

21. IE021 E_REJ_NOT AAR REJECTION NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC021A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecldeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrldMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRADESTRD, CUSOFFPREOFFRES)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DivRejCodHEA613, DivRejCodTxtHEA614?, DivRejCodTxtHEA614LNG?)>
<!-- Node: (DESTINATION) TRADER -->
<ELEMENT TRADESTRD (NamTRD7?, StrAndNumTRD22?, PosCodTRD23?, CitTRD24?, CouTRD25?, NADLNGRD?,
TINTRD59?)>
<!-- Node: (PRESENTATION OFFICE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFPREOFFRES (RefNumRES1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
21. IE021 E_REJ_NOT AAR REJECTION NOTIFICATION	

```

<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Diversion rejection code -->
<ELEMENT DivRejCodHEA613 (#PCDATA)>
<!-- Leaf: Diversion rejection text -->
<ELEMENT DivRejCodTxtHEA614 (#PCDATA)>
<!-- Leaf: Diversion rejection text LNG -->
<ELEMENT DivRejCodTxtHEA614LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRD7 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTRD22 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRD23 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRD24 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouTRD25 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGRD (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRD59 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRES1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
22. IE023 E_GUA_NOT GUARANTOR NOTIFICATION	

22. IE023 E_GUA_NOT GUARANTOR NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC023A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecldeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, GUARANTOR?,
CUSOFFDEPEPT, CUSOFFCOMAUT)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, AccDatHEA158, GuaNotTexHEA726?, GuaNotTexHEA726LNG?,
GuaNotDatHEA727)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17, StrAndNumPC122, PosCodPC123, CitPC124, CouPC125, NADLNGPC?, TINPC159?,
HITPC126?)>
<!-- Node: GUARANTOR -->
<ELEMENT GUARANTOR (NamGU620, StrAndNumGU621, PosCodGU622, CitGU623, CouGU624, NADLNGGU?,
TINGU626?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFCOMAUT (RefNumAUT1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
22. IE023 E_GUA_NOT GUARANTOR NOTIFICATION	

```

<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<ELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Guarantor notification text -->
<ELEMENT GuaNotTexHEA726 (#PCDATA)>
<!-- Leaf: Guarantor notification text LNG -->
<ELEMENT GuaNotTexHEA726LNG (#PCDATA)>
<!-- Leaf: Guarantor notification date -->
<ELEMENT GuaNotDatHEA727 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamGU620 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumGU621 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodGU622 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitGU623 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouGU624 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGU (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINGU626 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumAUT1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
23. IE024 C_FWD_ARR FORWARDED ARRIVAL ADVICE	

23. IE024 C_FWD_ARR FORWARDED ARRIVAL ADVICE

```

<!-- Node: MESSAGE -->
<ELEMENT CD024A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFDEPEPT, CUSOFFPREOFFRES, CUSOFFTRADECCOF*,
CUSOFFDESDECCDDC)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, ArrDatHEA140?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (PRESENTATION OFFICE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFPREOFFRES (RefNumRES1)>
<!-- Node: (TRANSIT DECLARED) CUSTOMS OFFICE -->
<ELEMENT CUSOFFTRADECCOF (RefNumCOF1)>
<!-- Node: (DESTINATION DECLARED) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESDECCDDC (RefNumDDC1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
23. IE024 C_FWD_ARR FORWARDED ARRIVAL ADVICE	

```

<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Arrival date -->
<ELEMENT ArrDatHEA140 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRES1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumCOF1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumDDC1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
24. IE025 E_GDS_REL GOODS RELEASE NOTIFICATION	

24. IE025 E_GDS_REL GOODS RELEASE NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC025A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRADESTRD, CUSOFFPREOFFRES)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, GooRelDatHEA176)>
<!-- Node: (DESTINATION) TRADER -->
<ELEMENT TRADESTRD (NamTRD7?, StrAndNumTRD22?, PosCodTRD23?, CitTRD24?, CouTRD25?, NADLNGRD?,
TINTRD59?)>
<!-- Node: (PRESENTATION OFFICE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFPREOFFRES (RefNumRES1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
24. IE025 E_GDS_REL GOODS RELEASE NOTIFICATION	

```

<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Goods release date -->
<ELEMENT GooRelDatHEA176 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRD7 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTRD22 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRD23 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRD24 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouTRD25 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGRD (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRD59 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRES1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
25. IE026 E_ACC_COD GUARANTEE ACCESS CODES	

25. IE026 E_ACC_COD GUARANTEE ACCESS CODES

```

<!-- Node: MESSAGE -->
<ELEMENT CC026A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecldeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, TRAPRIPC1, CUSTOFFGUARNT, GUAREF2)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (TINPC159)>
<!-- Node: (GUARANTEE) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFGUARNT (RefNumRNT1)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREF2 (GuaRefNumGRNREF21, ACCDOC728*, ACCDOCPC4, ACCCODPC3)>
<!-- Node: ACCESS CODE -->
<ELEMENT ACCDOC728 (AccCodCOD729)>
<!-- Node: PRINCIPAL ACCESS CODE (NEW) -->
<ELEMENT ACCDOCPC4 (AccCodPC41)>
<!-- Node: PRINCIPAL ACCESS CODE (OLD) -->
<ELEMENT ACCCODPC3 (AccCodPC31)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
25. IE026 E_ACC_COD GUARANTEE ACCESS CODES	

```

<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNT1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF21 (#PCDATA)>
<!-- Leaf: Access code -->
<ELEMENT AccCodCOD729 (#PCDATA)>
<!-- Leaf: Access code -->
<ELEMENT AccCodPC41 (#PCDATA)>
<!-- Leaf: Access code -->
<ELEMENT AccCodPC31 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
26. IE027 C_MVT_QUE MOVEMENT QUERY	

26. IE027 C_MVT_QUE MOVEMENT QUERY

```

<!-- Node: MESSAGE -->
<ELEMENT CD027A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecldeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrldMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFREQ, CTLCL1?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, CouOfDepCodHEA6?)>
<!-- Node: (REQUESTER) CUSTOMS OFFICE -->
<ELEMENT CUSOFFREQ (RefNumEPR1)>
<!-- Node: CTL_CONTROL -->
<ELEMENT CTLCL1 (TraNotCL630, IncNotCL629, OthMovInfReqCL631?, OthMovInfReqCL631LNG?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Country of departure code -->

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
26. IE027 C_MVT_QUE MOVEMENT QUERY	

```
<!ELEMENT CouOfDepCodHEA67 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumEPR1 (#PCDATA)>
<!-- Leaf: Transhipment notified -->
<!ELEMENT TraNotCL630 (#PCDATA)>
<!-- Leaf: Incident notified -->
<!ELEMENT IncNotCL629 (#PCDATA)>
<!-- Leaf: Other movement information request -->
<!ELEMENT OthMovInfReqCL631 (#PCDATA)>
<!-- Leaf: Other movement information request LNG -->
<!ELEMENT OthMovInfReqCL631LNG (#PCDATA)>
```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
27. IE028 E_MRN_ALL MRN ALLOCATED	

27. IE028 E_MRN_ALL MRN ALLOCATED

```

<!-- Node: MESSAGE -->
<ELEMENT CC028A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecldeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrldMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, CUSOFFDEPEPT)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (RefNumHEA4, DocNumHEA5, AccDatHEA158)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17?, StrAndNumPC122?, PosCodPC123?, CitPC124?, CouPC125?, NADLNGPC?,
TINPC159?, HITPC126?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
27. IE028 E_MRN_ALL MRN ALLOCATED	

```

<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<ELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
28. IE029 E_REL_TRA RELEASE FOR TRANSIT	

28. IE029 E_REL_TRA RELEASE FOR TRANSIT

<!-- Node: MESSAGE -->

<ELEMENT CC029B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6, RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?, AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20, ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, TRACONCO1?, TRACONCE1?, TRAAUTCONTRA?, CUSOFFDEPEPT, CUSOFFTRARNS*, CUSOFFDESEST, CUSOFFRETCOPOCP?, CONRESERS?, PREP?, SEAINFLI?, GUAGUA+, GOOITEGDS+, ITI*, CARTRA100?, TRACORSEC037?, TRACONSEC029?)>

<!-- Node: HEADER -->

<ELEMENT HEAHEA (RefNumHEA4, DocNumHEA5, TypOfDecHEA24, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?, AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, PlaOfLoaCodHEA46?, CouOfDisCodHEA55?, CusSubPlaHEA66?, IniTraModHEA75?, TraModAtBorHEA76?, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?, NatOfMeaOfTraAtDHEA80?, IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?, TypOfMeaOfTraCroHEA88?, ConIndHEA96, NCTRetCopHEA104, AccDatHEA158, IssDatHEA186, DiaLanIndAtDepHEA254?, NCTSAccDocHEA601LNG, TotNumOfIteHEA305, TotNumOfPacHEA306?, TotGroMasHEA307, BinItiHEA246, AutIdHEA380?, DecDatHEA383, DecPlaHEA394, DecPlaHEA394LNG?, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?, SecHEA358?, ConRefNumHEA?, CodPIUnHEA357?, CodPIUnHEA357LNG?)>

<!-- Node: (PRINCIPAL) TRADER -->

<ELEMENT TRAPRIPC1 (NamPC17?, StrAndNumPC122?, PosCodPC123?, CitPC124?, CouPC125?, NADLNGPC?, TINPC159?, HITPC126?)>

<!-- Node: (CONSIGNOR) TRADER -->

<ELEMENT TRACONCO1 (NamCO17, StrAndNumCO122, PosCodCO123, CitCO124, CouCO125, NADLNGCO?, TINCO159?)>

<!-- Node: (CONSIGNEE) TRADER -->

<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?, TINCE159?)>

<!-- Node: (AUTHORISED CONSIGNEE) TRADER -->

<ELEMENT TRAAUTCONTRA (TINTRA59)>

<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->

<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>

<!-- Node: (TRANSIT) CUSTOMS OFFICE -->

<ELEMENT CUSOFFTRARNS (RefNumRNS1, ArrTimTRACUS085?)>

<!-- Node: (DESTINATION) CUSTOMS OFFICE -->

<ELEMENT CUSOFFDESEST (RefNumEST1)>

<!-- Node: (RETURN COPIES) CUSTOMS OFFICE -->

<ELEMENT CUSOFFRETCOPOCP (RefNumOCP1, CusOffNamOCP2, StrAndNumOCP3, CouOCP4, PosCodOCP6, CitOCP7, NADLNGOCP?)>

<!-- Node: CONTROL RESULT -->

<ELEMENT CONRESERS (ConDatERS14, ConResCodERS16, ConByERS18, ConByERS18LNG?, DatLimERS69)>

<!-- Node: REPRESENTATIVE -->

<ELEMENT PREP (NamREP5, RepCapREP18?, RepCapREP18LNG?)>

<!-- Node: SEALS INFO -->

<ELEMENT SEAINFLI (SeaNumSLI2, SEAIDSID+)>

<!-- Node: GUARANTEE -->

<ELEMENT GUAGUA (GuaTypGUA1, GUAREFREF*)>

<!-- Node: GOODS ITEM -->

<ELEMENT GOOITEGDS (IteNumGDS7, ComCodTarCodGDS10?, DecTypGDS15?, GooDesGDS23, GooDesGDS23LNG?, GroMasGDS46?, NetMasGDS48?, CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ComRefNumGIM1?, UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPEMENMT2*, TRACONCO2?, TRACONCE2?, CONNR2*, PACGS2+, SGICODSD2*, TRACORSECGOO021?, TRACONSECGOO013?)>

<!-- Node: ITINERARY -->

<ELEMENT ITI (CouOfRouCodITI1)>

<!-- Node: (CARRIER) TRADER -->

<ELEMENT CARTRA100 (NamCARTRA121?, StrAndNumCARTRA254?, PosCodCARTRA121?, CitCARTRA789?, CouCodCARTRA587?, NADCARTRA121?, TINCARTRA254?)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
28. IE029 E_REL_TRA RELEASE FOR TRANSIT	

```

<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSEC037 (NamTRACORSEC041?, StrNumTRACORSEC043?, PosCodTRACORSEC042?,
CitTRACORSEC038?, CouCodTRACORSEC039?, TRACORSEC037LNG?, TINTRACORSEC044?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSEC029 (NameTRACONSEC033?, StrNumTRACONSEC035?, PosCodTRACONSEC034?,
CitTRACONSEC030?, CouCodTRACONSEC031?, TRACONSEC029LNG?, TINTRACONSEC036?)>
<!-- Node: SEALS ID -->
<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREFREF (GuaRefNumGRNREF1?, OthGuaRefREF4?, AccCodREF6?, VALLIMECVLE?,
VALLIMNONECLIM*)>
<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?, ComOfInfAR29?,
ComOfInfAR29LNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23?, DocRefDCLNG?, ComOfInfDC25?, ComOfInfDC25LNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfMT21?, AddInfMT21LNG?, AddInfCodMT23?, ExpFroECMT24?, ExpFroCouMT25?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO2 (NamCO27, StrAndNumCO222, PosCodCO223, CitCO224, CouCO225, NADLNGGTCO?,
TINCO259?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Node: SGI CODES -->
<ELEMENT SGICODSD2 (SenGooCodSD22?, SenQuaSD23)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSECGOO021 (NamTRACORSECGOO025?, StrNumTRACORSECGOO027?,
PosCodTRACORSECGOO026?, CitTRACORSECGOO022?, CouCodTRACORSECGOO023?, TRACORSECGOO021LNG?,
TINTRACORSECGOO028?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSECGOO013 (NamTRACONSECGOO017?, StrNumTRACONSECGOO019?,
PosCodTRACONSECGOO018?, CityTRACONSECGOO014?, CouCodTRACONSECGOO015?, TRACONSECGOO013LNG?,
TINTRACONSECGOO020?)>
<!-- Node: VALIDITY LIMITATION EC -->
<ELEMENT VALLIMECVLE (NotValForECVLE1)>
<!-- Node: VALIDITY LIMITATION NON EC -->
<ELEMENT VALLIMNONECLIM (NotValForOthConPLIM2)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
28. IE029 E_REL_TRA RELEASE FOR TRANSIT	

```

<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<ELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<ELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<ELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<ELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Place of loading, code -->
<ELEMENT PlaOfLoaCodHEA46 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<ELEMENT CusSubPlaHEA66 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
28. IE029 E_REL_TRA RELEASE FOR TRANSIT	

```

<!-- Leaf: Inland transport mode -->
<ELEMENT IniTraModHEA75 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<ELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport at departure -->
<ELEMENT NatOfMeaOfTraAtDHEA80 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<ELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<ELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<ELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Type of means of transport crossing border -->
<ELEMENT TypOfMeaOfTraCroHEA88 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<ELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: NCTS return copy -->
<ELEMENT NCTRetCopHEA104 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<ELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Issuing date -->
<ELEMENT IssDatHEA186 (#PCDATA)>
<!-- Leaf: Dialog language indicator at departure -->
<ELEMENT DiaLanIndAtDepHEA254 (#PCDATA)>
<!-- Leaf: NCTS accompanying document language code -->
<ELEMENT NCTSAccDocHEA601LNG (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Binding itinerary -->
<ELEMENT BinItiHEA246 (#PCDATA)>
<!-- Leaf: Authorisation id -->
<ELEMENT AutIdHEA380 (#PCDATA)>
<!-- Leaf: Declaration date -->
<ELEMENT DecDatHEA383 (#PCDATA)>
<!-- Leaf: Declaration place -->
<ELEMENT DecPlaHEA394 (#PCDATA)>
<!-- Leaf: Declaration place LNG -->
<ELEMENT DecPlaHEA394LNG (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Security -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
28. IE029 E_REL_TRA RELEASE FOR TRANSIT	

```

<ELEMENT SecHEA358 (#PCDATA)>
<!-- Leaf: Conveyance reference number -->
<ELEMENT ConRefNumHEA (#PCDATA)>
<!-- Leaf: Place of unloading, code -->
<ELEMENT CodPIUnHEA357 (#PCDATA)>
<!-- Leaf: Place of unloading LNG -->
<ELEMENT CodPIUnHEA357LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO159 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRA59 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
28. IE029 E_REL_TRA RELEASE FOR TRANSIT	

```

<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNS1 (#PCDATA)>
<!-- Leaf: Arrival Time -->
<ELEMENT ArrTimTRACUS085 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEST1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumOCP1 (#PCDATA)>
<!-- Leaf: Customs office name -->
<ELEMENT CusOffNamOCP2 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumOCP3 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouOCP4 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodOCP6 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitOCP7 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGOCP (#PCDATA)>
<!-- Leaf: Control date -->
<ELEMENT ConDatERS14 (#PCDATA)>
<!-- Leaf: Control result code -->
<ELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Controlled by -->
<ELEMENT ConByERS18 (#PCDATA)>
<!-- Leaf: Controlled by LNG -->
<ELEMENT ConByERS18LNG (#PCDATA)>
<!-- Leaf: Date limit -->
<ELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamREP5 (#PCDATA)>
<!-- Leaf: Representative capacity -->
<ELEMENT RepCapREP18 (#PCDATA)>
<!-- Leaf: Representative capacity LNG -->
<ELEMENT RepCapREP18LNG (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Guarantee type -->
<ELEMENT GuaTypGUA1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF1 (#PCDATA)>
<!-- Leaf: Other guarantee reference -->
<ELEMENT OthGuaRefREF4 (#PCDATA)>
<!-- Leaf: Access code -->
<ELEMENT AccCodREF6 (#PCDATA)>
<!-- Leaf: Not valid for EC -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
28. IE029 E_REL_TRA RELEASE FOR TRANSIT	

```

<ELEMENT NotValForECVLE1 (#PCDATA)>
<!-- Leaf: Not valid for other contracting parties -->
<ELEMENT NotValForOthConPLIM2 (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT lteNumGDS7 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodTarCodGDS10 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT DecTypGDS15 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<ELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<ELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfAR29 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfAR29LNG (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfDC25 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfDC25LNG (#PCDATA)>
<!-- Leaf: Additional information -->
<ELEMENT AddInfMT21 (#PCDATA)>
<!-- Leaf: Additional information LNG -->
<ELEMENT AddInfMT21LNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT AddInfCodMT23 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
28. IE029 E_REL_TRA RELEASE FOR TRANSIT	

```

<!-- Leaf: Export from EC -->
<IELEMENT ExpFroECMT24 (#PCDATA)>
<!-- Leaf: Export from country -->
<IELEMENT ExpFroCouMT25 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGTCO (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<IELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<IELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<IELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<IELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<IELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<IELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<IELEMENT SenGooCodSD22 (#PCDATA)>
<!-- Leaf: Sensitive quantity -->
<IELEMENT SenQuaSD23 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTRACORSECGOO025 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrNumTRACORSECGOO027 (#PCDATA)>
<!-- Leaf: Postal code -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
28. IE029 E_REL_TRA RELEASE FOR TRANSIT	

```

<ELEMENT PosCodTRACORSECGOO026 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSECGOO022 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSECGOO023 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSECGOO021LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSECGOO028 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACONSECGOO017 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSECGOO019 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSECGOO018 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CityTRACONSECGOO014 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSECGOO015 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSECGOO013LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSECGOO020 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<ELEMENT CouOfRouCodIT11 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCARTRA121 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCARTRA254 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCARTRA121 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCARTRA789 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodCARTRA587 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADCARTRA121 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCARTRA254 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSEC041 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSEC043 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSEC042 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSEC038 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSEC039 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSEC037LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSEC044 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
28. IE029 E_REL_TRA RELEASE FOR TRANSIT	

```

<!-- Leaf: Name -->
<ELEMENT NameTRACONSEC033 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSEC035 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSEC034 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACONSEC030 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSEC031 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSEC029LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSEC036 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
29. IE030 C_COL_COM NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO COMMON DOMAIN	

29. IE030 C_COL_COM NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO COMMON DOMAIN

```

<!-- Node: MESSAGE -->
<IELEMENT CD030B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, CUSOFFINF105*, COU113*, COUHOL118*)>
<!-- Node: CUSTOMS OFFICE INFORMATION -->
<IELEMENT CUSOFFINF105 (RefNum18, RefNumMaiOff104?, RefNumHigAut19?, RefNumTak20?,
RefNumCAEnqCUSOFFINF131?, RefNumCARecCUSOFFINF132?, CouCod21, UNLI22?, RegCod24?, NCTEntDat25?,
NeaOff26?, NeaOff26LNG?, Pos28, PhoNum29?, FaxNum30?, TelNum31?, EmaAdd32?, GeolnfCod33?, TraDed34, ACT119,
TRADED106*, COICOSN*, CUSOFFFLSD109+, CUSOFFTIM110*)>
<!-- Node: COUNTRY/REGION -->
<IELEMENT COU113 (CouCod73, CouCod74, ACT119, COULSD115+, COUHOL116*)>
<!-- Node: COUNTRY HOLIDAYS -->
<IELEMENT COUHOL118 (CouCod92, ACT119, COUHOLDAT120+)>
<!-- Node: ACTION -->
<IELEMENT ACT119 (Ope288, ValDat103?, ModSub144?, ActId)>
<!-- Node: (DEDICATED) TRADER -->
<IELEMENT TRADED106 (Nam36, LanCod37, TIN38?)>
<!-- Node: CUSTOMS OFFICE SPECIFIC NOTES -->
<IELEMENT COICOSN (SpecNotCodCN634)>
<!-- Node: CUSTOMS OFFICE LSD -->
<IELEMENT CUSOFFFLSD109 (LanCod44, CusOffUsuNam45, CusOffUsuNam45LNG?, StrAndNum47, StrAndNum47LNG?,
Cit49, Cit49LNG?, PreLev51?, PreFla52, PreNam53?, PreNam53LNG?, Spa55)>
<!-- Node: CUSTOMS OFFICE TIMETABLE -->
<IELEMENT CUSOFFTIM110 (SeaCod57, SeaNam58?, SeaNam58LNG?, SeaStaDat60, SeaEndDat61,
CUSOFFTIMLIN111+)>
<!-- Node: COUNTRY/REGION LSD -->
<IELEMENT COULSD115 (LanCod80, CouNam81, CouNam81LNG?)>
<!-- Node: COUNTRY/REGION HOLIDAYS -->
<IELEMENT COUHOL116 (CouHolVarHolDat, Day84, Mon85, Yea86?, COUHOLLSD117+)>
<!-- Node: COUNTRY HOLIDAYS DATA -->
<IELEMENT COUHOLDAT120 (VarHolCouHolDat, Day98, Mon99, Yea100?, COUHOLDATLSD121+)>
<!-- Node: CUSTOMS OFFICE TIMETABLE LINE -->
<IELEMENT CUSOFFTIMLIN111 (DayInTheWeeBEGDA63, OpeHouTimFirPerF64, OpeHouTimFirPerT65,
DayInTheWeeENDDA66, OpeHouTimSecPerF67?, OpeHouTimSecPerT68?, CUSOFFFROLCOM112+)>
<!-- Node: COUNTRY/REGION HOLIDAYS LSD -->
<IELEMENT COUHOLLSD117 (LanCod88, PubHolNam89, PubHolNam89LNG?)>
<!-- Node: COUNTRY HOLIDAYS DATA LSD -->
<IELEMENT COUHOLDATLSD121 (LanCod102, PubHolNam89, PubHolNam89LNG?)>
<!-- Node: CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE -->
<IELEMENT CUSOFFFROLCOM112 (Rol70, TraTyp71)>
<!-- Leaf: Syntax identifier -->
<IELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<IELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<IELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<IELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<IELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<IELEMENT RecIdeCodQuaMES7 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
29. IE030 C_COL_COM NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO COMMON DOMAIN	

```

<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNum18 (#PCDATA)>
<!-- Leaf: Reference number main office -->
<ELEMENT RefNumMaiOff104 (#PCDATA)>
<!-- Leaf: Reference number higher authority -->
<ELEMENT RefNumHigAut19 (#PCDATA)>
<!-- Leaf: Reference number take-over -->
<ELEMENT RefNumTak20 (#PCDATA)>
<!-- Leaf: Reference number Competent Authority of Enquiry -->
<ELEMENT RefNumCAEnqCUSOFFINF131 (#PCDATA)>
<!-- Leaf: Reference number Competent Authority of Recovery -->
<ELEMENT RefNumCARecCUSOFFINF132 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod21 (#PCDATA)>
<!-- Leaf: UN/LOCODE id -->
<ELEMENT UNLId22 (#PCDATA)>
<!-- Leaf: Region code -->
<ELEMENT RegCod24 (#PCDATA)>
<!-- Leaf: NCTS entry date -->
<ELEMENT NCTEntDat25 (#PCDATA)>
<!-- Leaf: Nearest office -->
<ELEMENT NeaOff26 (#PCDATA)>
<!-- Leaf: Nearest office LNG -->
<ELEMENT NeaOff26LNG (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT Pos28 (#PCDATA)>
<!-- Leaf: Phone number -->
<ELEMENT PhoNum29 (#PCDATA)>
<!-- Leaf: Fax number -->
<ELEMENT FaxNum30 (#PCDATA)>
<!-- Leaf: Telex number -->
<ELEMENT TelNum31 (#PCDATA)>
<!-- Leaf: E-mail address -->
<ELEMENT EmaAdd32 (#PCDATA)>
<!-- Leaf: Geo info code -->
<ELEMENT GeoInfCod33 (#PCDATA)>
<!-- Leaf: Trader dedicated -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
29. IE030 C_COL_COM NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO COMMON DOMAIN	

```

<ELEMENT TraDed34 (#PCDATA)>
<!-- Leaf: Operation -->
<ELEMENT Ope288 (#PCDATA)>
<!-- Leaf: Validity date -->
<ELEMENT ValDat103 (#PCDATA)>
<!-- Leaf: Modification subtype -->
<ELEMENT ModSub144 (#PCDATA)>
<!-- Leaf: Action identification -->
<ELEMENT ActId (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT Nam36 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod37 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TIN38 (#PCDATA)>
<!-- Leaf: Specific notes code -->
<ELEMENT SpecNotCodCN634 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod44 (#PCDATA)>
<!-- Leaf: Customs office usual name -->
<ELEMENT CusOffUsuNam45 (#PCDATA)>
<!-- Leaf: Customs office usual name LNG -->
<ELEMENT CusOffUsuNam45LNG (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNum47 (#PCDATA)>
<!-- Leaf: Street and number LNG -->
<ELEMENT StrAndNum47LNG (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT Cit49 (#PCDATA)>
<!-- Leaf: City LNG -->
<ELEMENT Cit49LNG (#PCDATA)>
<!-- Leaf: Prefix-suffix level -->
<ELEMENT PreLev51 (#PCDATA)>
<!-- Leaf: Prefix-suffix flag -->
<ELEMENT PreFla52 (#PCDATA)>
<!-- Leaf: Prefix-suffix name -->
<ELEMENT PreNam53 (#PCDATA)>
<!-- Leaf: Prefix-suffix name LNG -->
<ELEMENT PreNam53LNG (#PCDATA)>
<!-- Leaf: Space to add -->
<ELEMENT Spa55 (#PCDATA)>
<!-- Leaf: Season code -->
<ELEMENT SeaCod57 (#PCDATA)>
<!-- Leaf: Season name -->
<ELEMENT SeaNam58 (#PCDATA)>
<!-- Leaf: Season name LNG -->
<ELEMENT SeaNam58LNG (#PCDATA)>
<!-- Leaf: Season start date -->
<ELEMENT SeaStaDat60 (#PCDATA)>
<!-- Leaf: Season end date -->
<ELEMENT SeaEndDat61 (#PCDATA)>
<!-- Leaf: Day in the week (begin day) -->
<ELEMENT DayInTheWeeBEGDA63 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
29. IE030 C_COL_COM NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO COMMON DOMAIN	

```

<!-- Leaf: Opening hours time first period from -->
<ELEMENT OpeHouTimFirPerF64 (#PCDATA)>
<!-- Leaf: Opening hours time first period to -->
<ELEMENT OpeHouTimFirPerT65 (#PCDATA)>
<!-- Leaf: Day in the week (end day) -->
<ELEMENT DayInTheWeeENDDA66 (#PCDATA)>
<!-- Leaf: Opening hours time second period from -->
<ELEMENT OpeHouTimSecPerF67 (#PCDATA)>
<!-- Leaf: Opening hours time second period to -->
<ELEMENT OpeHouTimSecPerT68 (#PCDATA)>
<!-- Leaf: Role -->
<ELEMENT Rol70 (#PCDATA)>
<!-- Leaf: Traffic type -->
<ELEMENT TraTyp71 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod73 (#PCDATA)>
<!-- Leaf: Country/region code -->
<ELEMENT CouCod74 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod80 (#PCDATA)>
<!-- Leaf: Country/region name -->
<ELEMENT CouNam81 (#PCDATA)>
<!-- Leaf: Country/region name LNG -->
<ELEMENT CouNam81LNG (#PCDATA)>
<!-- Leaf: Variable holiday date -->
<ELEMENT CouHolVarHolDat (#PCDATA)>
<!-- Leaf: Day -->
<ELEMENT Day84 (#PCDATA)>
<!-- Leaf: Month -->
<ELEMENT Mon85 (#PCDATA)>
<!-- Leaf: Year -->
<ELEMENT Yea86 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod88 (#PCDATA)>
<!-- Leaf: Public holiday name -->
<ELEMENT PubHolNam89 (#PCDATA)>
<!-- Leaf: Public holiday name LNG -->
<ELEMENT PubHolNam89LNG (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod92 (#PCDATA)>
<!-- Leaf: Variable holiday date -->
<ELEMENT VarHolCouHolDat (#PCDATA)>
<!-- Leaf: Day -->
<ELEMENT Day98 (#PCDATA)>
<!-- Leaf: Month -->
<ELEMENT Mon99 (#PCDATA)>
<!-- Leaf: Year -->
<ELEMENT Yea100 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod102 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
30. IE031 C_COL_NAT NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO NATIONAL DOMAIN	

30. IE031 C_COL_NAT NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO NATIONAL DOMAIN

```

<!-- Node: MESSAGE -->
<IELEMENT CD031B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, CUSOFFINF105*, COU113*, COUHOL118*)>
<!-- Node: CUSTOMS OFFICE INFORMATION -->
<IELEMENT CUSOFFINF105 (RefNum18, RefNumMaiOff104?, RefNumHigAut19?, RefNumTak20?,
RefNumCAEnqCUSOFFINF131?, RefNumCARecCUSOFFINF132?, CouCod21, UNLId22?, RegCod24?, NCTEntDat25?,
NeaOff26?, NeaOff26LNG?, Pos28, PhoNum29?, FaxNum30?, TelNum31?, EmaAdd32?, GeolnfCod33?, TraDed34, ACT119,
TRADED106*, COICOSN*, CUSOFFFLSD109+, CUSOFFTIM110*)>
<!-- Node: COUNTRY/REGION -->
<IELEMENT COU113 (CouCod73, CouCod74, ACT119, COULSD115+, COUHOL116*)>
<!-- Node: COUNTRY HOLIDAYS -->
<IELEMENT COUHOL118 (CouCod92, ACT119, COUHOLDAT120+)>
<!-- Node: ACTION -->
<IELEMENT ACT119 (Ope288, ValDat103?, ModSub144?, ActId)>
<!-- Node: (DEDICATED) TRADER -->
<IELEMENT TRADED106 (Nam36, LanCod37, TIN38?)>
<!-- Node: CUSTOMS OFFICE SPECIFIC NOTES -->
<IELEMENT COICOSN (SpecNotCodCN634)>
<!-- Node: CUSTOMS OFFICE LSD -->
<IELEMENT CUSOFFFLSD109 (LanCod44, CusOffUsuNam45, CusOffUsuNam45LNG?, StrAndNum47, StrAndNum47LNG?,
Cit49, Cit49LNG?, PreLev51?, PreFla52, PreNam53?, PreNam53LNG?, Spa55)>
<!-- Node: CUSTOMS OFFICE TIMETABLE -->
<IELEMENT CUSOFFTIM110 (SeaCod57, SeaNam58?, SeaNam58LNG?, SeaStaDat60, SeaEndDat61,
CUSOFFTIMLIN111+)>
<!-- Node: COUNTRY/REGION LSD -->
<IELEMENT COULSD115 (LanCod80, CouNam81, CouNam81LNG?)>
<!-- Node: COUNTRY/REGION HOLIDAYS -->
<IELEMENT COUHOL116 (CouHolVarHolDat, Day84, Mon85, Yea86?, COUHOLLSD117+)>
<!-- Node: COUNTRY HOLIDAYS DATA -->
<IELEMENT COUHOLDAT120 (VarHolCouHolDat, Day98, Mon99, Yea100?, COUHOLDATLSD121+)>
<!-- Node: CUSTOMS OFFICE TIMETABLE LINE -->
<IELEMENT CUSOFFTIMLIN111 (DayInTheWeeBEGDA63, OpeHouTimFirPerF64, OpeHouTimFirPerT65,
DayInTheWeeENDDA66, OpeHouTimSecPerF67?, OpeHouTimSecPerT68?, CUSOFFFROLCOM112+)>
<!-- Node: COUNTRY/REGION HOLIDAYS LSD -->
<IELEMENT COUHOLLSD117 (LanCod88, PubHolNam89, PubHolNam89LNG?)>
<!-- Node: COUNTRY HOLIDAYS DATA LSD -->
<IELEMENT COUHOLDATLSD121 (LanCod102, PubHolNam89, PubHolNam89LNG?)>
<!-- Node: CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE -->
<IELEMENT CUSOFFFROLCOM112 (Rol70, TraTyp71)>
<!-- Leaf: Syntax identifier -->
<IELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<IELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<IELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<IELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<IELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<IELEMENT RecIdeCodQuaMES7 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
30. IE031 C_COL_NAT NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO NATIONAL DOMAIN	

```

<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNum18 (#PCDATA)>
<!-- Leaf: Reference number main office -->
<ELEMENT RefNumMaiOff104 (#PCDATA)>
<!-- Leaf: Reference number higher authority -->
<ELEMENT RefNumHigAut19 (#PCDATA)>
<!-- Leaf: Reference number take-over -->
<ELEMENT RefNumTak20 (#PCDATA)>
<!-- Leaf: Reference number Competent Authority of Enquiry -->
<ELEMENT RefNumCAEnqCUSOFFINF131 (#PCDATA)>
<!-- Leaf: Reference number Competent Authority of Recovery -->
<ELEMENT RefNumCARecCUSOFFINF132 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod21 (#PCDATA)>
<!-- Leaf: UN/LOCODE id -->
<ELEMENT UNLId22 (#PCDATA)>
<!-- Leaf: Region code -->
<ELEMENT RegCod24 (#PCDATA)>
<!-- Leaf: NCTS entry date -->
<ELEMENT NCTEntDat25 (#PCDATA)>
<!-- Leaf: Nearest office -->
<ELEMENT NeaOff26 (#PCDATA)>
<!-- Leaf: Nearest office LNG -->
<ELEMENT NeaOff26LNG (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT Pos28 (#PCDATA)>
<!-- Leaf: Phone number -->
<ELEMENT PhoNum29 (#PCDATA)>
<!-- Leaf: Fax number -->
<ELEMENT FaxNum30 (#PCDATA)>
<!-- Leaf: Telex number -->
<ELEMENT TelNum31 (#PCDATA)>
<!-- Leaf: E-mail address -->
<ELEMENT EmaAdd32 (#PCDATA)>
<!-- Leaf: Geo info code -->
<ELEMENT GeoInfCod33 (#PCDATA)>
<!-- Leaf: Trader dedicated -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
30. IE031 C_COL_NAT NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO NATIONAL DOMAIN	

```

<ELEMENT TraDed34 (#PCDATA)>
<!-- Leaf: Operation -->
<ELEMENT Ope288 (#PCDATA)>
<!-- Leaf: Validity date -->
<ELEMENT ValDat103 (#PCDATA)>
<!-- Leaf: Modification subtype -->
<ELEMENT ModSub144 (#PCDATA)>
<!-- Leaf: Action identification -->
<ELEMENT ActId (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT Nam36 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod37 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TIN38 (#PCDATA)>
<!-- Leaf: Specific notes code -->
<ELEMENT SpecNotCodCN634 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod44 (#PCDATA)>
<!-- Leaf: Customs office usual name -->
<ELEMENT CusOffUsuNam45 (#PCDATA)>
<!-- Leaf: Customs office usual name LNG -->
<ELEMENT CusOffUsuNam45LNG (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNum47 (#PCDATA)>
<!-- Leaf: Street and number LNG -->
<ELEMENT StrAndNum47LNG (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT Cit49 (#PCDATA)>
<!-- Leaf: City LNG -->
<ELEMENT Cit49LNG (#PCDATA)>
<!-- Leaf: Prefix-suffix level -->
<ELEMENT PreLev51 (#PCDATA)>
<!-- Leaf: Prefix-suffix flag -->
<ELEMENT PreFla52 (#PCDATA)>
<!-- Leaf: Prefix-suffix name -->
<ELEMENT PreNam53 (#PCDATA)>
<!-- Leaf: Prefix-suffix name LNG -->
<ELEMENT PreNam53LNG (#PCDATA)>
<!-- Leaf: Space to add -->
<ELEMENT Spa55 (#PCDATA)>
<!-- Leaf: Season code -->
<ELEMENT SeaCod57 (#PCDATA)>
<!-- Leaf: Season name -->
<ELEMENT SeaNam58 (#PCDATA)>
<!-- Leaf: Season name LNG -->
<ELEMENT SeaNam58LNG (#PCDATA)>
<!-- Leaf: Season start date -->
<ELEMENT SeaStaDat60 (#PCDATA)>
<!-- Leaf: Season end date -->
<ELEMENT SeaEndDat61 (#PCDATA)>
<!-- Leaf: Day in the week (begin day) -->
<ELEMENT DayInTheWeeBEGDA63 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
30. IE031 C_COL_NAT NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO NATIONAL DOMAIN	

```

<!-- Leaf: Opening hours time first period from -->
<ELEMENT OpeHouTimFirPerF64 (#PCDATA)>
<!-- Leaf: Opening hours time first period to -->
<ELEMENT OpeHouTimFirPerT65 (#PCDATA)>
<!-- Leaf: Day in the week (end day) -->
<ELEMENT DayInTheWeeENDDA66 (#PCDATA)>
<!-- Leaf: Opening hours time second period from -->
<ELEMENT OpeHouTimSecPerF67 (#PCDATA)>
<!-- Leaf: Opening hours time second period to -->
<ELEMENT OpeHouTimSecPerT68 (#PCDATA)>
<!-- Leaf: Role -->
<ELEMENT Rol70 (#PCDATA)>
<!-- Leaf: Traffic type -->
<ELEMENT TraTyp71 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod73 (#PCDATA)>
<!-- Leaf: Country/region code -->
<ELEMENT CouCod74 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod80 (#PCDATA)>
<!-- Leaf: Country/region name -->
<ELEMENT CouNam81 (#PCDATA)>
<!-- Leaf: Country/region name LNG -->
<ELEMENT CouNam81LNG (#PCDATA)>
<!-- Leaf: Variable holiday date -->
<ELEMENT CouHolVarHolDat (#PCDATA)>
<!-- Leaf: Day -->
<ELEMENT Day84 (#PCDATA)>
<!-- Leaf: Month -->
<ELEMENT Mon85 (#PCDATA)>
<!-- Leaf: Year -->
<ELEMENT Yea86 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod88 (#PCDATA)>
<!-- Leaf: Public holiday name -->
<ELEMENT PubHolNam89 (#PCDATA)>
<!-- Leaf: Public holiday name LNG -->
<ELEMENT PubHolNam89LNG (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod92 (#PCDATA)>
<!-- Leaf: Variable holiday date -->
<ELEMENT VarHolCouHolDat (#PCDATA)>
<!-- Leaf: Day -->
<ELEMENT Day98 (#PCDATA)>
<!-- Leaf: Month -->
<ELEMENT Mon99 (#PCDATA)>
<!-- Leaf: Year -->
<ELEMENT Yea100 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod102 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
31. IE032 C_REF_MOD NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND	

31. IE032 C_REF_MOD NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND

```

<!-- Node: MESSAGE -->
<ELEMENT CD032B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, RESOFCON534*, AMEREJMOT429*, AARREJREA432*, ATRREJREA435*,
CONRESCOD438*, COU441*, COUREG444*, CUSOFFGEOINF447*, CURCOD450*, DISSOLNOT456*, DIVREJREA459*,
DOCTYP462*, GUATYP472*, GUAMON475*, INVGUAREA478*, LANCOD481*, PACCOD484*, ROL490*,
SENGOOCOD493*, SPEMENCOD496*, STATYP499*, TRATYP502*, CUSOPESTATYP505*, UNIOFMEA508*, UNL511*,
TRAMOD513*, QUEONGUATYP516*, SPENOTCODSNC2*, COMCOD389*, EXPQUEREACOD402*, INCCOD425*,
NATTRANCOD451*, PROREQ490*, PREPRO477*, REPSTACOD503*, RISANARESCOD382*, SPECCIRIND384*,
SUMDECREJREACOD544*, TYOFTAX570*, WARTYP595*, UNDANGOOCOD583*, COMNATPRO106*,
PREVDOCCAT464*, METHOPPAY367*, TRACHAMETOPPAY557*, DECTYP453*, DECTYPBX2*, INF359*,
PREDOCTYP463*, REQINF690*, ITENUMREJREACOD440*, CUSINT632*, INFYTP432*, RESCOD*)>
<!-- Node: RESULTS OF CONTROL -->
<ELEMENT RESOFCON534 (ConInd424, LANSPEDAT515+, ACT517)>
<!-- Node: AMENDMENT REJECTION MOTIVATION -->
<ELEMENT AMEREJMOT429 (AmeRejMotCod31, LANSPEDAT515+, ACT517)>
<!-- Node: AAR/AER REJECTION REASON -->
<ELEMENT AARREJREA432 (AARRejReaCod44, LANSPEDAT515+, ACT517)>
<!-- Node: ATR REJECTION REASON -->
<ELEMENT ATRREJREA435 (ATRRejReaCod57, LANSPEDAT515+, ACT517)>
<!-- Node: CONTROL RESULT CODE -->
<ELEMENT CONRESCOD438 (ConResCod70, ACT517, LANSPEDAT515+)>
<!-- Node: COUNTRY -->
<ELEMENT COU441 (CouCod83, TCCEntDat84, NCTEntDat85, GeoCod86?, CouRegCod87, ACT517, LANSPEDAT515+)>
<!-- Node: COUNTRY REGIME -->
<ELEMENT COUREG444 (CouRegCod100, ACT517, LANSPEDAT515+)>
<!-- Node: CUSTOMS OFFICE GEO INFO -->
<ELEMENT CUSOFFGEOINF447 (CusOffGeoInfCod113, ACT517, LANSPEDAT515+)>
<!-- Node: CURRENCY CODE -->
<ELEMENT CURCOD450 (Cur126, RatVal127, ACT517, LANSPEDAT515+)>
<!-- Node: DISCREPANCIES SOLVED NOTIFICATION -->
<ELEMENT DISSOLNOT456 (DisSolNotCod153, LANSPEDAT515+, ACT517)>
<!-- Node: DIVERSION REJECTION REASON -->
<ELEMENT DIVREJREA459 (DivRejReaCod166, LANSPEDAT515+, ACT517)>
<!-- Node: DOCUMENT TYPE -->
<ELEMENT DOCTYP462 (DocTyp179, TraDoc199, ACT517, LANSPEDAT515+)>
<!-- Node: GUARANTEE TYPE -->
<ELEMENT GUATYP472 (GuaTypCod217, ACT517, LANSPEDAT515+)>
<!-- Node: GUARANTEE MONITORING -->
<ELEMENT GUAMON475 (GuaMonCod230, ACT517, LANSPEDAT515+)>
<!-- Node: INVALID GUARANTEE REASON -->
<ELEMENT INVGUAREA478 (InvGuaReaCod243, ACT517, LANSPEDAT515+)>
<!-- Node: LANGUAGE CODE -->
<ELEMENT LANCOD481 (LanCod256, ACT517, LANSPEDAT515+)>
<!-- Node: PACKAGING CODE -->
<ELEMENT PACCOD484 (PacCod269, ACT517, LANSPEDAT515+)>
<!-- Node: ROLE -->
<ELEMENT ROL490 (Rol295, ACT517, LANSPEDAT515+)>
<!-- Node: SENSITIVE GOODS CODE -->
<ELEMENT SENGOOCOD493 (ComCod308, SenGooCod309?, RefQua310?, UniOfMea311?, EECTerLim312, ACT517,
LANSPEDAT515+)>
<!-- Node: SPECIAL MENTION CODE -->
<ELEMENT SPEMENCOD496 (SpeMenCod325, ACT517, LANSPEDAT515+)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
31. IE032 C_REF_MOD NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND	

```

<!-- Node: STATISTICS TYPE -->
<IELEMENT STATYP499 (StaTyp338, ACT517, LANSPEDAT515+)>
<!-- Node: TRAFFIC TYPE -->
<IELEMENT TRATYP502 (TraTyp351, ACT517, LANSPEDAT515+)>
<!-- Node: CUSTOMS OPERATION STATE TYPE -->
<IELEMENT CUSOPESTATYP505 (CusOpeStaTyp364, ACT517, LANSPEDAT515+)>
<!-- Node: UNIT OF MEASURE -->
<IELEMENT UNIOFMEA508 (UniOfMeaCod377, ACT517, LANSPEDAT515+)>
<!-- Node: UN/LOCODE -->
<IELEMENT UNL511 (CouCod390, UNL391, UNLNam392, ACT517)>
<!-- Node: TRANSPORT MODE -->
<IELEMENT TRAMOD513 (TraMod401, ACT517, LANSPEDAT515+)>
<!-- Node: QUERY ON GUARANTEE TYPE -->
<IELEMENT QUEONGUATYP516 (QueIde414, ACT517, LANSPEDAT515+)>
<!-- Node: SPECIFIC NOTES CODE -->
<IELEMENT SPENOTCODSNC2 (SpeNotCod644, ACT517, LANSPEDAT515+)>
<!-- Node: COMPLEMENTARY CODE -->
<IELEMENT COMCOD389 (ComCodCOMCOD401, LANSPEDAT515+, ACT517)>
<!-- Node: EXPORT QUERY REASON CODE -->
<IELEMENT EXPQUEREAACOD402 (ExpQueReaCodEXPQUEREAACOD414, LANSPEDAT515+, ACT517)>
<!-- Node: INCOTERM CODE -->
<IELEMENT INCCOD425 (IncCodINCCOD652, LANSPEDAT515+, ACT517)>
<!-- Node: NATURE OF TRANSACTION CODE -->
<IELEMENT NATTRANCOD451 (NatTranCodNATTRACOD463, LANSPEDAT515+, ACT517)>
<!-- Node: PROCEDURE REQUESTED -->
<IELEMENT PROREQ490 (ProReqPROREQ502, LANSPEDAT515+, ACT517)>
<!-- Node: PREVIOUS PROCEDURE -->
<IELEMENT PREPRO477 (PreProPREPRO489, LANSPEDAT515+, ACT517)>
<!-- Node: REPRESENTATIVE STATUS CODE -->
<IELEMENT REPSTACOD503 (RepStatCodREPSTATCOD516, LANSPEDAT515+, ACT517)>
<!-- Node: RISK ANALYSIS RESULT CODE -->
<IELEMENT RISANARESCOD382 (RisAnaResCodRISANARESCOD528, ACT517, LANSPEDAT515+)>
<!-- Node: SPECIFIC CIRCUMSTANCE INDICATOR -->
<IELEMENT SPECCIRIND384 (SpeCirIndSPECIRIND543, LANSPEDAT515+, ACT517)>
<!-- Node: SUMMARY DECLARATION REJECTION REASON CODE -->
<IELEMENT SUMDECREJREACOD544 (SumDecRejReaCodSUMDECREJREACOD556, ACT517, LANSPEDAT515+)>
<!-- Node: TYPE OF TAX -->
<IELEMENT TYPOFTAX570 (TypOfTaxTYPOFTAX582, LANSPEDAT515+, ACT517)>
<!-- Node: WAREHOUSE TYPE -->
<IELEMENT WARTYP595 (WarTypWARTYP607, ACT517, LANSPEDAT515+)>
<!-- Node: UN DANGEROUS GOODS CODE -->
<IELEMENT UNDANGOOCOD583 (UNDangoocodUNDANGOOCOD594, LANSPEDAT515+, ACT517)>
<!-- Node: COMMUNITY NATIONAL PROCEDURE -->
<IELEMENT COMNATPRO106 (ComNatProCOM613, LANSPEDAT515+, ACT517)>
<!-- Node: PREVIOUS DOCUMENT CATEGORY -->
<IELEMENT PREVDOCCAT464 (PreDocCatPREDOCCAT476, LANSPEDAT515+, ACT517)>
<!-- Node: METHOD OF PAYMENT -->
<IELEMENT METHOFPAY367 (MethofPayMETHOFPAY450, ACT517, LANSPEDAT515+)>
<!-- Node: TRANSPORT CHARGES METHOD OF PAYMENT -->
<IELEMENT TRACHAMETOPPAY557 (TraChaMetOfPayTRACHAMETOPPAY569, ACT517, LANSPEDAT515+)>
<!-- Node: DECLARATION TYPE -->
<IELEMENT DECTYP453 (DecTyp140, ACT517, LANSPEDAT515+)>
<!-- Node: DECLARATION TYPE (BOX 1.2) -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
31. IE032 C_REF_MOD NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND	

```

<ELEMENT DECTYPBX2 (TypOfDecBx2DEC626, ACT517, LANSPEDAT515+)>
<!-- Node: INFORMATION -->
<ELEMENT INF359 (InfCodINF045, ACT517, LANSPEDAT515+)>
<!-- Node: PREVIOUS DOCUMENT TYPE -->
<ELEMENT PREDOCTYP463 (PreDocTyp180, ACT517, LANSPEDAT515+)>
<!-- Node: REQUESTED INFORMATION -->
<ELEMENT REQINF690 (ReqInfCodREQINF546, LANSPEDAT515+, ACT517)>
<!-- Node: ITEM NUMBER REJECTION REASON CODE -->
<ELEMENT ITENUMREJREACOD440 (ItemNumRejReaCodITENUMREJREACOD444, ACT517, LANSPEDAT515+)>
<!-- Node: CUSTOMS INTERVENTION -->
<ELEMENT CUSINT632 (CusIntCodCUSINT665, ACT517, LANSPEDAT515+)>
<!-- Node: INFORMATION TYPE -->
<ELEMENT INFTYP432 (InfTypINFTYP433, ACT517, LANSPEDAT515+)>
<!-- Node: RESPONSE CODE -->
<ELEMENT RESCOD (ResCodRESCOD569, LANSPEDAT515+, ACT517)>
<!-- Node: LANGUAGE SPECIFIC DATA -->
<ELEMENT LANSPEDAT515 (LanCod347, Des110, LANSPEDAT515LNG?)>
<!-- Node: ACTION -->
<ELEMENT ACT517 (Ope288, ValDat103?, ModSub144?, LegRef197?, ResDatMan302?, ActId)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Control indicator -->
<ELEMENT ConInd424 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod347 (#PCDATA)>
<!-- Leaf: Description -->
<ELEMENT Des110 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
31. IE032 C_REF_MOD NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND	

```

<!-- Leaf: Language specific data LNG -->
<IELEMENT LANSPEDAT515LNG (#PCDATA)>
<!-- Leaf: Operation -->
<IELEMENT Ope288 (#PCDATA)>
<!-- Leaf: Validity date -->
<IELEMENT ValDat103 (#PCDATA)>
<!-- Leaf: Modification subtype -->
<IELEMENT ModSub144 (#PCDATA)>
<!-- Leaf: Legal references -->
<IELEMENT LegRef197 (#PCDATA)>
<!-- Leaf: Responsible data manager -->
<IELEMENT ResDatMan302 (#PCDATA)>
<!-- Leaf: Action identification -->
<IELEMENT ActId (#PCDATA)>
<!-- Leaf: Amendment rejection motivation code -->
<IELEMENT AmeRejMotCod31 (#PCDATA)>
<!-- Leaf: AAR/AER rejection reason code -->
<IELEMENT AARRejReaCod44 (#PCDATA)>
<!-- Leaf: ATR rejection reason code -->
<IELEMENT ATRRejReaCod57 (#PCDATA)>
<!-- Leaf: Control result code -->
<IELEMENT ConResCod70 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCod83 (#PCDATA)>
<!-- Leaf: TCC entry date -->
<IELEMENT TCCEntDat84 (#PCDATA)>
<!-- Leaf: NCTS entry date -->
<IELEMENT NCTEntDat85 (#PCDATA)>
<!-- Leaf: Geo-nomenclature code -->
<IELEMENT GeoCod86 (#PCDATA)>
<!-- Leaf: Country regime code -->
<IELEMENT CouRegCod87 (#PCDATA)>
<!-- Leaf: Country regime code -->
<IELEMENT CouRegCod100 (#PCDATA)>
<!-- Leaf: Geo info code -->
<IELEMENT CusOffGeoInfCod113 (#PCDATA)>
<!-- Leaf: Currency -->
<IELEMENT Cur126 (#PCDATA)>
<!-- Leaf: Rate value -->
<IELEMENT RatVal127 (#PCDATA)>
<!-- Leaf: Discrepancies solved notification code -->
<IELEMENT DisSolNotCod153 (#PCDATA)>
<!-- Leaf: Diversion rejection reason code -->
<IELEMENT DivRejReaCod166 (#PCDATA)>
<!-- Leaf: Document type -->
<IELEMENT DocTyp179 (#PCDATA)>
<!-- Leaf: Transport document -->
<IELEMENT TraDoc199 (#PCDATA)>
<!-- Leaf: Guarantee type -->
<IELEMENT GuaTypCod217 (#PCDATA)>
<!-- Leaf: Guarantee monitoring code -->
<IELEMENT GuaMonCod230 (#PCDATA)>
<!-- Leaf: Invalid guarantee reason code -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
31. IE032 C_REF_MOD NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND	

```

<ELEMENT InvGuaReaCod243 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod256 (#PCDATA)>
<!-- Leaf: Kind of packages -->
<ELEMENT PacCod269 (#PCDATA)>
<!-- Leaf: Role -->
<ELEMENT Rol295 (#PCDATA)>
<!-- Leaf: Commodity code (taric code) -->
<ELEMENT ComCod308 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<ELEMENT SenGooCod309 (#PCDATA)>
<!-- Leaf: Reference quantity -->
<ELEMENT RefQua310 (#PCDATA)>
<!-- Leaf: Unit of measure code -->
<ELEMENT UniOfMea311 (#PCDATA)>
<!-- Leaf: EEC territory limitation -->
<ELEMENT EECTerLim312 (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT SpeMenCod325 (#PCDATA)>
<!-- Leaf: Statistics type -->
<ELEMENT StaTyp338 (#PCDATA)>
<!-- Leaf: Traffic type -->
<ELEMENT TraTyp351 (#PCDATA)>
<!-- Leaf: Customs Operation State Types -->
<ELEMENT CusOpeStaTyp364 (#PCDATA)>
<!-- Leaf: Unit of measure code -->
<ELEMENT UniOfMeaCod377 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod390 (#PCDATA)>
<!-- Leaf: UN/LOCODE id -->
<ELEMENT UNL391 (#PCDATA)>
<!-- Leaf: UN/LOCODE name -->
<ELEMENT UNLNam392 (#PCDATA)>
<!-- Leaf: Transport mode -->
<ELEMENT TraMod401 (#PCDATA)>
<!-- Leaf: Query identifier -->
<ELEMENT Quelde414 (#PCDATA)>
<!-- Leaf: Specific notes code -->
<ELEMENT SpeNotCod644 (#PCDATA)>
<!-- Leaf: Complementary code -->
<ELEMENT ComCodCOMCOD401 (#PCDATA)>
<!-- Leaf: Export_Query Reason Code -->
<ELEMENT ExpQueReaCodEXPQUEREACOD414 (#PCDATA)>
<!-- Leaf: Incoterm Code -->
<ELEMENT IncCodINCCOD652 (#PCDATA)>
<!-- Leaf: Nature of transaction code -->
<ELEMENT NatTranCodNATTRACOD463 (#PCDATA)>
<!-- Leaf: Procedure requested -->
<ELEMENT ProReqPROREQ502 (#PCDATA)>
<!-- Leaf: Previous Procedure -->
<ELEMENT PreProPREPRO489 (#PCDATA)>
<!-- Leaf: Representative status code -->
<ELEMENT RepStatCodREPSTATCOD516 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
31. IE032 C_REF_MOD NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND	

```

<!-- Leaf: Risk Analysis result code -->
<ELEMENT RisAnaResCodRISANARESCOD528 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndSPECIRIND543 (#PCDATA)>
<!-- Leaf: Summary Declaration rejection reason code -->
<ELEMENT SumDecRejReaCodSUMDECREJREACOD556 (#PCDATA)>
<!-- Leaf: Type of tax -->
<ELEMENT TypOfTaxTYPOFTAX582 (#PCDATA)>
<!-- Leaf: Warehouse type -->
<ELEMENT WarTypWARTYP607 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNdangooocodUNDANGOOCOD594 (#PCDATA)>
<!-- Leaf: Community / National Procedure -->
<ELEMENT ComNatProCOM613 (#PCDATA)>
<!-- Leaf: Previous Document Category -->
<ELEMENT PreDocCatPREDOCCAT476 (#PCDATA)>
<!-- Leaf: Method of payment -->
<ELEMENT MethofPayMETHOFPAY450 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayTRACHAMETOPPAY569 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT DecTyp140 (#PCDATA)>
<!-- Leaf: Type of declaration (Box 1.2) -->
<ELEMENT TypOfDecBx2DEC626 (#PCDATA)>
<!-- Leaf: Information Code -->
<ELEMENT InfCodINF045 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTyp180 (#PCDATA)>
<!-- Leaf: Requested Information Code -->
<ELEMENT ReqInfCodREQINF546 (#PCDATA)>
<!-- Leaf: Item number rejection reason code -->
<ELEMENT ItemNumRejReaCodITENUMREJREACOD444 (#PCDATA)>
<!-- Leaf: Customs Intervention code -->
<ELEMENT CusIntCodCUSINT665 (#PCDATA)>
<!-- Leaf: Information type -->
<ELEMENT InfTypINFTYP433 (#PCDATA)>
<!-- Leaf: Response Code -->
<ELEMENT ResCodRESCOD569 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
32. IE034 C_GUA_QUE QUERY ON GUARANTEES	

32. IE034 C_GUA_QUE QUERY ON GUARANTEES

```

<!-- Node: MESSAGE -->
<ELEMENT CD034A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecldeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, TRAPRIRC1?, COUGRT?, CUSOFFREQ?, AUTFORGUASIM?, CUSOFFRECRCV?, GUAREF2+)>
<!-- Node: (REQUESTER PRINCIPAL) TRADER -->
<ELEMENT TRAPRIRC1 (TINRC159)>
<!-- Node: (GUARANTEE) COUNTRY -->
<ELEMENT COUGRT (CouCodGRT764)>
<!-- Node: (REQUESTER) CUSTOMS OFFICE -->
<ELEMENT CUSOFFREQ (RefNumEPR1)>
<!-- Node: (GUARANTEE SIMPLIFICATION) CUSTOMS OFFICE -->
<ELEMENT AUTFORGUASIM (RefNumSIM1)>
<!-- Node: (RECOVERY) CUSTOMS OFFICE -->
<ELEMENT CUSOFFRECRCV (RefNumRCV1)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREF2 (GuaRefNumGRNREF21, GUAQUE, TRAPRIOTG?, ACCDOC728?)>
<!-- Node: GUARANTEE QUERY -->
<ELEMENT GUAQUE (QueIdeQUE1, PerFroQUE2?, PerToDatQUE3?)>
<!-- Node: (OWNER PRINCIPAL) TRADER -->
<ELEMENT TRAPRIOTG (TINOTG59)>
<!-- Node: ACCESS CODE -->
<ELEMENT ACCDOC728 (AccCodCOD729)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
32. IE034 C_GUA_QUE QUERY ON GUARANTEES	

```

<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINRC159 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodGRT764 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPR1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumSIM1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRCV1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF21 (#PCDATA)>
<!-- Leaf: Query identifier -->
<ELEMENT QueldeQUE1 (#PCDATA)>
<!-- Leaf: Period from date -->
<ELEMENT PerFroQUE2 (#PCDATA)>
<!-- Leaf: Period to date -->
<ELEMENT PerToDatQUE3 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINOTG59 (#PCDATA)>
<!-- Leaf: Access code -->
<ELEMENT AccCodCOD729 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
33. IE035 E_REC_NOT RECOVERY NOTIFICATION	

33. IE035 E_REC_NOT RECOVERY NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC035A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecldeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, GUARANTOR?,
CUSOFFDEPEPT, CUSTOFFCOMAUTREC)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, AccDatHEA158, RecNotDatHEA766, RecNotTexHEA730?, RecNotTexHEA730LNG?,
AmoClaHEA732, CurHEA734)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17, StrAndNumPC122, PosCodPC123, CitPC124, CouPC125, NADLNGPC?, TINPC159?,
HITPC126?)>
<!-- Node: GUARANTOR -->
<ELEMENT GUARANTOR (NamGU620, StrAndNumGU621, PosCodGU622, CitGU623, CouGU624, NADLNGGU?,
TINGU626?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (COMPETENT AUTHORITY FOR RECOVERY) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFCOMAUTREC (RefNumREC1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
33. IE035 E_REC_NOT RECOVERY NOTIFICATION	

```

<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<ELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Recovery notification date -->
<ELEMENT RecNotDatHEA766 (#PCDATA)>
<!-- Leaf: Recovery notification text -->
<ELEMENT RecNotTexHEA730 (#PCDATA)>
<!-- Leaf: Recovery notification text LNG -->
<ELEMENT RecNotTexHEA730LNG (#PCDATA)>
<!-- Leaf: Amount claimed -->
<ELEMENT AmoClaHEA732 (#PCDATA)>
<!-- Leaf: Currency -->
<ELEMENT CurHEA734 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamGU620 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumGU621 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodGU622 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitGU623 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouGU624 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGU (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINGU626 (#PCDATA)>
<!-- Leaf: Reference number -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
33. IE035 E_REC_NOT RECOVERY NOTIFICATION	

<!ELEMENT RefNumEPT1 (#PCDATA)>

<!-- Leaf: Reference number -->

<!ELEMENT RefNumREC1 (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
34. IE037 C_GUA_RSP RESPONSE QUERY ON GUARANTEES	

34. IE037 C_GUA_RSP RESPONSE QUERY ON GUARANTEES

```

<!-- Node: MESSAGE -->
<ELEMENT CD037A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, TRAPRIRC1?, CUSTOFFGUARNT, CUSOFFREQ?, AUTFORGUASIM?, CUSOFFRECRCV?,
GUAREF2+)>
<!-- Node: (REQUESTER PRINCIPAL) TRADER -->
<ELEMENT TRAPRIRC1 (TINRC159)>
<!-- Node: (GUARANTEE) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFGUARNT (RefNumRNT1)>
<!-- Node: (REQUESTER) CUSTOMS OFFICE -->
<ELEMENT CUSOFFREQ (RefNumEPR1)>
<!-- Node: (GUARANTEE SIMPLIFICATION) CUSTOMS OFFICE -->
<ELEMENT AUTFORGUASIM (RefNumSIM1)>
<!-- Node: (RECOVERY) CUSTOMS OFFICE -->
<ELEMENT CUSOFFRECRCV (RefNumRCV1)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREF2 (GuaRefNumGRNREF21, AccDatREF24, GuaTypREF22, GuaMonCodREF23, GUAQUE,
TRAPRIOTG?, USAUSA*, EXPEXP?, GUARNR?, COMGUACMP?, INDGUABYGNR?, INDGUAVOU?)>
<!-- Node: GUARANTEE QUERY -->
<ELEMENT GUAQUE (QueIdeQUE1, PerFroQUE2?, PerToDatQUE3?)>
<!-- Node: (OWNER PRINCIPAL) TRADER -->
<ELEMENT TRAPRIOTG (NamOTG7, StrAndNumOTG22, PosCodOTG23, CitOTG24, CouOTG25, NADLNGOTG?,
TINOTG59)>
<!-- Node: USAGE -->
<ELEMENT USAUSA (DocNumUSA1, CovAmoUSA2, CurUSA3, LocDatUSA4, ArrDatUSA5?, DatOfRelUSA6?)>
<!-- Node: EXPOSURE -->
<ELEMENT EXPEXP (ExpEXP1, ExpCouEXP2, BalEXP3?, CurEXP4)>
<!-- Node: GUARANTOR -->
<ELEMENT GUARNR (NamRNR735, StrAndNumRNR736, PosCodRNR737, CitRNR738, CouRNR745, NADLNGGGR?,
ConPerRNR739?, PhoNumRNR740?, FaxNumRNR741?, TelNumRNR742?, MaiAddRNR743?, LanCodRNR744?,
TINRNR746?, GUAOTHADD*)>
<!-- Node: COMPREHENSIVE GUARANTEE -->
<ELEMENT COMGUACMP (RefAmoCMP11?, PerOfRefAmoCMP12?, GuaAmoCMP13?, CurCMP14, NumOfCerCMP15,
ValDatCMP16, InvDatCMP17?, InvReaCodCMP18?, InvReaCMP19?, InvReaCMP19LNG?, LiaLibDatCMP21?, LimValCMP22,
ResUseCMP23, GUACOMGUAGDS2*, VALLIMECCMG?, VALLIMNONECVLD*)>
<!-- Node: INDIVIDUAL GUARANTEE BY GUARANTOR -->
<ELEMENT INDGUABYGNR (GuaAmoGNR11, CurGNR12, GUAGRTGDS3+, CUSTOFFDEPEPT2, CUSTOFFDESEST2,
VALLIMECVLD?, VALLIMNONECMIT*)>
<!-- Node: INDIVIDUAL GUARANTEE VOUCHER -->
<ELEMENT INDGUAVOU (DatOfIssVOU745, ExpDatVOU746, HarCopGivToPriVOU747, LimValVOU748, TIRCarVOU749,
VouAmoVOU750?, CurVOU751?)>
<!-- Node: GUARANTOR OTHER ADDRESSES -->
<ELEMENT GUAOTHADD (AddTypADD11, NamADD12, StrAndNumADD13, PosCodADD22, CitADD15, CouADD14,
NADLNGGOA?, ConPerADD16?, PhoNumADD17?, FaxNumADD18?, TelNumADD19?, MaiAddADD20?, LanCodADD21?)>
<!-- Node: GOODS ITEM -->
<ELEMENT GUACOMGUAGDS2 (ComCodGDS210?, SenGooCodGDS213?, GooDesGDS211, GooDesGDS211LNG?)>
<!-- Node: VALIDITY LIMITATION EC -->
<ELEMENT VALLIMECCMG (NotValForECCMG2)>
<!-- Node: VALIDITY LIMITATION NON EC -->
<ELEMENT VALLIMNONECVLD (NotValForOthConPVLD2)>
<!-- Node: GOODS ITEM -->
<ELEMENT GUAGRTGDS3 (ComCodGDS311?, SenGooGDS314?, GooDesGDS312, GooDesGDS312LNG?)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
34. IE037 C_GUA_RSP RESPONSE QUERY ON GUARANTEES	

```

<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFDEPEPT2 (RefNumEPT22)>
<!-- Node: (DESTINATION) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFDESEST2 (RefNumEST22)>
<!-- Node: VALIDITY LIMITATION EC -->
<ELEMENT VALLIMECVLD (NotValForECVLD1)>
<!-- Node: VALIDITY LIMITATION NON EC -->
<ELEMENT VALLIMNONECMIT (NoValForOthConPMIT2)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINRC159 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPR1 (#PCDATA)>
<!-- Leaf: Reference number -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
34. IE037 C_GUA_RSP RESPONSE QUERY ON GUARANTEES	

```

<ELEMENT RefNumSIM1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRCV1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF21 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<ELEMENT AccDatREF24 (#PCDATA)>
<!-- Leaf: Guarantee type -->
<ELEMENT GuaTypREF22 (#PCDATA)>
<!-- Leaf: Guarantee monitoring code -->
<ELEMENT GuaMonCodREF23 (#PCDATA)>
<!-- Leaf: Query identifier -->
<ELEMENT QueldeQUE1 (#PCDATA)>
<!-- Leaf: Period from date -->
<ELEMENT PerFroQUE2 (#PCDATA)>
<!-- Leaf: Period to date -->
<ELEMENT PerToDatQUE3 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamOTG7 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumOTG22 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodOTG23 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitOTG24 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouOTG25 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGOTG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINOTG59 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumUSA1 (#PCDATA)>
<!-- Leaf: Covered amount -->
<ELEMENT CovAmoUSA2 (#PCDATA)>
<!-- Leaf: Currency -->
<ELEMENT CurUSA3 (#PCDATA)>
<!-- Leaf: Lock date -->
<ELEMENT LocDatUSA4 (#PCDATA)>
<!-- Leaf: Arrival date -->
<ELEMENT ArrDatUSA5 (#PCDATA)>
<!-- Leaf: Date of release -->
<ELEMENT DatOfRelUSA6 (#PCDATA)>
<!-- Leaf: Exposure -->
<ELEMENT ExpEXP1 (#PCDATA)>
<!-- Leaf: Exposure counter -->
<ELEMENT ExpCouEXP2 (#PCDATA)>
<!-- Leaf: Balance -->
<ELEMENT BalEXP3 (#PCDATA)>
<!-- Leaf: Currency -->
<ELEMENT CurEXP4 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamRNR735 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
34. IE037 C_GUA_RSP RESPONSE QUERY ON GUARANTEES	

```

<!-- Leaf: Street and number -->
<ELEMENT StrAndNumRNR736 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodRNR737 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitRNR738 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouRNR745 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGGR (#PCDATA)>
<!-- Leaf: Contact person -->
<ELEMENT ConPerRNR739 (#PCDATA)>
<!-- Leaf: Phone number -->
<ELEMENT PhoNumRNR740 (#PCDATA)>
<!-- Leaf: Fax number -->
<ELEMENT FaxNumRNR741 (#PCDATA)>
<!-- Leaf: Telex number -->
<ELEMENT TelNumRNR742 (#PCDATA)>
<!-- Leaf: E-mail address -->
<ELEMENT MaiAddRNR743 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCodRNR744 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINRNR746 (#PCDATA)>
<!-- Leaf: Address type -->
<ELEMENT AddTypADD11 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamADD12 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumADD13 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodADD22 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitADD15 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouADD14 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGOA (#PCDATA)>
<!-- Leaf: Contact person -->
<ELEMENT ConPerADD16 (#PCDATA)>
<!-- Leaf: Phone number -->
<ELEMENT PhoNumADD17 (#PCDATA)>
<!-- Leaf: Fax number -->
<ELEMENT FaxNumADD18 (#PCDATA)>
<!-- Leaf: Telex number -->
<ELEMENT TelNumADD19 (#PCDATA)>
<!-- Leaf: E-mail address -->
<ELEMENT MaiAddADD20 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCodADD21 (#PCDATA)>
<!-- Leaf: Reference amount -->
<ELEMENT RefAmoCMP11 (#PCDATA)>
<!-- Leaf: Percentage of reference amount -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
34. IE037 C_GUA_RSP RESPONSE QUERY ON GUARANTEES	

```

<ELEMENT PerOfRefAmoCMP12 (#PCDATA)>
<!-- Leaf: Guarantee amount -->
<ELEMENT GuaAmoCMP13 (#PCDATA)>
<!-- Leaf: Currency -->
<ELEMENT CurCMP14 (#PCDATA)>
<!-- Leaf: Number of certificates -->
<ELEMENT NumOfCerCMP15 (#PCDATA)>
<!-- Leaf: Validity date -->
<ELEMENT ValDatCMP16 (#PCDATA)>
<!-- Leaf: Invalidation date -->
<ELEMENT InvDatCMP17 (#PCDATA)>
<!-- Leaf: Invalidation reason code -->
<ELEMENT InvReaCodCMP18 (#PCDATA)>
<!-- Leaf: Invalidation reason -->
<ELEMENT InvReaCMP19 (#PCDATA)>
<!-- Leaf: Invalidation reason LNG -->
<ELEMENT InvReaCMP19LNG (#PCDATA)>
<!-- Leaf: Liability liberation date -->
<ELEMENT LiaLibDatCMP21 (#PCDATA)>
<!-- Leaf: Limited validity (sensitive goods) -->
<ELEMENT LimValCMP22 (#PCDATA)>
<!-- Leaf: Restricted use (suspended goods) -->
<ELEMENT ResUseCMP23 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodGDS210 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<ELEMENT SenGooCodGDS213 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS211 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS211LNG (#PCDATA)>
<!-- Leaf: Not valid for EC -->
<ELEMENT NotValForECCMG2 (#PCDATA)>
<!-- Leaf: Not valid for other contracting parties -->
<ELEMENT NotValForOthConPVL2 (#PCDATA)>
<!-- Leaf: Guarantee amount -->
<ELEMENT GuaAmoGNR11 (#PCDATA)>
<!-- Leaf: Currency -->
<ELEMENT CurGNR12 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodGDS311 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<ELEMENT SenGooGDS314 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS312 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS312LNG (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT22 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEST22 (#PCDATA)>
<!-- Leaf: Not valid for EC -->
<ELEMENT NotValForECVLD1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
34. IE037 C_GUA_RSP RESPONSE QUERY ON GUARANTEES	

```

<!-- Leaf: Not valid for other contracting parties -->
<ELEMENT NoValForOthConPMIT2 (#PCDATA)>
<!-- Leaf: Date of issue -->
<ELEMENT DatOfIssVOU745 (#PCDATA)>
<!-- Leaf: Expiry date -->
<ELEMENT ExpDatVOU746 (#PCDATA)>
<!-- Leaf: Hard copy given to Principal -->
<ELEMENT HarCopGivToPriVOU747 (#PCDATA)>
<!-- Leaf: Limited validity (sensitive goods) -->
<ELEMENT LimValVOU748 (#PCDATA)>
<!-- Leaf: TIR carnet -->
<ELEMENT TIRCarVOU749 (#PCDATA)>
<!-- Leaf: Voucher amount -->
<ELEMENT VouAmoVOU750 (#PCDATA)>
<!-- Leaf: Currency -->
<ELEMENT CurVOU751 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
35. IE038 C_MVT_RSP RESPONSE TO MOVEMENT QUERY	

35. IE038 C_MVT_RSP RESPONSE TO MOVEMENT QUERY

```

<!-- Node: MESSAGE -->
<ELEMENT CD038B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAPRIPC1, TRACONCO1?, TRACONCE1?, TRAAUTCONTRA?, CUSOFFDEPEPT,
CUSOFFTRARNS*, CUSOFFDESEST, CUSOFFREQ, CTLCL1, CONRESERS, SEAINFSLI?, ENROUEVETEV*,
GOOITEGDS+, ITI*, RISANA*, CARTRA100?, TRACORSEC037?, TRACONSEC029?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, TypOfDecHEA24, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?,
AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, PlaOfLoaCodHEA46?, CouOfDisCodHEA55?,
CusSubPlaHEA66?, TraModAtBorHEA76?, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?,
NatOfMeaOfTraAtDHEA80?, IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?,
ConIndHEA96, AccDatHEA158, IssDatHEA186, NCTSAccDocHEA601LNG, TotNumOfIteHEA305, TotNumOfPacHEA306?,
TotGroMasHEA307, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?, SecHEA358?, ConRefNumHEA?,
CodPIUnHEA357?, CodPIUnHEA357LNG?)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17, StrAndNumPC122, PosCodPC123, CitPC124, CouPC125, NADLNGPC?, TINPC159?,
HITPC126?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO1 (NamCO17, StrAndNumCO122, PosCodCO123, CitCO124, CouCO125, NADLNGCO?,
TINCO159?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (AUTHORISED CONSIGNEE) TRADER -->
<ELEMENT TRAAUTCONTRA (TINTRA59)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (TRANSIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFTRARNS (RefNumRNS1, ArrTimTRACUS085?)>
<!-- Node: (DESTINATION) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESEST (RefNumEST1)>
<!-- Node: (REQUESTER) CUSTOMS OFFICE -->
<ELEMENT CUSOFFREQ (RefNumEPR1)>
<!-- Node: CTL_CONTROL -->
<ELEMENT CTLCL1 (TraOpPeStaTypCL632, OthMovInfResCL633?, OthMovInfResCL633LNG?)>
<!-- Node: CONTROL RESULT -->
<ELEMENT CONRESERS (ConResCodERS16, DatLimERS69)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID+)>
<!-- Node: EN ROUTE EVENT -->
<ELEMENT ENROUEVETEV (PlaTEV10, PlaTEV10LNG?, CouTEV13, INCINC?, SEAINFSF1?, TRASHP?)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, ComCodTarCodGDS10?, DecTypGDS15?, GooDesGDS23, GooDesGDS23LNG?,
GroMasGDS46?, NetMasGDS48?, CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ComRefNumGIM1?,
UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPEMENMT2*, TRACONCO2?, TRACONCE2?, CONNR2*,
PACGS2+, SGICODSD2*, TRACORSECGOO021?, TRACONSECGOO013?)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: RISK ANALYSIS -->
<ELEMENT RISANA (IteNumInvRKA1?, RisAnaResCodRKA1, RisAnaTexRKA1?, RisAnaTexRKA1LNG?)>
<!-- Node: (CARRIER) TRADER -->
<ELEMENT CARTRA100 (NamCARTRA121, StrAndNumCARTRA254, PosCodCARTRA121, CitCARTRA789,
CouCodCARTRA587, NADCARTRA121?, TINCARTRA254?)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
35. IE038 C_MVT_RSP RESPONSE TO MOVEMENT QUERY	

```

<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSEC037 (NamTRACORSEC041, StrNumTRACORSEC043, PosCodTRACORSEC042,
CitTRACORSEC038, CouCodTRACORSEC039, TRACORSEC037LNG?, TINTRACORSEC044?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSEC029 (NameTRACONSEC033, StrNumTRACONSEC035, PosCodTRACONSEC034,
CitTRACONSEC030, CouCodTRACONSEC031, TRACONSEC029LNG?, TINTRACONSEC036?)>
<!-- Node: SEALS ID -->
<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: INCIDENT -->
<ELEMENT INCINC (IncFlaINC3?, IncInfINC4?, IncInfINC4LNG?, EndDatINC6?, EndAutINC7?, EndAutINC7LNG?,
EndPlaINC10?, EndPlaINC10LNG?, EndCouINC12?)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSF1 (SeaNumSF12, SEAIDS1+)>
<!-- Node: TRANSHIPMENT -->
<ELEMENT TRASHP (NewTraMealdeSHP26?, NewTraMealdeSHP26LNG?, NewTraMeaNatSHP54?, EndDatSHP60?,
EndAutSHP61?, EndAutSHP61LNG?, EndPlaSHP63?, EndPlaSHP63LNG?, EndCouSHP65?, CONNR3*)>
<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?, ComOfInfAR29?,
ComOfInfAR29LNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23?, DocRefDCLNG?, ComOfInfDC25?, ComOfInfDC25LNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfCodMT23, ExpFroECMT24?, ExpFroCouMT25?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO2 (NamCO27, StrAndNumCO222, PosCodCO223, CitCO224, CouCO225, NADLNGGTCO?,
TINCO259?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Node: SGI CODES -->
<ELEMENT SGICODSD2 (SenGooCodSD22?, SenQuaSD23)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSECGOO021 (NamTRACORSECGOO025, StrNumTRACORSECGOO027,
PosCodTRACORSECGOO026, CitTRACORSECGOO022, CouCodTRACORSECGOO023, TRACORSECGOO021LNG?,
TINTRACORSECGOO028?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSECGOO013 (NamTRACONSECGOO017, StrNumTRACONSECGOO019,
PosCodTRACONSECGOO018, CityTRACONSECGOO014, CouCodTRACONSECGOO015, TRACONSECGOO013LNG?,
TINTRACONSECGOO020?)>
<!-- Node: SEALS ID -->
<ELEMENT SEAIDSI1 (SealdeSI11, SealdeSI11LNG?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR3 (ConNumNR31)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
35. IE038 C_MVT_RSP RESPONSE TO MOVEMENT QUERY	

```

<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<ELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<ELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<ELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<ELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Place of loading, code -->
<ELEMENT PlaOfLoaCodHEA46 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<ELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Transport mode at border -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
35. IE038 C_MVT_RSP RESPONSE TO MOVEMENT QUERY	

```

<ELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport at departure -->
<ELEMENT NatOfMeaOfTraAtDHEA80 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<ELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<ELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<ELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<ELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<ELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Issuing date -->
<ELEMENT IssDatHEA186 (#PCDATA)>
<!-- Leaf: NCTS accompanying document language code -->
<ELEMENT NCTSAccDocHEA601LNG (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Security -->
<ELEMENT SecHEA358 (#PCDATA)>
<!-- Leaf: Conveyance reference number -->
<ELEMENT ConRefNumHEA (#PCDATA)>
<!-- Leaf: Place of unloading, code -->
<ELEMENT CodPIUnHEA357 (#PCDATA)>
<!-- Leaf: Place of unloading LNG -->
<ELEMENT CodPIUnHEA357LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
35. IE038 C_MVT_RSP RESPONSE TO MOVEMENT QUERY	

```

<!-- Leaf: TIN -->
<IELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<IELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCO122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGCO (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCO159 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRA59 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumRNS1 (#PCDATA)>
<!-- Leaf: Arrival Time -->
<IELEMENT ArrTimTRACUS085 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumEST1 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumEPR1 (#PCDATA)>
<!-- Leaf: Transit operation state type -->
<IELEMENT TraOPeStaTypCL632 (#PCDATA)>
<!-- Leaf: Other movement information response -->
<IELEMENT OthMovInfResCL633 (#PCDATA)>
<!-- Leaf: Other movement information response LNG -->
<IELEMENT OthMovInfResCL633LNG (#PCDATA)>
<!-- Leaf: Control result code -->
<IELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Date limit -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
35. IE038 C_MVT_RSP RESPONSE TO MOVEMENT QUERY	

```

<ELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Place -->
<ELEMENT PlaTEV10 (#PCDATA)>
<!-- Leaf: Place LNG -->
<ELEMENT PlaTEV10LNG (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouTEV13 (#PCDATA)>
<!-- Leaf: Incident flag -->
<ELEMENT IncFlaINC3 (#PCDATA)>
<!-- Leaf: Incident information -->
<ELEMENT IncInfINC4 (#PCDATA)>
<!-- Leaf: Incident information LNG -->
<ELEMENT IncInfINC4LNG (#PCDATA)>
<!-- Leaf: Endorsement date -->
<ELEMENT EndDatINC6 (#PCDATA)>
<!-- Leaf: Endorsement authority -->
<ELEMENT EndAutINC7 (#PCDATA)>
<!-- Leaf: Endorsement authority LNG -->
<ELEMENT EndAutINC7LNG (#PCDATA)>
<!-- Leaf: Endorsement place -->
<ELEMENT EndPlaINC10 (#PCDATA)>
<!-- Leaf: Endorsement place LNG -->
<ELEMENT EndPlaINC10LNG (#PCDATA)>
<!-- Leaf: Endorsement country -->
<ELEMENT EndCouINC12 (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSF12 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSI11 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSI11LNG (#PCDATA)>
<!-- Leaf: New transport means identity -->
<ELEMENT NewTraMealdeSHP26 (#PCDATA)>
<!-- Leaf: New transport means identity LNG -->
<ELEMENT NewTraMealdeSHP26LNG (#PCDATA)>
<!-- Leaf: New transport means nationality -->
<ELEMENT NewTraMeaNatSHP54 (#PCDATA)>
<!-- Leaf: Endorsement date -->
<ELEMENT EndDatSHP60 (#PCDATA)>
<!-- Leaf: Endorsement authority -->
<ELEMENT EndAutSHP61 (#PCDATA)>
<!-- Leaf: Endorsement authority LNG -->
<ELEMENT EndAutSHP61LNG (#PCDATA)>
<!-- Leaf: Endorsement place -->
<ELEMENT EndPlaSHP63 (#PCDATA)>
<!-- Leaf: Endorsement place LNG -->
<ELEMENT EndPlaSHP63LNG (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
35. IE038 C_MVT_RSP RESPONSE TO MOVEMENT QUERY	

```

<!-- Leaf: Endorsement country -->
<ELEMENT EndCouSHP65 (#PCDATA)>
<!-- Leaf: Container number -->
<ELEMENT ConNumNR31 (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodTarCodGDS10 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT DecTypGDS15 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<ELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<ELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfAR29 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfAR29LNG (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfDC25 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfDC25LNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Export from EC -->
<ELEMENT ExpFroECMT24 (#PCDATA)>
<!-- Leaf: Export from country -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
35. IE038 C_MVT_RSP RESPONSE TO MOVEMENT QUERY	

```

<ELEMENT ExpFroCouMT25 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGTCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<ELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<ELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<ELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<ELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<ELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<ELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<ELEMENT SenGooCodSD22 (#PCDATA)>
<!-- Leaf: Sensitive quantity -->
<ELEMENT SenQuaSD23 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSECGOO025 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSECGOO027 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSECGOO026 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSECGOO022 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
35. IE038 C_MVT_RSP RESPONSE TO MOVEMENT QUERY	

```

<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSECGOO023 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSECGOO021LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSECGOO028 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACONSECGOO017 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSECGOO019 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSECGOO018 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CityTRACONSECGOO014 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSECGOO015 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSECGOO013LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSECGOO020 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<ELEMENT CouOfRouCodIT11 (#PCDATA)>
<!-- Leaf: Item Number involved -->
<ELEMENT IteNumInvRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis result code -->
<ELEMENT RisAnaResCodRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis text -->
<ELEMENT RisAnaTexRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis LNG -->
<ELEMENT RisAnaTexRKA1LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCARTRA121 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCARTRA254 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCARTRA121 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCARTRA789 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodCARTRA587 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADCARTRA121 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCARTRA254 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSEC041 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSEC043 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSEC042 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSEC038 (#PCDATA)>
<!-- Leaf: Country code -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
35. IE038 C_MVT_RSP RESPONSE TO MOVEMENT QUERY	

```

<ELEMENT CouCodTRACORSEC039 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSEC037LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSEC044 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NameTRACONSEC033 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSEC035 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSEC034 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACONSEC030 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSEC031 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSEC029LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSEC036 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
36. IE043 E_ULD_PER UNLOADING PERMISSION	

36. IE043 E_ULD_PER UNLOADING PERMISSION

```

<!-- Node: MESSAGE -->
<ELEMENT CC043A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1?, TRACONCO1?, TRACONCE1?,
TRADESTRD, CUSOFFDEPEPT?, CUSOFFPREOFFRES, CTLCL1?, SEAINFSLI?, GOOITEGDS*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, TypOfDecHEA24?, CouOfDesCodHEA30?, CouOfDisCodHEA55?,
IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?, NatOfMeaOfTraAtDHEA80?, ConIndHEA96?, AccDatHEA158?,
TotNumOfIteHEA305?, TotNumOfPacHEA306?, TotGroMasHEA307?)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17, StrAndNumPC122, PosCodPC123, CitPC124, CouPC125, NADLNGPC?, TINPC159?,
HITPC126?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO1 (NamCO17, StrAndNumCO122, PosCodCO123, CitCO124, CouCO125, NADLNGCO?,
TINCO159?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (DESTINATION) TRADER -->
<ELEMENT TRADESTRD (NamTRD7?, StrAndNumTRD22?, PosCodTRD23?, CitTRD24?, CouTRD25?, NADLNGRD?,
TINTRD59?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (PRESENTATION OFFICE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFPREOFFRES (RefNumRES1)>
<!-- Node: CTL_CONTROL -->
<ELEMENT CTLCL1 (ConUnICL130)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID+)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, ComCodTarCodGDS10?, DecTypGDS15?, GooDesGDS23, GooDesGDS23LNG?,
GroMasGDS46?, NetMasGDS48?, CouOfDisGDS58?, CouOfDesGDS59?, PRODOCDC2*, SPEMENMT2*, TRACONCO2?,
TRACONCE2?, CONNR2*, PACGS2+, SGICODSD2*)>
<!-- Node: SEALS ID -->
<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23?, DocRefDCLNG?, ComOfInfDC25?, ComOfInfDC25LNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfCodMT23, ExpFroECMT24?, ExpFroCouMT25?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO2 (NamCO27, StrAndNumCO222, PosCodCO223, CitCO224, CouCO225, NADLNGGTCO?,
TINCO259?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Node: SGI CODES -->
<ELEMENT SGICODSD2 (SenGooCodSD22?, SenQuaSD23)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
36. IE043 E_ULD_PER UNLOADING PERMISSION	

```

<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
36. IE043 E_ULD_PER UNLOADING PERMISSION	

```

<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport at departure -->
<ELEMENT NatOfMeaOfTraAtDHEA80 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<ELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<ELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO159 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE125 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
36. IE043 E_ULD_PER UNLOADING PERMISSION	

```

<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRD7 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTRD22 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRD23 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRD24 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouTRD25 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGRD (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRD59 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRES1 (#PCDATA)>
<!-- Leaf: Continue unloading -->
<ELEMENT ConUniCL130 (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodTarCodGDS10 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT DecTypGDS15 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
36. IE043 E_ULD_PER UNLOADING PERMISSION	

```

<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfDC25 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfDC25LNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Export from EC -->
<ELEMENT ExpFroECMT24 (#PCDATA)>
<!-- Leaf: Export from country -->
<ELEMENT ExpFroCouMT25 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGTCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<ELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<ELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<ELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<ELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<ELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<ELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<ELEMENT SenGooCodSD22 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
36. IE043 E_ULD_PER UNLOADING PERMISSION	

<!-- Leaf: Sensitive quantity -->

<!ELEMENT SenQuaSD23 (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
37. IE044 E_ULD_REM UNLOADING REMARKS	

37. IE044 E_ULD_REM UNLOADING REMARKS

```

<!-- Node: MESSAGE -->
<ELEMENT CC044A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRADESTRD, CUSOFFPREOFFRES,
UNLREMREM, RESOFCON534*, SEAINFSLI?, GOOITEGDS*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?,
NatOfMeaOfTraAtDHEA80?, TotNumOfIteHEA305, TotNumOfPacHEA306?, TotGroMasHEA307)>
<!-- Node: (DESTINATION) TRADER -->
<ELEMENT TRADESTRD (NamTRD7?, StrAndNumTRD22?, PosCodTRD23?, CitTRD24?, CouTRD25?, NADLNGRD?,
TINTRD59?)>
<!-- Node: (PRESENTATION OFFICE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFPREOFFRES (RefNumRES1)>
<!-- Node: UNLOADING REMARK -->
<ELEMENT UNLREMREM (StaOfTheSeaOKREM19?, UniRemREM53?, UniRemREM53LNG?, ConREM65, UniComREM66,
UniDatREM67)>
<!-- Node: RESULTS OF CONTROL -->
<ELEMENT RESOFCON534 (DesTOC2?, DesTOC2LNG?, ConInd424, PoiToTheAttTOC5?, CorValTOC4?)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID*)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, ComCodTarCodGDS10?, GooDesGDS23?, GooDesGDS23LNG?,
GroMasGDS46?, NetMasGDS48?, PRODOCDC2*, RESOFCONROC*, CONNR2*, PACGS2*, SGICODSD2*)>
<!-- Node: SEALS ID -->
<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23?, DocRefDCLNG?, ComOfInfDC25?, ComOfInfDC25LNG?)>
<!-- Node: RESULTS OF CONTROL -->
<ELEMENT RESOFCONROC (DesROC2?, DesROC2LNG?, ConIndROC1, PoiToTheAttROC51?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Node: SGI CODES -->
<ELEMENT SGICODSD2 (SenGooCodSD22?, SenQuaSD23)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
37. IE044 E_ULD_REM UNLOADING REMARKS	

```

<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport at departure -->
<ELEMENT NatOfMeaOfTraAtDHEA80 (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRD7 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTRD22 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRD23 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRD24 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouTRD25 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGRD (#PCDATA)>
<!-- Leaf: TIN -->

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
37. IE044 E_ULD_REM UNLOADING REMARKS	

```

<ELEMENT TINTRD59 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRES1 (#PCDATA)>
<!-- Leaf: State of seals ok -->
<ELEMENT StaOfTheSeaOKREM19 (#PCDATA)>
<!-- Leaf: Unloading remark -->
<ELEMENT UniRemREM53 (#PCDATA)>
<!-- Leaf: Unloading remark LNG -->
<ELEMENT UniRemREM53LNG (#PCDATA)>
<!-- Leaf: Conform -->
<ELEMENT ConREM65 (#PCDATA)>
<!-- Leaf: Unloading completion -->
<ELEMENT UniComREM66 (#PCDATA)>
<!-- Leaf: Unloading date -->
<ELEMENT UniDatREM67 (#PCDATA)>
<!-- Leaf: Description -->
<ELEMENT DesTOC2 (#PCDATA)>
<!-- Leaf: Description LNG -->
<ELEMENT DesTOC2LNG (#PCDATA)>
<!-- Leaf: Control indicator -->
<ELEMENT ConInd424 (#PCDATA)>
<!-- Leaf: Pointer to the attribute -->
<ELEMENT PoiToTheAttTOC5 (#PCDATA)>
<!-- Leaf: Corrected value -->
<ELEMENT CorValTOC4 (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodTarCodGDS10 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfDC25 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfDC25LNG (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
37. IE044 E_ULD_REM UNLOADING REMARKS	

```

<!-- Leaf: Description -->
<IELEMENT DesROC2 (#PCDATA)>
<!-- Leaf: Description LNG -->
<IELEMENT DesROC2LNG (#PCDATA)>
<!-- Leaf: Control indicator -->
<IELEMENT ConIndROC1 (#PCDATA)>
<!-- Leaf: Pointer to the attribute -->
<IELEMENT PoiToTheAttROC51 (#PCDATA)>
<!-- Leaf: Container number -->
<IELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<IELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<IELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<IELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<IELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<IELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<IELEMENT SenGooCodSD22 (#PCDATA)>
<!-- Leaf: Sensitive quantity -->
<IELEMENT SenQuaSD23 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
38. IE045 E_WRT_NOT WRITE-OFF NOTIFICATION	

38. IE045 E_WRT_NOT WRITE-OFF NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC045A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrldMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, GUARANTOR?,
CUSOFFDEPEPT)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, WriOffDatHEA619)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17, StrAndNumPC122, PosCodPC123, CitPC124, CouPC125, NADLNGPC?, TINPC159?,
HITPC126?)>
<!-- Node: GUARANTOR -->
<ELEMENT GUARANTOR (NamGU620, StrAndNumGU621, PosCodGU622, CitGU623, CouGU624, NADLNGGU?,
TINGU626?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
38. IE045 E_WRT_NOT WRITE-OFF NOTIFICATION	

```

<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Write-off date -->
<ELEMENT WriOffDatHEA619 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamGU620 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumGU621 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodGU622 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitGU623 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouGU624 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGU (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINGU626 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
39. IE050 C_ATR_SND ATR	

39. IE050 C_ATR_SND ATR

```

<!-- Node: MESSAGE -->
<ELEMENT CD050B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAPRIPC1, TRACONCO1?, TRACONCE1?, TRAAUTCONTRA?, CUSOFFDEPEPT,
CUSOFFTRARNS*, CUSOFFDESEST, CONRESERS, SEAINFSLI?, GOOITEGDS+, ITI*, RISANA*, CARTRA100?,
TRACORSEC037?, TRACONSEC029?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, TypOfDecHEA24, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?,
AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, PlaOfLoaCodHEA46?, CouOfDisCodHEA55?,
CusSubPlaHEA66?, TraModAtBorHEA76?, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?,
NatOfMeaOfTraAtDHEA80?, IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?,
ConIndHEA96, AccDatHEA158, IssDatHEA186, NCTSAccDocHEA601LNG, TotNumOfIteHEA305, TotNumOfPacHEA306?,
TotGroMasHEA307, BinItiHEA246, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?, SecHEA358?,
ConRefNumHEA?, CodPIUnHEA357?, CodPIUnHEA357LNG?)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17, StrAndNumPC122, PosCodPC123, CitPC124, CouPC125, NADLNGPC?, TINPC159?,
HITPC126?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO1 (NamCO17, StrAndNumCO122, PosCodCO123, CitCO124, CouCO125, NADLNGCO?,
TINCO159?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (AUTHORISED CONSIGNEE) TRADER -->
<ELEMENT TRAAUTCONTRA (TINTRA59)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (TRANSIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFTRARNS (RefNumRNS1, ArrTimTRACUS085?)>
<!-- Node: (DESTINATION) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESEST (RefNumEST1)>
<!-- Node: CONTROL RESULT -->
<ELEMENT CONRESERS (ConResCodERS16, DatLimERS69)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID+)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, ComCodTarCodGDS10?, DecTypGDS15?, GooDesGDS23, GooDesGDS23LNG?,
GroMasGDS46?, NetMasGDS48?, CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ComRefNumGIM1?,
UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPEMENMT2*, TRACONCO2?, TRACONCE2?, CONNR2*,
PACGS2+, SGICODSD2*, TRACORSECGOO021?, TRACONSECGOO013?)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: RISK ANALYSIS -->
<ELEMENT RISANA (IteNumInvRKA1?, RisAnaResCodRKA1, RisAnaTexRKA1?, RisAnaTexRKA1LNG?)>
<!-- Node: (CARRIER) TRADER -->
<ELEMENT CARTRA100 (NamCARTRA121, StrAndNumCARTRA254, PosCodCARTRA121, CitCARTRA789,
CouCodCARTRA587, NADCARTRA121?, TINCARTRA254?)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSEC037 (NamTRACORSEC041, StrNumTRACORSEC043, PosCodTRACORSEC042,
CitTRACORSEC038, CouCodTRACORSEC039, TRACORSEC037LNG?, TINTRACORSEC044?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSEC029 (NameTRACONSEC033, StrNumTRACONSEC035, PosCodTRACONSEC034,
CitTRACONSEC030, CouCodTRACONSEC031, TRACONSEC029LNG?, TINTRACONSEC036?)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
39. IE050 C_ATR_SND ATR	

```

<!-- Node: SEALS ID -->
<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?, ComOfInfAR29?,
ComOfInfAR29LNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23?, DocRefDCLNG?, ComOfInfDC25?, ComOfInfDC25LNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfCodMT23, ExpFroECMT24?, ExpFroCouMT25?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO2 (NamCO27, StrAndNumCO222, PosCodCO223, CitCO224, CouCO225, NADLNGGTCO?,
TINCO259?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Node: SGI CODES -->
<ELEMENT SGICODSD2 (SenGooCodSD22?, SenQuaSD23)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSECGOO021 (NamTRACORSECGOO025, StrNumTRACORSECGOO027,
PosCodTRACORSECGOO026, CitTRACORSECGOO022, CouCodTRACORSECGOO023, TRACORSECGOO021LNG?,
TINTRACORSECGOO028?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSECGOO013 (NamTRACONSECGOO017, StrNumTRACONSECGOO019,
PosCodTRACONSECGOO018, CityTRACONSECGOO014, CouCodTRACONSECGOO015, TRACONSECGOO013LNG?,
TINTRACONSECGOO020?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
39. IE050 C_ATR_SND ATR	

```

<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<ELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<ELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<ELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<ELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Place of loading, code -->
<ELEMENT PlaOfLoaCodHEA46 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<ELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<ELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport at departure -->
<ELEMENT NatOfMeaOfTraAtDHEA80 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<ELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<ELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<ELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<ELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<ELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Issuing date -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
39. IE050 C_ATR_SND ATR	

```

<ELEMENT IssDatHEA186 (#PCDATA)>
<!-- Leaf: NCTS accompanying document language code -->
<ELEMENT NCTSAccDocHEA601LNG (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Binding itinerary -->
<ELEMENT BinItiHEA246 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Security -->
<ELEMENT SecHEA358 (#PCDATA)>
<!-- Leaf: Conveyance reference number -->
<ELEMENT ConRefNumHEA (#PCDATA)>
<!-- Leaf: Place of unloading, code -->
<ELEMENT CodPIUnHEA357 (#PCDATA)>
<!-- Leaf: Place of unloading LNG -->
<ELEMENT CodPIUnHEA357LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCO (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
39. IE050 C_ATR_SND ATR	

```

<!-- Leaf: TIN -->
<ELEMENT TINCO159 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRA59 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNS1 (#PCDATA)>
<!-- Leaf: Arrival Time -->
<ELEMENT ArrTimTRACUS085 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEST1 (#PCDATA)>
<!-- Leaf: Control result code -->
<ELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Date limit -->
<ELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodTarCodGDS10 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT DecTypGDS15 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
39. IE050 C_ATR_SND ATR	

```

<ELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<ELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<ELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfAR29 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfAR29LNG (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfDC25 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfDC25LNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Export from EC -->
<ELEMENT ExpFroECMT24 (#PCDATA)>
<!-- Leaf: Export from country -->
<ELEMENT ExpFroCouMT25 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGTCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE223 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
39. IE050 C_ATR_SND ATR	

```

<!-- Leaf: City -->
<ELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<ELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<ELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<ELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<ELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<ELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<ELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<ELEMENT SenGooCodSD22 (#PCDATA)>
<!-- Leaf: Sensitive quantity -->
<ELEMENT SenQuaSD23 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSECGOO025 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSECGOO027 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSECGOO026 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSECGOO022 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSECGOO023 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSECGOO021LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSECGOO028 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACONSECGOO017 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSECGOO019 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSECGOO018 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CityTRACONSECGOO014 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSECGOO015 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSECGOO013LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSECGOO020 (#PCDATA)>
<!-- Leaf: Country of routing code -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
39. IE050 C_ATR_SND ATR	

```

<ELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Item Number involved -->
<ELEMENT IteNumInvRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis result code -->
<ELEMENT RisAnaResCodRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis text -->
<ELEMENT RisAnaTexRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis LNG -->
<ELEMENT RisAnaTexRKA1LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCARTRA121 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCARTRA254 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCARTRA121 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCARTRA789 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodCARTRA587 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADCARTRA121 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCARTRA254 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSEC041 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSEC043 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSEC042 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSEC038 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSEC039 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSEC037LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSEC044 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NameTRACONSEC033 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSEC035 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSEC034 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACONSEC030 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSEC031 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSEC029LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSEC036 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
40. IE051 E_REL_NOT NO RELEASE FOR TRANSIT	

40. IE051 E_REL_NOT NO RELEASE FOR TRANSIT

```

<!-- Node: MESSAGE -->
<IELEMENT CC051B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, TRACONCO1?, TRACONCE1?,
TRAAUTCONTRA?, CUSOFFDEPEPT, CUSOFFTRARNS*, CUSOFFDESEST, CONRESERS, RESOFCON534*, REPREP?,
SEAINFSLI?, GUAGUA+, GOOITEGDS+, ITI*, CARTRA100?, TRACORSEC037?, TRACONSEC029?)>
<!-- Node: HEADER -->
<IELEMENT HEAHEA (RefNumHEA4, DocNumHEA5, TypOfDecHEA24, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?,
AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, PlaOfLoaCodHEA46?, CouOfDisCodHEA55?,
CusSubPlaHEA66?, IniTraModHEA75?, TraModAtBorHEA76?, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?,
NatOfMeaOfTraAtDHEA80?, IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?,
TypOfMeaOfTraCroHEA88?, ConIndHEA96, DiaLanIndAtDepHEA254?, NCTSAccDocHEA601LNG, TotNumOfIteHEA305,
TotNumOfPacHEA306?, TotGroMasHEA307, DecDatHEA383, DecPlaHEA394, DecPlaHEA394LNG?, NoRelMotHEA272?,
NoRelMotHEA272LNG?, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?, SecHEA358?, ConRefNumHEA?,
CodPIUnHEA357?, CodPIUnHEA357LNG?)>
<!-- Node: (PRINCIPAL) TRADER -->
<IELEMENT TRAPRIPC1 (NamPC17?, StrAndNumPC122?, PosCodPC123?, CitPC124?, CouPC125?, NADLNGPC?,
TINPC159?, HITPC126?)>
<!-- Node: (CONSIGNOR) TRADER -->
<IELEMENT TRACONCO1 (NamCO17, StrAndNumCO122, PosCodCO123, CitCO124, CouCO125, NADLNGCO?,
TINCO159?)>
<!-- Node: (CONSIGNEE) TRADER -->
<IELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (AUTHORISED CONSIGNEE) TRADER -->
<IELEMENT TRAAUTCONTRA (TINTRA59)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<IELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (TRANSIT) CUSTOMS OFFICE -->
<IELEMENT CUSOFFTRARNS (RefNumRNS1, ArrTimTRACUS085?)>
<!-- Node: (DESTINATION) CUSTOMS OFFICE -->
<IELEMENT CUSOFFDESEST (RefNumEST1)>
<!-- Node: CONTROL RESULT -->
<IELEMENT CONRESERS (ConDatERS14, ConResCodERS16, DatLimERS69?)>
<!-- Node: RESULTS OF CONTROL -->
<IELEMENT RESOFCON534 (DesTOC2?, DesTOC2LNG?, ConInd424)>
<!-- Node: REPRESENTATIVE -->
<IELEMENT REPREP (NamREP5, RepCapREP18?, RepCapREP18LNG?)>
<!-- Node: SEALS INFO -->
<IELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID+)>
<!-- Node: GUARANTEE -->
<IELEMENT GUAGUA (GuaTypGUA1, GUAREFREF*)>
<!-- Node: GOODS ITEM -->
<IELEMENT GOOITEGDS (IteNumGDS7, ComCodTarCodGDS10?, DecTypGDS15?, GooDesGDS23, GooDesGDS23LNG?,
GroMasGDS46?, NetMasGDS48?, CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ComRefNumGIM1?,
UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPEMENMT2*, RESOFCONROC, TRACONCO2?,
TRACONCE2?, CONNR2*, PACGS2+, SGICODSD2*, TRACORSECGOO021?, TRACONSECGOO013?)>
<!-- Node: ITINERARY -->
<IELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: (CARRIER) TRADER -->
<IELEMENT CARTRA100 (NamCARTRA121?, StrAndNumCARTRA254?, PosCodCARTRA121?, CitCARTRA789?,
CouCodCARTRA587?, NADCARTRA121?, TINCARTRA254?)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
40. IE051 E_REL_NOT NO RELEASE FOR TRANSIT	

<ELEMENT TRACORSEC037 (NamTRACORSEC041?, StrNumTRACORSEC043?, PosCodTRACORSEC042?, CitTRACORSEC038?, CouCodTRACORSEC039?, TRACORSEC037LNG?, TINTRACORSEC044?)>
 <!-- Node: (CONSIGNEE-SECURITY) TRADER -->
 <ELEMENT TRACONSEC029 (NameTRACONSEC033?, StrNumTRACONSEC035?, PosCodTRACONSEC034?, CitTRACONSEC030?, CouCodTRACONSEC031?, TRACONSEC029LNG?, TINTRACONSEC036?)>
 <!-- Node: SEALS ID -->
 <ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
 <!-- Node: GUARANTEE REFERENCE -->
 <ELEMENT GUAREFREF (GuaRefNumGRNREF1?, OthGuaRefREF4?, AccCodREF6?, VALLIMECVLE?, VALLIMNONECLIM*)>
 <!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
 <ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?, ComOfInfAR29?, ComOfInfAR29LNG?)>
 <!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
 <ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23?, DocRefDCLNG?, ComOfInfDC25?, ComOfInfDC25LNG?)>
 <!-- Node: SPECIAL MENTIONS -->
 <ELEMENT SPEMENMT2 (AddInfMT21?, AddInfMT21LNG?, AddInfCodMT23?, ExpFroECMT24?, ExpFroCouMT25?)>
 <!-- Node: RESULTS OF CONTROL -->
 <ELEMENT RESOFCONROC (DesROC2?, DesROC2LNG?, ConIndROC1, PoiToTheAttROC51?)>
 <!-- Node: (CONSIGNOR) TRADER -->
 <ELEMENT TRACONCO2 (NamCO27, StrAndNumCO222, PosCodCO223, CitCO224, CouCO225, NADLNGGTCO?, TINCO259?)>
 <!-- Node: (CONSIGNEE) TRADER -->
 <ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?, TINCE259?)>
 <!-- Node: CONTAINERS -->
 <ELEMENT CONNR2 (ConNumNR21)>
 <!-- Node: PACKAGES -->
 <ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?, NumOfPieGS25?)>
 <!-- Node: SGI CODES -->
 <ELEMENT SGICODSD2 (SenGooCodSD22?, SenQuaSD23)>
 <!-- Node: (CONSIGNOR-SECURITY) TRADER -->
 <ELEMENT TRACORSECGOO021 (NamTRACORSECGOO025?, StrNumTRACORSECGOO027?, PosCodTRACORSECGOO026?, CitTRACORSECGOO022?, CouCodTRACORSECGOO023?, TRACORSECGOO021LNG?, TINTRACORSECGOO028?)>
 <!-- Node: (CONSIGNEE-SECURITY) TRADER -->
 <ELEMENT TRACONSECGOO013 (NamTRACONSECGOO017?, StrNumTRACONSECGOO019?, PosCodTRACONSECGOO018?, CityTRACONSECGOO014?, CouCodTRACONSECGOO015?, TRACONSECGOO013LNG?, TINTRACONSECGOO020?)>
 <!-- Node: VALIDITY LIMITATION EC -->
 <ELEMENT VALLIMECVLE (NotValForECVLE1)>
 <!-- Node: VALIDITY LIMITATION NON EC -->
 <ELEMENT VALLIMNONECLIM (NotValForOthConPLIM2)>
 <!-- Leaf: Syntax identifier -->
 <ELEMENT SynIdeMES1 (#PCDATA)>
 <!-- Leaf: Syntax version number -->
 <ELEMENT SynVerNumMES2 (#PCDATA)>
 <!-- Leaf: Message sender -->
 <ELEMENT MesSenMES3 (#PCDATA)>
 <!-- Leaf: Sender identification code qualifier -->
 <ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
 <!-- Leaf: Message recipient -->
 <ELEMENT MesRecMES6 (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
40. IE051 E_REL_NOT NO RELEASE FOR TRANSIT	

```

<!-- Leaf: Recipient identification code qualifier -->
<IELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<IELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<IELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<IELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<IELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<IELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<IELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<IELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<IELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<IELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<IELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<IELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<IELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<IELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<IELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<IELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<IELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<IELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<IELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<IELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<IELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<IELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<IELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Place of loading, code -->
<IELEMENT PlaOfLoaCodHEA46 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<IELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
40. IE051 E_REL_NOT NO RELEASE FOR TRANSIT	

```

<ELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Inland transport mode -->
<ELEMENT InlTraModHEA75 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<ELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport at departure -->
<ELEMENT NatOfMeaOfTraAtDHEA80 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<ELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<ELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<ELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Type of means of transport crossing border -->
<ELEMENT TypOfMeaOfTraCroHEA88 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<ELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Dialog language indicator at departure -->
<ELEMENT DiaLanIndAtDepHEA254 (#PCDATA)>
<!-- Leaf: NCTS accompanying document language code -->
<ELEMENT NCTSAccDocHEA601LNG (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Declaration date -->
<ELEMENT DecDatHEA383 (#PCDATA)>
<!-- Leaf: Declaration place -->
<ELEMENT DecPlaHEA394 (#PCDATA)>
<!-- Leaf: Declaration place LNG -->
<ELEMENT DecPlaHEA394LNG (#PCDATA)>
<!-- Leaf: No release motivation -->
<ELEMENT NoRelMotHEA272 (#PCDATA)>
<!-- Leaf: No release motivation LNG -->
<ELEMENT NoRelMotHEA272LNG (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Security -->
<ELEMENT SecHEA358 (#PCDATA)>
<!-- Leaf: Conveyance reference number -->
<ELEMENT ConRefNumHEA (#PCDATA)>
<!-- Leaf: Place of unloading, code -->
<ELEMENT CodPIUnHEA357 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
40. IE051 E_REL_NOT NO RELEASE FOR TRANSIT	

```

<!-- Leaf: Place of unloading LNG -->
<ELEMENT CodPIUnHEA357LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO159 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRA59 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNS1 (#PCDATA)>
<!-- Leaf: Arrival Time -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
40. IE051 E_REL_NOT NO RELEASE FOR TRANSIT	

```

<ELEMENT ArrTimTRACUS085 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEST1 (#PCDATA)>
<!-- Leaf: Control date -->
<ELEMENT ConDatERS14 (#PCDATA)>
<!-- Leaf: Control result code -->
<ELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Date limit -->
<ELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Description -->
<ELEMENT DesTOC2 (#PCDATA)>
<!-- Leaf: Description LNG -->
<ELEMENT DesTOC2LNG (#PCDATA)>
<!-- Leaf: Control indicator -->
<ELEMENT ConInd424 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamREP5 (#PCDATA)>
<!-- Leaf: Representative capacity -->
<ELEMENT RepCapREP18 (#PCDATA)>
<!-- Leaf: Representative capacity LNG -->
<ELEMENT RepCapREP18LNG (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Guarantee type -->
<ELEMENT GuaTypGUA1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF1 (#PCDATA)>
<!-- Leaf: Other guarantee reference -->
<ELEMENT OthGuaRefREF4 (#PCDATA)>
<!-- Leaf: Access code -->
<ELEMENT AccCodREF6 (#PCDATA)>
<!-- Leaf: Not valid for EC -->
<ELEMENT NotValForECVLE1 (#PCDATA)>
<!-- Leaf: Not valid for other contracting parties -->
<ELEMENT NotValForOthConPLIM2 (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodTarCodGDS10 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT DecTypGDS15 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
40. IE051 E_REL_NOT NO RELEASE FOR TRANSIT	

```

<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<ELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<ELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfAR29 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfAR29LNG (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfDC25 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfDC25LNG (#PCDATA)>
<!-- Leaf: Additional information -->
<ELEMENT AddInfMT21 (#PCDATA)>
<!-- Leaf: Additional information LNG -->
<ELEMENT AddInfMT21LNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Export from EC -->
<ELEMENT ExpFroECMT24 (#PCDATA)>
<!-- Leaf: Export from country -->
<ELEMENT ExpFroCouMT25 (#PCDATA)>
<!-- Leaf: Description -->
<ELEMENT DesROC2 (#PCDATA)>
<!-- Leaf: Description LNG -->
<ELEMENT DesROC2LNG (#PCDATA)>
<!-- Leaf: Control indicator -->
<ELEMENT ConIndROC1 (#PCDATA)>
<!-- Leaf: Pointer to the attribute -->
<ELEMENT PoiToTheAttROC51 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
40. IE051 E_REL_NOT NO RELEASE FOR TRANSIT	

```

<ELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGTCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<ELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<ELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<ELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<ELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<ELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<ELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<ELEMENT SenGooCodSD22 (#PCDATA)>
<!-- Leaf: Sensitive quantity -->
<ELEMENT SenQuaSD23 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSECGOO025 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSECGOO027 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSECGOO026 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSECGOO022 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSECGOO023 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSECGOO021LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSECGOO028 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
40. IE051 E_REL_NOT NO RELEASE FOR TRANSIT	

```

<!-- Leaf: Name -->
<ELEMENT NamTRACONSECGOO017 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSECGOO019 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSECGOO018 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CityTRACONSECGOO014 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSECGOO015 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSECGOO013LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSECGOO020 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<ELEMENT CouOfRouCodIT11 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCARTRA121 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCARTRA254 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCARTRA121 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCARTRA789 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodCARTRA587 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADCARTRA121 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCARTRA254 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSEC041 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSEC043 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSEC042 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSEC038 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSEC039 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSEC037LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSEC044 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NameTRACONSEC033 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSEC035 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSEC034 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACONSEC030 (#PCDATA)>
<!-- Leaf: Country code -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
40. IE051 E_REL_NOT NO RELEASE FOR TRANSIT	

<!ELEMENT CouCodTRACONSEC031 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<!ELEMENT TRACONSEC029LNG (#PCDATA)>
<!-- Leaf: TIN -->
<!ELEMENT TINTRACONSEC036 (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
41. IE054 E_REQ_REL REQUEST OF RELEASE	

41. IE054 E_REQ_REL REQUEST OF RELEASE

```

<!-- Node: MESSAGE -->
<ELEMENT CC054A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, CUSOFFDEPEPT)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, RelReqHEA105, RelReqDatHEA154)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17?, StrAndNumPC122?, PosCodPC123?, CitPC124?, CouPC125?, NADLNGPC?,
TINPC159?, HITPC126?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
41. IE054 E_REQ_REL REQUEST OF RELEASE	

```

<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Release requested -->
<ELEMENT RelReqHEA105 (#PCDATA)>
<!-- Leaf: Date of release request -->
<ELEMENT RelReqDatHEA154 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
42. IE055 E_GUA_INV GUARANTEE NOT VALID	

42. IE055 E_GUA_INV GUARANTEE NOT VALID

```

<!-- Node: MESSAGE -->
<ELEMENT CC055A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, CUSOFFDEPEPT, GUAREF2+)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17?, StrAndNumPC122?, PosCodPC123?, CitPC124?, CouPC125?, NADLNGPC?,
TINPC159?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREF2 (GuaRefNumGRNREF21, INVGUARNS)>
<!-- Node: INVALID GUARANTEE REASON -->
<ELEMENT INVGUARNS (InvGuaReaCodRNS11, InvGuaReaRNS12?, InvGuaReaRNS12LNG?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
42. IE055 E_GUA_INV GUARANTEE NOT VALID	

```

<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF21 (#PCDATA)>
<!-- Leaf: Invalid guarantee reason code -->
<ELEMENT InvGuaReaCodRNS11 (#PCDATA)>
<!-- Leaf: Invalid guarantee reason -->
<ELEMENT InvGuaReaRNS12 (#PCDATA)>
<!-- Leaf: Invalid guarantee reason LNG -->
<ELEMENT InvGuaReaRNS12LNG (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
43. IE058 E_ULD_REJ UNLOADING REMARKS REJECTION	

43. IE058 E_ULD_REJ UNLOADING REMARKS REJECTION

```

<!-- Node: MESSAGE -->
<ELEMENT CC058A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, FUNERRER1*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, UnlRemRejDatHEA218, UnlRemRejReaHEA280?, UnlRemRejReaHEA280LNG?)>
<!-- Node: FUNCTIONAL ERROR -->
<ELEMENT FUNERRER1 (ErrTypER11, ErrPoiER12, ErrReaER13?, OriAttValER14?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
43. IE058 E_ULD_REJ UNLOADING REMARKS REJECTION	

```

<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Unloading remarks rejection date -->
<ELEMENT UnlRemRejDatHEA218 (#PCDATA)>
<!-- Leaf: Unloading remarks rejection reason -->
<ELEMENT UnlRemRejReaHEA280 (#PCDATA)>
<!-- Leaf: Unloading remarks rejection reason LNG -->
<ELEMENT UnlRemRejReaHEA280LNG (#PCDATA)>
<!-- Leaf: Error type -->
<ELEMENT ErrTypER11 (#PCDATA)>
<!-- Leaf: Error pointer -->
<ELEMENT ErrPoiER12 (#PCDATA)>
<!-- Leaf: Error reason -->
<ELEMENT ErrReaER13 (#PCDATA)>
<!-- Leaf: Original attribute value -->
<ELEMENT OriAttValER14 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
44. IE059 C_CAN_ENQ CANCEL ENQUIRY NOTIFICATION	

44. IE059 C_CAN_ENQ CANCEL ENQUIRY NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CD059A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecldeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrldMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFDEPEPT, CUSTOFFRED)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, CanEnqNotDatHEA751, CanEnqNotRemHEA752?, CanEnqNotRemHEA752LNG?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (REQUESTED) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFRED (RefNumRED1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Cancel enquiry notification date -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
44. IE059 C_CAN_ENQ CANCEL ENQUIRY NOTIFICATION	

```
<!ELEMENT CanEnqNotDatHEA751 (#PCDATA)>
<!-- Leaf: Cancel enquiry notification remarks -->
<!ELEMENT CanEnqNotRemHEA752 (#PCDATA)>
<!-- Leaf: Cancel enquiry notification remarks LNG -->
<!ELEMENT CanEnqNotRemHEA752LNG (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumRED1 (#PCDATA)>
```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
45. IE060 E_CTR_DEC CONTROL DECISION NOTIFICATION	

45. IE060 E_CTR_DEC CONTROL DECISION NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC060A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, CUSOFFDEPEPT)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DatOfConNotHEA148)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17, StrAndNumPC122, PosCodPC123, CitPC124, CouPC125, NADLNGPC?, TINPC159?,
HITPC126?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
45. IE060 E_CTR_DEC CONTROL DECISION NOTIFICATION	

```

<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date of control notification -->
<ELEMENT DatOfConNotHEA148 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
46. IE062 E_REQ_REJ RELEASE REQUEST REJECTION	

46. IE062 E_REQ_REJ RELEASE REQUEST REJECTION

```

<!-- Node: MESSAGE -->
<ELEMENT CC062A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrldMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, CUSOFFDEPEPT,
FUNERRER1*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, RelReqHEA105, RelReqDatHEA154, DatOfRelReqRejHEA155,
RelReqRejReaHEA278?, RelReqRejReaHEA278LNG?)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17?, StrAndNumPC122?, PosCodPC123?, CitPC124?, CouPC125?, NADLNGPC?,
TINPC159?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: FUNCTIONAL ERROR -->
<ELEMENT FUNERRER1 (ErrTypER11, ErrPoiER12, ErrReaER13?, OriAttValER14?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
46. IE062 E_REQ_REJ RELEASE REQUEST REJECTION	

```

<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Release requested -->
<ELEMENT RelReqHEA105 (#PCDATA)>
<!-- Leaf: Date of release request -->
<ELEMENT RelReqDatHEA154 (#PCDATA)>
<!-- Leaf: Date of release request rejection -->
<ELEMENT DatOfRelReqRejHEA155 (#PCDATA)>
<!-- Leaf: Release request rejection reason -->
<ELEMENT RelReqRejReaHEA278 (#PCDATA)>
<!-- Leaf: Release request rejection reason LNG -->
<ELEMENT RelReqRejReaHEA278LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Error type -->
<ELEMENT ErrTypER11 (#PCDATA)>
<!-- Leaf: Error pointer -->
<ELEMENT ErrPoiER12 (#PCDATA)>
<!-- Leaf: Error reason -->
<ELEMENT ErrReaER13 (#PCDATA)>
<!-- Leaf: Original attribute value -->
<ELEMENT OriAttValER14 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
47. IE063 C_REC_COM RECOVERY COMMUNICATION	

47. IE063 C_REC_COM RECOVERY COMMUNICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CD063A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrldMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFCOMAUT, CUSOFFTRADECCOF*, CUSOFFDESDECDDC)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, RecComDatHEA143?)>
<!-- Node: (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFCOMAUT (RefNumAUT1)>
<!-- Node: (TRANSIT DECLARED) CUSTOMS OFFICE -->
<ELEMENT CUSOFFTRADECCOF (RefNumCOF1)>
<!-- Node: (DESTINATION DECLARED) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESDECDDC (RefNumDDC1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
47. IE063 C_REC_COM RECOVERY COMMUNICATION	

<!ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Recovery communication date -->
<!ELEMENT RecComDatHEA143 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumAUT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumCOF1 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumDDC1 (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
48. IE070 C_UNA_COM NOTIFICATION OF SYSTEM UNAVAILABILITY TO CD	

48. IE070 C_UNA_COM NOTIFICATION OF SYSTEM UNAVAILABILITY TO CD

```

<!-- Node: MESSAGE -->
<ELEMENT CD070A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, COU441)>
<!-- Node: COUNTRY -->
<ELEMENT COU441 (CouCod83, ACT517+, COSYSUNAV+)>
<!-- Node: ACTION -->
<ELEMENT ACT517 (Ope288)>
<!-- Node: SYSTEM UNAVAILABILITY -->
<ELEMENT COSYSUNAV (CouSysUNaBusFunCSU660, CouSysUNaDowFrmCSU661, CouSysUNaTypCSU662,
CouSysUNaDowToCSU663?, CouSysUNaExpCSU664?, CouSysUNaExpCSU664LNG?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod83 (#PCDATA)>
<!-- Leaf: Operation -->
<ELEMENT Ope288 (#PCDATA)>
<!-- Leaf: Business functionality -->
<ELEMENT CouSysUNaBusFunCSU660 (#PCDATA)>
<!-- Leaf: Downtime from -->
<ELEMENT CouSysUNaDowFrmCSU661 (#PCDATA)>
<!-- Leaf: System unavailability type -->
<ELEMENT CouSysUNaTypCSU662 (#PCDATA)>
<!-- Leaf: Downtime to -->
<ELEMENT CouSysUNaDowToCSU663 (#PCDATA)>
<!-- Leaf: Explanation -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
48. IE070 C_UNA_COM NOTIFICATION OF SYSTEM UNAVAILABILITY TO CD	

<!ELEMENT CouSysUNaExpCSU664 (#PCDATA)>
<!-- Leaf: Explanation LNG -->
<!ELEMENT CouSysUNaExpCSU664LNG (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
49. IE071 C_UNA_NAT NOTIFICATION OF SYSTEM UNAVAILABILITY TO ND	

49. IE071 C_UNA_NAT NOTIFICATION OF SYSTEM UNAVAILABILITY TO ND

```

<!-- Node: MESSAGE -->
<ELEMENT CD071A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, COU441+)>
<!-- Node: COUNTRY -->
<ELEMENT COU441 (CouCod83, ACT517+, COSYSUNAV+)>
<!-- Node: ACTION -->
<ELEMENT ACT517 (Ope288)>
<!-- Node: SYSTEM UNAVAILABILITY -->
<ELEMENT COSYSUNAV (CouSysUNaBusFunCSU660, CouSysUNaDowFrmCSU661, CouSysUNaTypCSU662,
CouSysUNaDowToCSU663?, CouSysUNaExpCSU664?, CouSysUNaExpCSU664LNG?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod83 (#PCDATA)>
<!-- Leaf: Operation -->
<ELEMENT Ope288 (#PCDATA)>
<!-- Leaf: Business functionality -->
<ELEMENT CouSysUNaBusFunCSU660 (#PCDATA)>
<!-- Leaf: Downtime from -->
<ELEMENT CouSysUNaDowFrmCSU661 (#PCDATA)>
<!-- Leaf: System unavailability type -->
<ELEMENT CouSysUNaTypCSU662 (#PCDATA)>
<!-- Leaf: Downtime to -->
<ELEMENT CouSysUNaDowToCSU663 (#PCDATA)>
<!-- Leaf: Explanation -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
49. IE071 C_UNA_NAT NOTIFICATION OF SYSTEM UNAVAILABILITY TO ND	

<!ELEMENT CouSysUNaExpCSU664 (#PCDATA)>
<!-- Leaf: Explanation LNG -->
<!ELEMENT CouSysUNaExpCSU664LNG (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
50. IE100 E_ASK_DOC ASK FOR DOCUMENTS	

50. IE100 E_ASK_DOC ASK FOR DOCUMENTS

```

<!-- Node: MESSAGE -->
<ELEMENT CC100A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecldeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrldMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRADESTRD, CUSOFFPREOFFRES)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, AskDocTxtHEA617, AskDocTxtHEA617LNG?)>
<!-- Node: (DESTINATION) TRADER -->
<ELEMENT TRADESTRD (NamTRD7?, StrAndNumTRD22?, PosCodTRD23?, CitTRD24?, CouTRD25?, NADLNGRD?,
TINTRD59?)>
<!-- Node: (PRESENTATION OFFICE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFPREOFFRES (RefNumRES1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
50. IE100 E_ASK_DOC ASK FOR DOCUMENTS	

```

<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Ask for documents text -->
<ELEMENT AskDocTxtHEA617 (#PCDATA)>
<!-- Leaf: Ask for documents text LNG -->
<ELEMENT AskDocTxtHEA617LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRD7 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTRD22 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRD23 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRD24 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouTRD25 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGRD (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRD59 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRES1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
51. IE111 C_AUT_QUE AUTHORISED CONSIGNEE QUERY	

51. IE111 C_AUT_QUE AUTHORISED CONSIGNEE QUERY

```

<!-- Node: MESSAGE -->
<ELEMENT CD111A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, TRAAUTCONTRA, CUSOFFDEPEPT, CUSOFFDESEST, CTLCL1)>
<!-- Node: (AUTHORISED CONSIGNEE) TRADER -->
<ELEMENT TRAAUTCONTRA (NamTRA60?, StrAndNumTRA61?, PosCodTRA63?, CitTRA64?, CouTRA62?,
NADLNGTRA?, TINTRA59?, HoITIRTRA64?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (DESTINATION) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESEST (RefNumEST1)>
<!-- Node: CTL_CONTROL -->
<ELEMENT CTLCL1 (TraCTAutCL625, TATCL626)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
51. IE111 C_AUT_QUE AUTHORISED CONSIGNEE QUERY	

```

<!-- Leaf: Name -->
<ELEMENT NamTRA60 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTRA61 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRA63 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRA64 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouTRA62 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGTRA (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRA59 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HoITIRTRA64 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEST1 (#PCDATA)>
<!-- Leaf: Trader authorised NCTS -->
<ELEMENT TraCTAutCL625 (#PCDATA)>
<!-- Leaf: Trader authorised TIR -->
<ELEMENT TATCL626 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
52. IE112 C_AUT_RSP RESPONSE TO AUTHORISED CONSIGNEE QUERY	

52. IE112 C_AUT_RSP RESPONSE TO AUTHORISED CONSIGNEE QUERY

```

<!-- Node: MESSAGE -->
<ELEMENT CD112A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, TRAAUTCONTRA, CUSOFFDEPEPT, CUSOFFDESEST, CTLCL1)>
<!-- Node: (AUTHORISED CONSIGNEE) TRADER -->
<ELEMENT TRAAUTCONTRA (NamTRA60?, StrAndNumTRA61?, PosCodTRA63?, CitTRA64?, CouTRA62?,
NADLNGTRA?, TINTRA59?, HoITIRTRA64?, AUTGOOLOC*)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (DESTINATION) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESEST (RefNumEST1)>
<!-- Node: CTL_CONTROL -->
<ELEMENT CTLCL1 (TraAutCL626)>
<!-- Node: AUTHORISED GOODS LOCATION -->
<ELEMENT AUTGOOLOC (ArrAutLocOfGooLOC11, AUTGOOLOCLSD122+)>
<!-- Node: AUTHORISED GOODS LOCATION LSD -->
<ELEMENT AUTGOOLOCLSD122 (LanCod757, Nam758, StrAndNum759, PosCod761, Cit762, Cou760, NADLNGAUL?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
52. IE112 C_AUT_RSP RESPONSE TO AUTHORISED CONSIGNEE QUERY	

```

<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRA60 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTRA61 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRA63 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRA64 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouTRA62 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGTRA (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRA59 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HoITIRTRA64 (#PCDATA)>
<!-- Leaf: Arrival authorised location of goods -->
<ELEMENT ArrAutLocOfGooLOC11 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod757 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT Nam758 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNum759 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCod761 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT Cit762 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT Cou760 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGAUL (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEST1 (#PCDATA)>
<!-- Leaf: Trader authorised -->
<ELEMENT TraAutCL626 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
53. IE114 C_ATR_REQ ATR REQUEST	

53. IE114 C_ATR_REQ ATR REQUEST

```

<!-- Node: MESSAGE -->
<ELEMENT CD114A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFRTRAACTCOF)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, CouOfDepCodHEA67)>
<!-- Node: (ACTUAL OFFICE OF TRANSIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFRTRAACTCOF (RefNumCAF625)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Country of departure code -->
<ELEMENT CouOfDepCodHEA67 (#PCDATA)>
<!-- Leaf: Reference number -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
53. IE114 C_ATR_REQ ATR REQUEST	

<ELEMENT RefNumCAF625 (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
54. IE115 C_ATR_RSP ATR RESPONSE	

54. IE115 C_ATR_RSP ATR RESPONSE

```

<!-- Node: MESSAGE -->
<ELEMENT CD115B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAPRIPC1?, TRACONCO1?, TRACONCE1?, TRAAUTCONTRA?, CUSOFFDEPEPT?,
CUSOFFTRARNS*, CUSOFFDESEST?, CUSOFFRTRACTCOF, CONRESERS?, SEAINFSLI?, GOOITEGDS*, ITI*,
RISANA*, CARTRA100?, TRACORSEC037?, TRACONSEC029?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, TypOfDecHEA24?, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?,
AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, PlaOfLoaCodHEA46?, CouOfDisCodHEA55?,
CusSubPlaHEA66?, TraModAtBorHEA76?, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?,
NatOfMeaOfTraAtDHEA80?, IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?,
ConIndHEA96?, AccDatHEA158?, IssDatHEA186?, NCTSAccDocHEA601LNG?, TotNumOfIteHEA305?,
TotNumOfPacHEA306?, TotGroMasHEA307?, BinlItiHEA246?, ATRRejReaCodHEA606?, ATRRejReaHEA607?,
ATRRejReaHEA607LNG?, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?, SecHEA358?, ConRefNumHEA?,
CodPIUnHEA357?, CodPIUnHEA357LNG?)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17, StrAndNumPC122, PosCodPC123, CitPC124, CouPC125, NADLNGPC?, TINPC159?,
HITPC126?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO1 (NamCO17, StrAndNumCO122, PosCodCO123, CitCO124, CouCO125, NADLNGCO?,
TINCO159?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (AUTHORISED CONSIGNEE) TRADER -->
<ELEMENT TRAAUTCONTRA (TINTRA59)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (TRANSIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFTRARNS (RefNumRNS1, ArrTimTRACUS085?)>
<!-- Node: (DESTINATION) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESEST (RefNumEST1)>
<!-- Node: (ACTUAL OFFICE OF TRANSIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFRTRACTCOF (RefNumCAF625, GuaNotValCAF626)>
<!-- Node: CONTROL RESULT -->
<ELEMENT CONRESERS (ConResCodERS16, DatLimERS69)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID+)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, ComCodTarCodGDS10?, DecTypGDS15?, GooDesGDS23, GooDesGDS23LNG?,
GroMasGDS46?, NetMasGDS48?, CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ComRefNumGIM1?,
UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPEMENMT2*, TRACONCO2?, TRACONCE2?, CONNR2*,
PACGS2+, SGICODSD2*, TRACORSECGOO021?, TRACONSECGOO013?)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: RISK ANALYSIS -->
<ELEMENT RISANA (IteNumInvRKA1?, RisAnaResCodRKA1, RisAnaTexRKA1?, RisAnaTexRKA1LNG?)>
<!-- Node: (CARRIER) TRADER -->
<ELEMENT CARTRA100 (NamCARTRA121, StrAndNumCARTRA254, PosCodCARTRA121, CitCARTRA789,
CouCodCARTRA587, NADCARTRA121?, TINCARTRA254?)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSEC037 (NamTRACORSEC041, StrNumTRACORSEC043, PosCodTRACORSEC042,
CitTRACORSEC038, CouCodTRACORSEC039, TRACORSEC037LNG?, TINTRACORSEC044?)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
54. IE115 C_ATR_RSP ATR RESPONSE	

```

<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSEC029 (NameTRACONSEC033, StrNumTRACONSEC035, PosCodTRACONSEC034,
CitTRACONSEC030, CouCodTRACONSEC031, TRACONSEC029LNG?, TINTRACONSEC036?)>
<!-- Node: SEALS ID -->
<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?, ComOfInfAR29?,
ComOfInfAR29LNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23?, DocRefDCLNG?, ComOfInfDC25?, ComOfInfDC25LNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfCodMT23, ExpFroECMT24?, ExpFroCouMT25?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO2 (NamCO27, StrAndNumCO222, PosCodCO223, CitCO224, CouCO225, NADLNGGTCO?,
TINCO259?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Node: SGI CODES -->
<ELEMENT SGICODSD2 (SenGooCodSD22?, SenQuaSD23)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSECGOO021 (NamTRACORSECGOO025, StrNumTRACORSECGOO027,
PosCodTRACORSECGOO026, CitTRACORSECGOO022, CouCodTRACORSECGOO023, TRACORSECGOO021LNG?,
TINTRACORSECGOO028?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSECGOO013 (NamTRACONSECGOO017, StrNumTRACONSECGOO019,
PosCodTRACONSECGOO018, CityTRACONSECGOO014, CouCodTRACONSECGOO015, TRACONSECGOO013LNG?,
TINTRACONSECGOO020?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
54. IE115 C_ATR_RSP ATR RESPONSE	

```

<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<ELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<ELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<ELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<ELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Place of loading, code -->
<ELEMENT PlaOfLoaCodHEA46 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<ELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<ELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport at departure -->
<ELEMENT NatOfMeaOfTraAtDHEA80 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<ELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<ELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<ELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<ELEMENT ConIndHEA96 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
54. IE115 C_ATR_RSP ATR RESPONSE	

```

<!-- Leaf: Acceptance date -->
<ELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Issuing date -->
<ELEMENT IssDatHEA186 (#PCDATA)>
<!-- Leaf: NCTS accompanying document language code -->
<ELEMENT NCTSAccDocHEA601LNG (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Binding itinerary -->
<ELEMENT BinItiHEA246 (#PCDATA)>
<!-- Leaf: ATR rejection reason code -->
<ELEMENT ATRRejReaCodHEA606 (#PCDATA)>
<!-- Leaf: ATR rejection reason -->
<ELEMENT ATRRejReaHEA607 (#PCDATA)>
<!-- Leaf: ATR rejection reason LNG -->
<ELEMENT ATRRejReaHEA607LNG (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Security -->
<ELEMENT SecHEA358 (#PCDATA)>
<!-- Leaf: Conveyance reference number -->
<ELEMENT ConRefNumHEA (#PCDATA)>
<!-- Leaf: Place of unloading, code -->
<ELEMENT CodPIUnHEA357 (#PCDATA)>
<!-- Leaf: Place of unloading LNG -->
<ELEMENT CodPIUnHEA357LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
54. IE115 C_ATR_RSP ATR RESPONSE	

```

<ELEMENT StrAndNumCO122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO159 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRA59 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNS1 (#PCDATA)>
<!-- Leaf: Arrival Time -->
<ELEMENT ArrTimTRACUS085 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEST1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumCAF625 (#PCDATA)>
<!-- Leaf: Guarantee not valid for country -->
<ELEMENT GuaNotValCAF626 (#PCDATA)>
<!-- Leaf: Control result code -->
<ELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Date limit -->
<ELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodTarCodGDS10 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
54. IE115 C_ATR_RSP ATR RESPONSE	

```

<!-- Leaf: Type of declaration -->
<ELEMENT DecTypGDS15 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<ELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<ELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfAR29 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfAR29LNG (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfDC25 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfDC25LNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Export from EC -->
<ELEMENT ExpFroECMT24 (#PCDATA)>
<!-- Leaf: Export from country -->
<ELEMENT ExpFroCouMT25 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
54. IE115 C_ATR_RSP ATR RESPONSE	

```

<IELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGTCO (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<IELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<IELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<IELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<IELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<IELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<IELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<IELEMENT SenGooCodSD22 (#PCDATA)>
<!-- Leaf: Sensitive quantity -->
<IELEMENT SenQuaSD23 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTRACORSECGOO025 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrNumTRACORSECGOO027 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTRACORSECGOO026 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTRACORSECGOO022 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTRACORSECGOO023 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRACORSECGOO021LNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRACORSECGOO028 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTRACONSECGOO017 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
54. IE115 C_ATR_RSP ATR RESPONSE	

```

<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSECGOO019 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSECGOO018 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CityTRACONSECGOO014 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSECGOO015 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSECGOO013LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSECGOO020 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<ELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Item Number involved -->
<ELEMENT IteNumInvRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis result code -->
<ELEMENT RisAnaResCodRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis text -->
<ELEMENT RisAnaTexRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis LNG -->
<ELEMENT RisAnaTexRKA1LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCARTRA121 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCARTRA254 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCARTRA121 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCARTRA789 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodCARTRA587 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADCARTRA121 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCARTRA254 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSEC041 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSEC043 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSEC042 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSEC038 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSEC039 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSEC037LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSEC044 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NameTRACONSEC033 (#PCDATA)>
<!-- Leaf: Street and number -->

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
54. IE115 C_ATR_RSP ATR RESPONSE	

<ELEMENT StrNumTRACONSEC035 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSEC034 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACONSEC030 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSEC031 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSEC029LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSEC036 (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
55. IE118 C_NCF_NOT NCF	

55. IE118 C_NCF_NOT NCF

```

<!-- Node: MESSAGE -->
<ELEMENT CD118A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFDEPEPT, CUSOFFRTRACTCOF, PASSAGE, ENROUEVETEV*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (ACTUAL OFFICE OF TRANSIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFRTRACTCOF (RefNumCAF625)>
<!-- Node: PASSAGE -->
<ELEMENT PASSAGE (DatOfPasPAS627)>
<!-- Node: EN ROUTE EVENT -->
<ELEMENT ENROUEVETEV (PlaTEV10, PlaTEV10LNG?, CouTEV13, INCINC?, SEAINFSF1?, TRASHP?)>
<!-- Node: INCIDENT -->
<ELEMENT INCINC (IncFlaINC3?, InclnflINC4?, InclnflINC4LNG?, EndDatINC6?, EndAutINC7?, EndAutINC7LNG?,
EndPlaINC10?, EndPlaINC10LNG?, EndCouINC12?)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSF1 (SeaNumSF12, SEAIDS1+)>
<!-- Node: TRANSHIPMENT -->
<ELEMENT TRASHP (NewTraMealdeSHP26?, NewTraMealdeSHP26LNG?, NewTraMeaNatSHP54?, EndDatSHP60?,
EndAutSHP61?, EndAutSHP61LNG?, EndPlaSHP63?, EndPlaSHP63LNG?, EndCouSHP65?, CONNR3*)>
<!-- Node: SEALS ID -->
<ELEMENT SEAIDS1 (SealdeSI11, SealdeSI11LNG?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR3 (ConNumNR31)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
55. IE118 C_NCF_NOT NCF	

```

<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumCAF625 (#PCDATA)>
<!-- Leaf: Date of passage -->
<ELEMENT DatOfPasPAS627 (#PCDATA)>
<!-- Leaf: Place -->
<ELEMENT PlaTEV10 (#PCDATA)>
<!-- Leaf: Place LNG -->
<ELEMENT PlaTEV10LNG (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouTEV13 (#PCDATA)>
<!-- Leaf: Incident flag -->
<ELEMENT IncFlaINC3 (#PCDATA)>
<!-- Leaf: Incident information -->
<ELEMENT IncInfINC4 (#PCDATA)>
<!-- Leaf: Incident information LNG -->
<ELEMENT IncInfINC4LNG (#PCDATA)>
<!-- Leaf: Endorsement date -->
<ELEMENT EndDatINC6 (#PCDATA)>
<!-- Leaf: Endorsement authority -->
<ELEMENT EndAutINC7 (#PCDATA)>
<!-- Leaf: Endorsement authority LNG -->
<ELEMENT EndAutINC7LNG (#PCDATA)>
<!-- Leaf: Endorsement place -->
<ELEMENT EndPlaINC10 (#PCDATA)>
<!-- Leaf: Endorsement place LNG -->
<ELEMENT EndPlaINC10LNG (#PCDATA)>
<!-- Leaf: Endorsement country -->
<ELEMENT EndCouINC12 (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSF12 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSI11 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSI11LNG (#PCDATA)>
<!-- Leaf: New transport means identity -->
<ELEMENT NewTraMealdeSHP26 (#PCDATA)>
<!-- Leaf: New transport means identity LNG -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
55. IE118 C_NCF_NOT NCF	

```

<ELEMENT NewTraMealdeSHP26LNG (#PCDATA)>
<!-- Leaf: New transport means nationality -->
<ELEMENT NewTraMeaNatSHP54 (#PCDATA)>
<!-- Leaf: Endorsement date -->
<ELEMENT EndDatSHP60 (#PCDATA)>
<!-- Leaf: Endorsement authority -->
<ELEMENT EndAutSHP61 (#PCDATA)>
<!-- Leaf: Endorsement authority LNG -->
<ELEMENT EndAutSHP61LNG (#PCDATA)>
<!-- Leaf: Endorsement place -->
<ELEMENT EndPlaSHP63 (#PCDATA)>
<!-- Leaf: Endorsement place LNG -->
<ELEMENT EndPlaSHP63LNG (#PCDATA)>
<!-- Leaf: Endorsement country -->
<ELEMENT EndCouSHP65 (#PCDATA)>
<!-- Leaf: Container number -->
<ELEMENT ConNumNR31 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
56. IE140 E_REQ_MOV REQUEST ON NON-ARRIVED MOVEMENT	

56. IE140 E_REQ_MOV REQUEST ON NON-ARRIVED MOVEMENT

```

<!-- Node: MESSAGE -->
<ELEMENT CC140A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrldMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, CUSOFFDEPEPT,
CUSOFFCOMAUT)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DatLimResHEA144, DatReqNonArrMovHEA149)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17?, StrAndNumPC122?, PosCodPC123?, CitPC124?, CouPC125?, NADLNGPC?,
TINPC159?, HITPC126?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFCOMAUT (RefNumAUT1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
56. IE140 E_REQ_MOV REQUEST ON NON-ARRIVED MOVEMENT	

```

<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date limit for response -->
<ELEMENT DatLimResHEA144 (#PCDATA)>
<!-- Leaf: Date of request on non-arrived movement -->
<ELEMENT DatReqNonArrMovHEA149 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumAUT1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
57. IE141 E_MOV_RSP INFORMATION ABOUT NON-ARRIVED MOVEMENT	

57. IE141 E_MOV_RSP INFORMATION ABOUT NON-ARRIVED MOVEMENT

```

<!-- Node: MESSAGE -->
<ELEMENT CC141A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecldeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, CUSOFFCOMAUT,
CUSOFFPREOFFRES?, ENQENQ, CNECNE?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17?, StrAndNumPC122?, PosCodPC123?, CitPC124?, CouPC125?, NADLNGPC?,
TINPC159?, HITPC126?)>
<!-- Node: (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFCOMAUT (RefNumAUT1)>
<!-- Node: (PRESENTATION OFFICE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFPREOFFRES (RefNumRES1)>
<!-- Node: ENQUIRY -->
<ELEMENT ENQENQ (TC11DelENQ155, TC11DelDatENQ143?, InfoEnq148?, InfoEnq148LNG?, InfOnPapAvaENQ790)>
<!-- Node: (ACTUAL CONSIGNEE) TRADER -->
<ELEMENT CNECNE (NamCNE17, StrAndNumCNE122, PosCodCNE123, CitCNE124, CouCNE125, NADLNGACT?,
TINCNE59?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
57. IE141 E_MOV_RSP INFORMATION ABOUT NON-ARRIVED MOVEMENT	

```

<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumAUT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRES1 (#PCDATA)>
<!-- Leaf: TC11 delivered by Customs -->
<ELEMENT TC11DeIENQ155 (#PCDATA)>
<!-- Leaf: Delivery date TC11 -->
<ELEMENT TC11DeIDatENQ143 (#PCDATA)>
<!-- Leaf: Information text -->
<ELEMENT InfoEnq148 (#PCDATA)>
<!-- Leaf: Information text LNG -->
<ELEMENT InfoEnq148LNG (#PCDATA)>
<!-- Leaf: Information (on paper) available -->
<ELEMENT InfOnPapAvaENQ790 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCNE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCNE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCNE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCNE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCNE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGACT (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
57. IE141 E_MOV_RSP INFORMATION ABOUT NON-ARRIVED MOVEMENT	

<!-- Leaf: TIN -->

<ELEMENT TINCNE59 (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
58. IE142 C_ENQ_REQ ENQUIRY REQUEST	

58. IE142 C_ENQ_REQ ENQUIRY REQUEST

```

<!-- Node: MESSAGE -->
<ELEMENT CD142A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFDEPEPT, CUSOFFCOMAUT, CUSTOFFRED, ENQENQ, CNECNE?, INF359)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFCOMAUT (RefNumAUT1)>
<!-- Node: (REQUESTED) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFRED (RefNumRED1)>
<!-- Node: ENQUIRY -->
<ELEMENT ENQENQ (EnqDatENQ705, TC11DeIENQ155, TC11DeIDatENQ143?)>
<!-- Node: (ACTUAL CONSIGNEE) TRADER -->
<ELEMENT CNECNE (NamCNE17, StrAndNumCNE122, PosCodCNE123, CitCNE124, CouCNE125, NADLNGACT?,
TINCNE59?)>
<!-- Node: INFORMATION -->
<ELEMENT INF359 (InfPapAvailINF364, InfTxlINF365?, InfTxlINF365LNG?, ConPerDetINF362?, ConPerDetINF362LNG?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
58. IE142 C_ENQ_REQ ENQUIRY REQUEST	

```

<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumAUT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRED1 (#PCDATA)>
<!-- Leaf: Enquiry date -->
<ELEMENT EnqDatENQ705 (#PCDATA)>
<!-- Leaf: TC11 delivered by Customs -->
<ELEMENT TC11DeENQ155 (#PCDATA)>
<!-- Leaf: Delivery date TC11 -->
<ELEMENT TC11DeIDatENQ143 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCNE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCNE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCNE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCNE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCNE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNACT (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCNE59 (#PCDATA)>
<!-- Leaf: Information (on paper) available -->
<ELEMENT InfPapAvailINF364 (#PCDATA)>
<!-- Leaf: Information text -->
<ELEMENT InfTxtINF365 (#PCDATA)>
<!-- Leaf: Information text LNG -->
<ELEMENT InfTxtINF365LNG (#PCDATA)>
<!-- Leaf: Contact person Details -->
<ELEMENT ConPerDetINF362 (#PCDATA)>
<!-- Leaf: Contact person Details LNG -->
<ELEMENT ConPerDetINF362LNG (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
59. IE143 C_ENQ_NEG ENQUIRY RESPONSE	

59. IE143 C_ENQ_NEG ENQUIRY RESPONSE

```

<!-- Node: MESSAGE -->
<ELEMENT CD143A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFCOMAUT, CUSTOFFRED, ENQENQ, INF359)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DatOfEnqResHEA765)>
<!-- Node: (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFCOMAUT (RefNumAUT1)>
<!-- Node: (REQUESTED) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFRED (RefNumRED1)>
<!-- Node: ENQUIRY -->
<ELEMENT ENQENQ (RetCopRetOnENQ709?, RespCodENQ151, ResplInfoENQ152?, ResplInfoENQ152LNG?)>
<!-- Node: INFORMATION -->
<ELEMENT INF359 (InfPapAvailINF364, InfTxlINF365?, InfTxlINF365LNG?, ConPerDesINF360?, ConPerDesINF360LNG?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
59. IE143 C_ENQ_NEG ENQUIRY RESPONSE	

```

<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date of enquiry response -->
<ELEMENT DatOfEnqResHEA765 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumAUT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRED1 (#PCDATA)>
<!-- Leaf: Return Copy returned on -->
<ELEMENT RetCopRetOnENQ709 (#PCDATA)>
<!-- Leaf: Response Code -->
<ELEMENT RespCodENQ151 (#PCDATA)>
<!-- Leaf: Response Information -->
<ELEMENT ResplInfoENQ152 (#PCDATA)>
<!-- Leaf: Response Information LNG -->
<ELEMENT ResplInfoENQ152LNG (#PCDATA)>
<!-- Leaf: Information (on paper) available -->
<ELEMENT InfPapAvailINF364 (#PCDATA)>
<!-- Leaf: Information text -->
<ELEMENT InfTxtINF365 (#PCDATA)>
<!-- Leaf: Information text LNG -->
<ELEMENT InfTxtINF365LNG (#PCDATA)>
<!-- Leaf: Contact Person at Destination -->
<ELEMENT ConPerDesINF360 (#PCDATA)>
<!-- Leaf: Contact Person at Destination LNG -->
<ELEMENT ConPerDesINF360LNG (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
60. IE144 C_ENQ_INF ENQUIRY INFORMATION	

60. IE144 C_ENQ_INF ENQUIRY INFORMATION

```

<!-- Node: MESSAGE -->
<ELEMENT CD144A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecldeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFDEPEPT?, CUSOFFCOMAUT, ENQENQ, ENQINF136+, COUDESINGCUS059)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1, AddDEPCUS120?, AddDEPCUS121LNG?, ConPerDetDEPCUS2?,
ConPerDetDEPCUS3LNG?)>
<!-- Node: (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFCOMAUT (RefNumAUT1, AddAUT1?, AddAUT1LNG?, ConPerDetAUT1?, ConPerDetAUT1LNG?)>
<!-- Node: ENQUIRY -->
<ELEMENT ENQENQ (DateEnqReqENQ140, InfPrinAvailENQ147)>
<!-- Node: ENQUIRY INFORMATION -->
<ELEMENT ENQINF136 (InfCodENQINF138, InfTexENQINF460?, InfTexENQINF460LNG?)>
<!-- Node: (COMPETENT AUTHORITY OF DESTINATION) CUSTOMS OFFICE -->
<ELEMENT COUDESINGCUS059 (RefCOUDESINGCUS062, ConDetCOUDESINGCUS060?,
ConDetCOUDESINGCUS060LNG?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
60. IE144 C_ENQ_INF ENQUIRY INFORMATION	

```

<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Address -->
<ELEMENT AddDEPCUS120 (#PCDATA)>
<!-- Leaf: Address LNG -->
<ELEMENT AddDEPCUS121LNG (#PCDATA)>
<!-- Leaf: Contact person Details -->
<ELEMENT ConPerDetDEPCUS2 (#PCDATA)>
<!-- Leaf: Contact person Details LNG -->
<ELEMENT ConPerDetDEPCUS3LNG (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumAUT1 (#PCDATA)>
<!-- Leaf: Address -->
<ELEMENT AddAUT1 (#PCDATA)>
<!-- Leaf: Address LNG -->
<ELEMENT AddAUT1LNG (#PCDATA)>
<!-- Leaf: Contact person Details -->
<ELEMENT ConPerDetAUT1 (#PCDATA)>
<!-- Leaf: Contact person Details LNG -->
<ELEMENT ConPerDetAUT1LNG (#PCDATA)>
<!-- Leaf: Enquiry request date -->
<ELEMENT DateEnqReqENQ140 (#PCDATA)>
<!-- Leaf: Information from Principal available -->
<ELEMENT InfPrinAvailENQ147 (#PCDATA)>
<!-- Leaf: Information Code -->
<ELEMENT InfCodENQINF138 (#PCDATA)>
<!-- Leaf: Information text -->
<ELEMENT InfTexENQINF460 (#PCDATA)>
<!-- Leaf: Information text LNG -->
<ELEMENT InfTexENQINF460LNG (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefCOUDESINGCUS062 (#PCDATA)>
<!-- Leaf: Contact person Details -->
<ELEMENT ConDetCOUDESINGCUS060 (#PCDATA)>
<!-- Leaf: Contact person Details LNG -->
<ELEMENT ConDetCOUDESINGCUS060LNG (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
61. IE145 C_INF_REQ ENQUIRY INFORMATION REQUEST	

61. IE145 C_INF_REQ ENQUIRY INFORMATION REQUEST

```

<!-- Node: MESSAGE -->
<ELEMENT CD145A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFCOMAUT, ENQENQ, COUDESINGCUS059, REQENQINF376+)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5)>
<!-- Node: (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFCOMAUT (RefNumAUT1, ConPerDetAUT1?, ConPerDetAUT1LNG?)>
<!-- Node: ENQUIRY -->
<ELEMENT ENQENQ (DateEnqReqENQ140)>
<!-- Node: (COMPETENT AUTHORITY OF DESTINATION) CUSTOMS OFFICE -->
<ELEMENT COUDESINGCUS059 (RefCOUDESINGCUS062, ConDetCOUDESINGCUS060?,
ConDetCOUDESINGCUS060LNG?, RepAddCOUDESINGCUS063?, RepAddCOUDESINGCUS063LNG?)>
<!-- Node: REQUEST FOR ENQUIRY INFORMATION -->
<ELEMENT REQENQINF376 (ReqInfCodREQENQINF379, ReqInfREQENQINF378?, ReqInfREQENQINF378LNG?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
61. IE145 C_INF_REQ ENQUIRY INFORMATION REQUEST	

```

<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumAUT1 (#PCDATA)>
<!-- Leaf: Contact person Details -->
<ELEMENT ConPerDetAUT1 (#PCDATA)>
<!-- Leaf: Contact person Details LNG -->
<ELEMENT ConPerDetAUT1LNG (#PCDATA)>
<!-- Leaf: Enquiry request date -->
<ELEMENT DateEnqReqENQ140 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefCOUDESINGCUS062 (#PCDATA)>
<!-- Leaf: Contact person Details -->
<ELEMENT ConDetCOUDESINGCUS060 (#PCDATA)>
<!-- Leaf: Contact person Details LNG -->
<ELEMENT ConDetCOUDESINGCUS060LNG (#PCDATA)>
<!-- Leaf: Reply Address -->
<ELEMENT RepAddCOUDESINGCUS063 (#PCDATA)>
<!-- Leaf: Reply Address LNG -->
<ELEMENT RepAddCOUDESINGCUS063LNG (#PCDATA)>
<!-- Leaf: Requested Information Code -->
<ELEMENT ReqInfCodREQENQINF379 (#PCDATA)>
<!-- Leaf: Requested Information Text -->
<ELEMENT ReqInfREQENQINF378 (#PCDATA)>
<!-- Leaf: Requested Information Text LNG -->
<ELEMENT ReqInfREQENQINF378LNG (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
62. IE150 C_REC_REQ RECOVERY REQUEST	

62. IE150 C_REC_REQ RECOVERY REQUEST

```

<!-- Node: MESSAGE -->
<ELEMENT CD150A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, INF359, GUARNTINFO*, COMSTEDCOUCUS039, COMINGCOUCUS041, RECOV368)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5)>
<!-- Node: INFORMATION -->
<ELEMENT INF359 (InfTxlINF365, InfTxlINF365LNG?, ConPerDetINF362?, ConPerDetINF362LNG?)>
<!-- Node: GUARANTEE INFORMATION -->
<ELEMENT GUARNTINFO (GuaRefNumGUARNTINFO, GUARNRGUARNTINFO?)>
<!-- Node: (COMPETENT AUTHORITY OF REQUESTED COUNTRY) CUSTOMS OFFICE -->
<ELEMENT COMSTEDCOUCUS039 (RefCOMSTEDCOUCUS040)>
<!-- Node: (COMPETENT AUTHORITY OF REQUESTING COUNTRY) CUSTOMS OFFICE -->
<ELEMENT COMINGCOUCUS041 (RefCOMINGCOUCUS042)>
<!-- Node: RECOVERY -->
<ELEMENT RECOV368 (RecComDatRECOV371)>
<!-- Node: GUARANTOR -->
<ELEMENT GUARNRGUARNTINFO (NamGU720, StrAndNumGU721, PosCodGU722, CitGU723, NADLNGGU725?,
ConDetGU725, TINGU726?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
62. IE150 C_REC_REQ RECOVERY REQUEST	

```

<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Information text -->
<ELEMENT InfTxtINF365 (#PCDATA)>
<!-- Leaf: Information text LNG -->
<ELEMENT InfTxtINF365LNG (#PCDATA)>
<!-- Leaf: Contact person Details -->
<ELEMENT ConPerDetINF362 (#PCDATA)>
<!-- Leaf: Contact person Details LNG -->
<ELEMENT ConPerDetINF362LNG (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGUARNTINFO (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamGU720 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumGU721 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodGU722 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitGU723 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGU725 (#PCDATA)>
<!-- Leaf: Contact details in country of competent authority -->
<ELEMENT ConDetGU725 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINGU726 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefCOMSTEDCOUCUS040 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefCOMINGCOUCUS042 (#PCDATA)>
<!-- Leaf: Recovery communication date -->
<ELEMENT RecComDatRECOV371 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
63. IE151 C_REC_ACC RECOVERY ACCEPTANCE NOTIFICATION	

63. IE151 C_REC_ACC RECOVERY ACCEPTANCE NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CD151A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, INF359?, GUARNTINFO*, COMSTEDCOUCUS039, COMINGCOUCUS041, RECOV368)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5)>
<!-- Node: INFORMATION -->
<ELEMENT INF359 (InfPapAvailINF364?, InfTxtINF365, InfTxtINF365LNG?, ConPerDetINF362?, ConPerDetINF362LNG?)>
<!-- Node: GUARANTEE INFORMATION -->
<ELEMENT GUARNTINFO (GuaRefNumGUARNTINFO, GUARNRGUARNTINFO?)>
<!-- Node: (COMPETENT AUTHORITY OF REQUESTED COUNTRY) CUSTOMS OFFICE -->
<ELEMENT COMSTEDCOUCUS039 (RefCOMSTEDCOUCUS040)>
<!-- Node: (COMPETENT AUTHORITY OF REQUESTING COUNTRY) CUSTOMS OFFICE -->
<ELEMENT COMINGCOUCUS041 (RefCOMINGCOUCUS042)>
<!-- Node: RECOVERY -->
<ELEMENT RECOV368 (RecComDatRECOV371, RecAccRECOV370)>
<!-- Node: GUARANTOR -->
<ELEMENT GUARNRGUARNTINFO (NamGU720, StrAndNumGU721, PosCodGU722, CitGU723, NADLNGGU725?,
ConDetGU725, TINGU726?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
63. IE151 C_REC_ACC RECOVERY ACCEPTANCE NOTIFICATION	

```

<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Information (on paper) available -->
<ELEMENT InfPapAvailINF364 (#PCDATA)>
<!-- Leaf: Information text -->
<ELEMENT InfTxtINF365 (#PCDATA)>
<!-- Leaf: Information text LNG -->
<ELEMENT InfTxtINF365LNG (#PCDATA)>
<!-- Leaf: Contact person Details -->
<ELEMENT ConPerDetINF362 (#PCDATA)>
<!-- Leaf: Contact person Details LNG -->
<ELEMENT ConPerDetINF362LNG (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGUARNTINFO (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamGU720 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumGU721 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodGU722 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitGU723 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGU725 (#PCDATA)>
<!-- Leaf: Contact details in country of competent authority -->
<ELEMENT ConDetGU725 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINGU726 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefCOMSTEDCOUCUS040 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefCOMINGCOUCUS042 (#PCDATA)>
<!-- Leaf: Recovery communication date -->
<ELEMENT RecComDatRECOV371 (#PCDATA)>
<!-- Leaf: Recovery Acceptance -->
<ELEMENT RecAccRECOV370 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
64. IE152 C_REC_DIS RECOVERY DISPATCH NOTIFICATION	

64. IE152 C_REC_DIS RECOVERY DISPATCH NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CD152A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFCOMAUT, CUSTOFFCOMAUTREC, INF359?, RECOV368)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5)>
<!-- Node: (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFCOMAUT (RefNumAUT1)>
<!-- Node: (COMPETENT AUTHORITY FOR RECOVERY) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFCOMAUTREC (RefNumREC1)>
<!-- Node: INFORMATION -->
<ELEMENT INF359 (InfTxtINF365, InfTxtINF365LNG?, ConPerDetINF362?, ConPerDetINF362LNG?)>
<!-- Node: RECOVERY -->
<ELEMENT RECOV368 (CollDateRECOV369)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
64. IE152 C_REC_DIS RECOVERY DISPATCH NOTIFICATION	

```

<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumAUT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumREC1 (#PCDATA)>
<!-- Leaf: Information text -->
<ELEMENT InfTxtINF365 (#PCDATA)>
<!-- Leaf: Information text LNG -->
<ELEMENT InfTxtINF365LNG (#PCDATA)>
<!-- Leaf: Contact person Details -->
<ELEMENT ConPerDetINF362 (#PCDATA)>
<!-- Leaf: Contact person Details LNG -->
<ELEMENT ConPerDetINF362LNG (#PCDATA)>
<!-- Leaf: Collection Date -->
<ELEMENT CollDateRECOV369 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
65. IE200 C_GUA_CHE GUARANTEE CHECK	

65. IE200 C_GUA_CHE GUARANTEE CHECK

```

<!-- Node: MESSAGE -->
<ELEMENT CD200A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAPRIPC1, CUSOFFDEPEPT, COUINV+, COUGRT?, CUSOFFDESEST?, CTLCL1?,
GUAGUA+, GOOITEGDS*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, AccDatHEA158)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (TINPC159)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (INVOLVED) COUNTRY -->
<ELEMENT COUINV (CouCodINV719)>
<!-- Node: (GUARANTEE) COUNTRY -->
<ELEMENT COUGRT (CouCodGRT764)>
<!-- Node: (DESTINATION) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESEST (RefNumEST1)>
<!-- Node: CTL_CONTROL -->
<ELEMENT CTLCL1 (SenGooFlaCL763, SusGooFlaCL624)>
<!-- Node: GUARANTEE -->
<ELEMENT GUAGUA (GuaTypGUA1, GUAREFREF+)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (ComCodTarCodGDS10, SenGooGodGDS11?)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREFREF (GuaRefNumGRNREF1, AccCodREF6, AmoConREF7, CurREF8)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
65. IE200 C_GUA_CHE GUARANTEE CHECK	

```

<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<ELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodINV719 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodGRT764 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEST1 (#PCDATA)>
<!-- Leaf: Sensitive goods flag -->
<ELEMENT SenGooFlaCL763 (#PCDATA)>
<!-- Leaf: Suspended goods flag -->
<ELEMENT SusGooFlaCL624 (#PCDATA)>
<!-- Leaf: Guarantee type -->
<ELEMENT GuaTypGUA1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF1 (#PCDATA)>
<!-- Leaf: Access code -->
<ELEMENT AccCodREF6 (#PCDATA)>
<!-- Leaf: Amount concerned -->
<ELEMENT AmoConREF7 (#PCDATA)>
<!-- Leaf: Currency -->
<ELEMENT CurREF8 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodTarCodGDS10 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<ELEMENT SenGooGodGDS11 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
66. IE201 C_GUA_RES GUARANTEE CHECK RESULT	

66. IE201 C_GUA_RES GUARANTEE CHECK RESULT

```

<!-- Node: MESSAGE -->
<ELEMENT CD201A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAPRIPC1, CUSOFFDEPEPT, CUSTOFFGUARNT?, GUAGUA+)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (TINPC159)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (GUARANTEE) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFGUARNT (RefNumRNT1)>
<!-- Node: GUARANTEE -->
<ELEMENT GUAGUA (GuaTypGUA1, GUAREFREF+)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREFREF (GuaRefNumGRNREF1, INVGUAREA*)>
<!-- Node: INVALID GUARANTEE REASON -->
<ELEMENT INVGUAREA (InvGuaReaCod724)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
66. IE201 C_GUA_RES GUARANTEE CHECK RESULT	

```

<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNT1 (#PCDATA)>
<!-- Leaf: Guarantee type -->
<ELEMENT GuaTypGUA1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF1 (#PCDATA)>
<!-- Leaf: Invalid guarantee reason code -->
<ELEMENT InvGuaReaCod724 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
67. IE203 C_GUA_USE GUARANTEE USE	

67. IE203 C_GUA_USE GUARANTEE USE

```

<!-- Node: MESSAGE -->
<ELEMENT CD203A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAPRIPC1, CUSOFFDEPEPT, COUINV+, COUGRT?, CUSOFFDESEST?, CTLCL1?,
GUAGUA+, GOOITEGDS*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, AccDatHEA158)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (TINPC159)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (INVOLVED) COUNTRY -->
<ELEMENT COUINV (CouCodINV719)>
<!-- Node: (GUARANTEE) COUNTRY -->
<ELEMENT COUGRT (CouCodGRT764)>
<!-- Node: (DESTINATION) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESEST (RefNumEST1)>
<!-- Node: CTL_CONTROL -->
<ELEMENT CTLCL1 (SenGooFlaCL763, SusGooFlaCL624)>
<!-- Node: GUARANTEE -->
<ELEMENT GUAGUA (GuaTypGUA1, GUAREFREF+)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (ComCodTarCodGDS10, SenGooGodGDS11?)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREFREF (GuaRefNumGRNREF1, AccCodREF6, AmoConREF7, CurREF8)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
67. IE203 C_GUA_USE GUARANTEE USE	

```

<!-- Leaf: Acknowledgement request -->
<IELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<IELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<IELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<IELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<IELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<IELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<IELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<IELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodINV719 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodGRT764 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumEST1 (#PCDATA)>
<!-- Leaf: Sensitive goods flag -->
<IELEMENT SenGooFlaCL763 (#PCDATA)>
<!-- Leaf: Suspended goods flag -->
<IELEMENT SusGooFlaCL624 (#PCDATA)>
<!-- Leaf: Guarantee type -->
<IELEMENT GuaTypGUA1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<IELEMENT GuaRefNumGRNREF1 (#PCDATA)>
<!-- Leaf: Access code -->
<IELEMENT AccCodREF6 (#PCDATA)>
<!-- Leaf: Amount concerned -->
<IELEMENT AmoConREF7 (#PCDATA)>
<!-- Leaf: Currency -->
<IELEMENT CurREF8 (#PCDATA)>
<!-- Leaf: Commodity code -->
<IELEMENT ComCodTarCodGDS10 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<IELEMENT SenGooGodGDS11 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
68. IE204 C_GUA_CAN GUARANTEE USE CANCELLATION	

68. IE204 C_GUA_CAN GUARANTEE USE CANCELLATION

```

<!-- Node: MESSAGE -->
<ELEMENT CD204A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFDEPEPT, CUSTOFFGUARNT, GUAGUA+)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DatOfUsaCanHEA700?, DatOfRelHEA701?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (GUARANTEE) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFGUARNT (RefNumRNT1)>
<!-- Node: GUARANTEE -->
<ELEMENT GUAGUA (GuaTypGUA1, GUAREFREF+)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREFREF (GuaRefNumGRNREF1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
68. IE204 C_GUA_CAN GUARANTEE USE CANCELLATION	

```

<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date of usage cancellation -->
<ELEMENT DatOfUsaCanHEA700 (#PCDATA)>
<!-- Leaf: Date of release -->
<ELEMENT DatOfRelHEA701 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNT1 (#PCDATA)>
<!-- Leaf: Guarantee type -->
<ELEMENT GuaTypGUA1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
69. IE205 C_GUA_USR GUARANTEE USE RESULT	

69. IE205 C_GUA_USR GUARANTEE USE RESULT

```

<!-- Node: MESSAGE -->
<ELEMENT CD205A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAPRIPC1, CUSOFFDEPEPT, CUSTOFFGUARNT?, GUAGUA+)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (TINPC159)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (GUARANTEE) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFGUARNT (RefNumRNT1)>
<!-- Node: GUARANTEE -->
<ELEMENT GUAGUA (GuaTypGUA1, GUAREFREF+)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREFREF (GuaRefNumGRNREF1, INVGUAREA*, VALLIMECVLE?, VALLIMNONECLIM*)>
<!-- Node: INVALID GUARANTEE REASON -->
<ELEMENT INVGUAREA (InvGuaReaCod724)>
<!-- Node: VALIDITY LIMITATION EC -->
<ELEMENT VALLIMECVLE (NotValForECVLE1)>
<!-- Node: VALIDITY LIMITATION NON EC -->
<ELEMENT VALLIMNONECLIM (NotValForOthConPLIM2)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
69. IE205 C_GUA_USR GUARANTEE USE RESULT	

```

<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNT1 (#PCDATA)>
<!-- Leaf: Guarantee type -->
<ELEMENT GuaTypGUA1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF1 (#PCDATA)>
<!-- Leaf: Invalid guarantee reason code -->
<ELEMENT InvGuaReaCod724 (#PCDATA)>
<!-- Leaf: Not valid for EC -->
<ELEMENT NotValForECVLE1 (#PCDATA)>
<!-- Leaf: Not valid for other contracting parties -->
<ELEMENT NotValForOthConPLIM2 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
70. IE209 C_GUA_CRE CREDIT REFERENCE AMOUNT	

70. IE209 C_GUA_CRE CREDIT REFERENCE AMOUNT

```

<!-- Node: MESSAGE -->
<ELEMENT CD209A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFDEPEPT, CUSTOFFGUARNT, GUAGUA+)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, ArrDatHEA140)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (GUARANTEE) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFGUARNT (RefNumRNT1)>
<!-- Node: GUARANTEE -->
<ELEMENT GUAGUA (GuaTypGUA1, GUAREFREF+)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREFREF (GuaRefNumGRNREF1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
70. IE209 C_GUA_CRE CREDIT REFERENCE AMOUNT	

```

<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Arrival date -->
<ELEMENT ArrDatHEA140 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNT1 (#PCDATA)>
<!-- Leaf: Guarantee type -->
<ELEMENT GuaTypGUA1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
71. IE224 E_IGV_INF INDIVIDUAL GUARANTEE VOUCHER SOLD	

71. IE224 E_IGV_INF INDIVIDUAL GUARANTEE VOUCHER SOLD

```

<!-- Node: MESSAGE -->
<ELEMENT CC224A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, GUARANTOR, CUSTOFFGUARNT, GUAREF2+)>
<!-- Node: GUARANTOR -->
<ELEMENT GUARANTOR (NamGU620, StrAndNumGU621, PosCodGU622, CitGU623, CouGU624, NADLNGGU?,
TINGU626?)>
<!-- Node: (GUARANTEE) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFGUARNT (RefNumRNT1)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREF2 (GuaRefNumGRNREF21, CurREF237?, AccCodREF24, DatOfIssREF25, ExpDatREF26,
HarCopGivToPriREF27, TIRCarREF29, VouAmoREF28?, LimValREF239, TRAPRIPC2)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC2 (NamPC27, StrAndNumPC222, PosCodPC223, CitPC224, CouPC225, NADLNGPTG?,
TINPC259)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
71. IE224 E_IGV_INF INDIVIDUAL GUARANTEE VOUCHER SOLD	

```

<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamGU620 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumGU621 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodGU622 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitGU623 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouGU624 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGU (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINGU626 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNT1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF21 (#PCDATA)>
<!-- Leaf: Currency -->
<ELEMENT CurREF237 (#PCDATA)>
<!-- Leaf: Access code -->
<ELEMENT AccCodREF24 (#PCDATA)>
<!-- Leaf: Date of issue -->
<ELEMENT DatOfIssREF25 (#PCDATA)>
<!-- Leaf: Expiry date -->
<ELEMENT ExpDatREF26 (#PCDATA)>
<!-- Leaf: Hard copy given to Principal -->
<ELEMENT HarCopGivToPriREF27 (#PCDATA)>
<!-- Leaf: TIR carnet -->
<ELEMENT TIRCarREF29 (#PCDATA)>
<!-- Leaf: Voucher amount -->
<ELEMENT VouAmoREF28 (#PCDATA)>
<!-- Leaf: Limited validity (sensitive goods) -->
<ELEMENT LimValREF239 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPTG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC259 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
72. IE225 E_GUA_WUP GUARANTEE UPDATE NOTIFICATION	

72. IE225 E_GUA_WUP GUARANTEE UPDATE NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC225A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecldeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, TRAPRIPC1, CUSTOFFGUARNT, GUAREF2)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (TINPC159)>
<!-- Node: (GUARANTEE) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFGUARNT (RefNumRNT1)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREF2 (GuaRefNumGRNREF21, RefAmoREF230?, PerOfRefAmoREF231?, GuaAmoREF236?,
CurREF237?, NumOfCerREF241?, ValDatREF242?, InvDatREF232?, InvReaCodREF233?, InvReaREF234?,
InvReaREF234LNG?, LimValREF239, ResUseREF240, VALLIMECVLE2?, VALLIMNONECLIM2*)>
<!-- Node: VALIDITY LIMITATION EC -->
<ELEMENT VALLIMECVLE2 (NotValForECVLE21)>
<!-- Node: VALIDITY LIMITATION NON EC -->
<ELEMENT VALLIMNONECLIM2 (NotValForOthConPLIM22)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
72. IE225 E_GUA_WUP GUARANTEE UPDATE NOTIFICATION	

```

<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNT1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF21 (#PCDATA)>
<!-- Leaf: Reference amount -->
<ELEMENT RefAmoREF230 (#PCDATA)>
<!-- Leaf: Percentage of reference amount -->
<ELEMENT PerOfRefAmoREF231 (#PCDATA)>
<!-- Leaf: Guarantee amount -->
<ELEMENT GuaAmoREF236 (#PCDATA)>
<!-- Leaf: Currency -->
<ELEMENT CurREF237 (#PCDATA)>
<!-- Leaf: Number of certificates -->
<ELEMENT NumOfCerREF241 (#PCDATA)>
<!-- Leaf: Validity date -->
<ELEMENT ValDatREF242 (#PCDATA)>
<!-- Leaf: Invalidation date -->
<ELEMENT InvDatREF232 (#PCDATA)>
<!-- Leaf: Invalidation reason code -->
<ELEMENT InvReaCodREF233 (#PCDATA)>
<!-- Leaf: Invalidation reason -->
<ELEMENT InvReaREF234 (#PCDATA)>
<!-- Leaf: Invalidation reason LNG -->
<ELEMENT InvReaREF234LNG (#PCDATA)>
<!-- Leaf: Limited validity (sensitive goods) -->
<ELEMENT LimValREF239 (#PCDATA)>
<!-- Leaf: Restricted use (suspended goods) -->
<ELEMENT ResUseREF240 (#PCDATA)>
<!-- Leaf: Not valid for EC -->
<ELEMENT NotValForECVLE21 (#PCDATA)>
<!-- Leaf: Not valid for other contracting parties -->
<ELEMENT NotValForOthConPLIM22 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
73. IE228 E_GOG_CNL COMPREHENSIVE GUARANTEE CANCELLATION LIABILITY LIBERATION	

73. IE228 E_GOG_CNL COMPREHENSIVE GUARANTEE CANCELLATION LIABILITY LIBERATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC228A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, GUARANTOR, CUSTOFFGUARNT, GUAREF2)>
<!-- Node: GUARANTOR -->
<ELEMENT GUARANTOR (NamGU620, StrAndNumGU621, PosCodGU622, CitGU623, CouGU624, NADLNGGU?,
TINGU626?)>
<!-- Node: (GUARANTEE) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFGUARNT (RefNumRNT1)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREF2 (GuaRefNumGRNREF21, GuaAmoREF236, CurREF237, InvDatREF232, LiaLibDatREF238,
TRAPRIPC2)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC2 (NamPC27, StrAndNumPC222, PosCodPC223, CitPC224, CouPC225, NADLNGPTG?,
TINPC259?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
73. IE228 E_GOG_CNL COMPREHENSIVE GUARANTEE CANCELLATION LIABILITY LIBERATION	

```

<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>
<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamGU620 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumGU621 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodGU622 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitGU623 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouGU624 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGU (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINGU626 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNT1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF21 (#PCDATA)>
<!-- Leaf: Guarantee amount -->
<ELEMENT GuaAmoREF236 (#PCDATA)>
<!-- Leaf: Currency -->
<ELEMENT CurREF237 (#PCDATA)>
<!-- Leaf: Invalidity date -->
<ELEMENT InvDatREF232 (#PCDATA)>
<!-- Leaf: Liability liberation date -->
<ELEMENT LiaLibDatREF238 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPTG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC259 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
74. IE229 E_IGV_RNG INDIVIDUAL GUARANTEE VOUCHER REVOCATION NOTIFICATION	

74. IE229 E_IGV_RNG INDIVIDUAL GUARANTEE VOUCHER REVOCATION NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC229A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, GUARANTOR, CUSTOFFGUARNT, GUAREF2)>
<!-- Node: GUARANTOR -->
<ELEMENT GUARANTOR (NamGU620, StrAndNumGU621, PosCodGU622, CitGU623, CouGU624, NADLNGGU?,
TINGU626?)>
<!-- Node: (GUARANTEE) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFGUARNT (RefNumRNT1)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREF2 (GuaRefNumGRNREF21, InvDatREF232)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
74. IE229 E_IGV_RNG INDIVIDUAL GUARANTEE VOUCHER REVOCATION NOTIFICATION	

```

<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamGU620 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumGU621 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodGU622 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitGU623 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouGU624 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGU (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINGU626 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNT1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF21 (#PCDATA)>
<!-- Leaf: Invalidity date -->
<ELEMENT InvDatREF232 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
75. IE231 E_COG_CNP COMPREHENSIVE GUARANTEE CANCELLATION NOTIFICATION	

75. IE231 E_COG_CNP COMPREHENSIVE GUARANTEE CANCELLATION NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC231A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecldeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrldMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, TRAPRIPC1, CUSTOFFGUARNT, GUAREF2)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (TINPC159)>
<!-- Node: (GUARANTEE) CUSTOMS OFFICE -->
<ELEMENT CUSTOFFGUARNT (RefNumRNT1)>
<!-- Node: GUARANTEE REFERENCE -->
<ELEMENT GUAREF2 (GuaRefNumGRNREF21, InvDatREF232, InvReaCodREF233?, InvReaREF234?,
InvReaREF234LNG?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
75. IE231 E_COG_CNP COMPREHENSIVE GUARANTEE CANCELLATION NOTIFICATION	

```

<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNT1 (#PCDATA)>
<!-- Leaf: Guarantee reference number (GRN) -->
<ELEMENT GuaRefNumGRNREF21 (#PCDATA)>
<!-- Leaf: Invalidation date -->
<ELEMENT InvDatREF232 (#PCDATA)>
<!-- Leaf: Invalidation reason code -->
<ELEMENT InvReaCodREF233 (#PCDATA)>
<!-- Leaf: Invalidation reason -->
<ELEMENT InvReaREF234 (#PCDATA)>
<!-- Leaf: Invalidation reason LNG -->
<ELEMENT InvReaREF234LNG (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
76. IE411 C_STA_SND SENDING OF STATISTICS DATA	

76. IE411 C_STA_SND SENDING OF STATISTICS DATA

```

<!-- Node: MESSAGE -->
<ELEMENT CD411B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, SENDCOUNTRY)>
<!-- Node: SENDING COUNTRY -->
<ELEMENT SENDCOUNTRY (CouCodSENCOU342, YeaSDD400, MonSED230, SYSAPP405+)>
<!-- Node: SYSTEM APPLICABILITY -->
<ELEMENT SYSAPP405 (SysCodSYSAPP406, STACHA607+)>
<!-- Node: STATISTICAL CHARACTERISTICS -->
<ELEMENT STACHA607 (StaTypSTACHA608, SERELE202+)>
<!-- Node: SERIES ELEMENTS -->
<ELEMENT SERELE202 (OthCouSERELE100?, CouSERELE101)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodSENCOU342 (#PCDATA)>
<!-- Leaf: Year -->
<ELEMENT YeaSDD400 (#PCDATA)>
<!-- Leaf: Month -->
<ELEMENT MonSED230 (#PCDATA)>
<!-- Leaf: System code -->
<ELEMENT SysCodSYSAPP406 (#PCDATA)>
<!-- Leaf: Statistics type -->
<ELEMENT StaTypSTACHA608 (#PCDATA)>
<!-- Leaf: Other country -->
<ELEMENT OthCouSERELE100 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
76. IE411 C_STA_SND SENDING OF STATISTICS DATA	

<!-- Leaf: Counter -->

<ELEMENT CouSERELE101 (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
77. IE901 C_CAN_ACK CANCELLATION ACKNOWLEDGEMENT	

77. IE901 C_CAN_ACK CANCELLATION ACKNOWLEDGEMENT

```

<!-- Node: MESSAGE -->
<ELEMENT CD901B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFDEPEPT?, CUSOFFEXPERT?, CUSOFFTRADECCOF*, CUSOFFEXTDECEDC?,
CUSOFFDESDECCDDC?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DatOfCanHEA145)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (TRANSIT DECLARED) CUSTOMS OFFICE -->
<ELEMENT CUSOFFTRADECCOF (RefNumCOF1)>
<!-- Node: (EXIT DECLARED) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXTDECEDC (RefNumEDC11)>
<!-- Node: (DESTINATION DECLARED) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESDECCDDC (RefNumDDC1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
77. IE901 C_CAN_ACK CANCELLATION ACKNOWLEDGEMENT	

```

<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date of cancellation -->
<ELEMENT DatOfCanHEA145 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumCOF1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEDC11 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumDDC1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
78. IE904 C_STD_REQ STATUS REQUEST	

78. IE904 C_STD_REQ STATUS REQUEST

```

<!-- Node: MESSAGE -->
<ELEMENT CD904A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, StaHEA379?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Status -->
<ELEMENT StaHEA379 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
79. IE905 C_STD_RSP STATUS RESPONSE	

79. IE905 C_STD_RSP STATUS RESPONSE

```

<!-- Node: MESSAGE -->
<ELEMENT CD905A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, StaHEA379)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Status -->
<ELEMENT StaHEA379 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
80. IE906 C_FUN_NCK FUNCTIONAL NACK	

80. IE906 C_FUN_NCK FUNCTIONAL NACK

```

<!-- Node: MESSAGE -->
<ELEMENT CD906A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, OriMesIdeMES22, HEAHEA?, FUNERRER1+)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5)>
<!-- Node: FUNCTIONAL ERROR -->
<ELEMENT FUNERRER1 (ErrTypER11, ErrPoiER12, ErrReaER13?, OriAttValER14?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Original message identification -->
<ELEMENT OriMesIdeMES22 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Error type -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
80. IE906 C_FUN_NCK FUNCTIONAL NACK	

<!ELEMENT ErrTypER11 (#PCDATA)>
<!-- Leaf: Error pointer -->
<!ELEMENT ErrPoiER12 (#PCDATA)>
<!-- Leaf: Error reason -->
<!ELEMENT ErrReaER13 (#PCDATA)>
<!-- Leaf: Original attribute value -->
<!ELEMENT OriAttValER14 (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
81. IE907 C EDI_NCK EDIFACT NACK	

81. IE907 C EDI_NCK EDIFACT NACK

```

<!-- Node: MESSAGE -->
<ELEMENT CD907A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrldMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, INTERERRORS, MSGERRS*)>
<!-- Node: INTERCHANGE ERRORS -->
<ELEMENT INTERERRORS (IntConRefINT2, MesSenINT4, MesRecINT5, ActRecINT1, ErrTypINT6?, IntSegTagINT3?,
PosElmntINT7?, PosCompINT8?)>
<!-- Node: MESSAGE ERRORS -->
<ELEMENT MSGERRS (MesIdeMER1, MesTypMER2, MesVerMER3, MesReInoMER4, MesContAgMER5, AssCodMER6,
ActRecMER7, ErrTypMER8?, MesSegMER9?, PosElmntMER10?, PosCompMER11?, MSGERRSEGGERR*)>
<!-- Node: SEGMENT ERRORS -->
<ELEMENT MSGERRSEGGERR (SegPosSER1, ErrTypSER2?, MSGERRSEGGDATERR*)>
<!-- Node: DATA ELEMENT ERRORS -->
<ELEMENT MSGERRSEGGDATERR (ErrTypDER1, PosElmntDER2, PosCompDER3?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrldMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
81. IE907 C EDI_NCK EDIFACT NACK	

```

<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefINT2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenINT4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecINT5 (#PCDATA)>
<!-- Leaf: Action taken by recipient -->
<ELEMENT ActRecINT1 (#PCDATA)>
<!-- Leaf: Syntax error -->
<ELEMENT ErrTypINT6 (#PCDATA)>
<!-- Leaf: Interchange service segment -->
<ELEMENT IntSegTagINT3 (#PCDATA)>
<!-- Leaf: Position of erroneous data element -->
<ELEMENT PosElmntINT7 (#PCDATA)>
<!-- Leaf: Position of erroneous data component -->
<ELEMENT PosCompINT8 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMER1 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMER2 (#PCDATA)>
<!-- Leaf: Message version -->
<ELEMENT MesVerMER3 (#PCDATA)>
<!-- Leaf: Message release number -->
<ELEMENT MesRelNoMER4 (#PCDATA)>
<!-- Leaf: Controlling agency -->
<ELEMENT MesContAgMER5 (#PCDATA)>
<!-- Leaf: Association assigned code -->
<ELEMENT AssCodMER6 (#PCDATA)>
<!-- Leaf: Action taken by recipient -->
<ELEMENT ActRecMER7 (#PCDATA)>
<!-- Leaf: Error -->
<ELEMENT ErrTypMER8 (#PCDATA)>
<!-- Leaf: Message service segment -->
<ELEMENT MesSegMER9 (#PCDATA)>
<!-- Leaf: Position of erroneous data element -->
<ELEMENT PosElmntMER10 (#PCDATA)>
<!-- Leaf: Position of erroneous data component -->
<ELEMENT PosCompMER11 (#PCDATA)>
<!-- Leaf: Segment position in message -->
<ELEMENT SegPosSER1 (#PCDATA)>
<!-- Leaf: Error -->
<ELEMENT ErrTypSER2 (#PCDATA)>
<!-- Leaf: Error -->
<ELEMENT ErrTypDER1 (#PCDATA)>
<!-- Leaf: Position of erroneous data element -->
<ELEMENT PosElmntDER2 (#PCDATA)>
<!-- Leaf: Position of erroneous data component -->
<ELEMENT PosCompDER3 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
82. IE912 C_AVL_MTX AVAILABILITY MATRIX	

82. IE912 C_AVL_MTX AVAILABILITY MATRIX

```

<!-- Node: MESSAGE -->
<ELEMENT CD912A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, COU441)>
<!-- Node: COUNTRY -->
<ELEMENT COU441 (CouCod83, COUNAVMAT, COSYSUNAV+)>
<!-- Node: UNAVAILABILITY MATRIX -->
<ELEMENT COUNAVMAT (CouUnaMatFrom670, CouUnaMatTo671)>
<!-- Node: SYSTEM UNAVAILABILITY -->
<ELEMENT COSYSUNAV (CouSysUNaBusFunCSU660, CouSysUNaDowFrmCSU661, CouSysUNaTypCSU662,
CouSysUNaDowToCSU663?, CouSysUNaExpCSU664?, CouSysUNaExpCSU664LNG?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod83 (#PCDATA)>
<!-- Leaf: Time from -->
<ELEMENT CouUnaMatFrom670 (#PCDATA)>
<!-- Leaf: Time to -->
<ELEMENT CouUnaMatTo671 (#PCDATA)>
<!-- Leaf: Business functionality -->
<ELEMENT CouSysUNaBusFunCSU660 (#PCDATA)>
<!-- Leaf: Downtime from -->
<ELEMENT CouSysUNaDowFrmCSU661 (#PCDATA)>
<!-- Leaf: System unavailability type -->
<ELEMENT CouSysUNaTypCSU662 (#PCDATA)>
<!-- Leaf: Downtime to -->

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
82. IE912 C_AVL_MTX AVAILABILITY MATRIX	

<!ELEMENT CouSysUNaDowToCSU663 (#PCDATA)>
<!-- Leaf: Explanation -->
<!ELEMENT CouSysUNaExpCSU664 (#PCDATA)>
<!-- Leaf: Explanation LNG -->
<!ELEMENT CouSysUNaExpCSU664LNG (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
83. IE913 C_UPL_RSP UPLOAD PARSING RESPONSE	

83. IE913 C_UPL_RSP UPLOAD PARSING RESPONSE

```

<!-- Node: MESSAGE -->
<ELEMENT CD913A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, UPRUPR, UPEUPE*)>
<!-- Node: UPL RESPONSE -->
<ELEMENT UPRUPR (OrMesIdUPR1, StatUPR2, DescUPR3?)>
<!-- Node: UPL ERROR -->
<ELEMENT UPEUPE (ActIdUPE1, AttPatUPE2?, CodUPE3, DescUPE4?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Original message identification -->
<ELEMENT OrMesIdUPR1 (#PCDATA)>
<!-- Leaf: Status -->
<ELEMENT StatUPR2 (#PCDATA)>
<!-- Leaf: Description -->
<ELEMENT DescUPR3 (#PCDATA)>
<!-- Leaf: Action identification -->
<ELEMENT ActIdUPE1 (#PCDATA)>
<!-- Leaf: Attribute path -->
<ELEMENT AttPatUPE2 (#PCDATA)>
<!-- Leaf: Code -->
<ELEMENT CodUPE3 (#PCDATA)>
<!-- Leaf: Description -->
<ELEMENT DescUPE4 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
84. IE914 C_COL_REQ COL REQUEST	

84. IE914 C_COL_REQ COL REQUEST

```

<!-- Node: MESSAGE -->
<ELEMENT CD914A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, HEAHEA?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (PerFrDatHEA980?, PerToDatHEA981?, ExtrHEA982?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Period from date -->
<ELEMENT PerFrDatHEA980 (#PCDATA)>
<!-- Leaf: Period to date -->
<ELEMENT PerToDatHEA981 (#PCDATA)>
<!-- Leaf: Extraction -->
<ELEMENT ExtrHEA982 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
85. IE916 C_REF_REQ COMMON RD REQUEST	

85. IE916 C_REF_REQ COMMON RD REQUEST

```

<!-- Node: MESSAGE -->
<ELEMENT CD916A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, HEAHEA?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (PerFrDatHEA980?, PerToDatHEA981?, ExtrHEA982?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Period from date -->
<ELEMENT PerFrDatHEA980 (#PCDATA)>
<!-- Leaf: Period to date -->
<ELEMENT PerToDatHEA981 (#PCDATA)>
<!-- Leaf: Extraction -->
<ELEMENT ExtrHEA982 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
86. IE918 C_MRN_QUE MRN List Query	

86. IE918 C_MRN_QUE MRN List Query

```

<!-- Node: MESSAGE -->
<ELEMENT CD918A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MRNLSTLS1+)>
<!-- Node: MRNLIST -->
<ELEMENT MRNLSTLS1 (DocRefNumLS11, CouCodFrLS12?, RolFrLS13?, CouCodToLS14?, RolToLS15?,
MRNLSTMTYP*, MRNLSTMPER?)>
<!-- Node: MSGTYPE -->
<ELEMENT MRNLSTMTYP (MesTypTYP1)>
<!-- Node: PERIOD OF REQUEST -->
<ELEMENT MRNLSTMPER (DayPerFrPER11, TimPerFrPER12?, DayPerToPER13?, TimPerToPER14?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocRefNumLS11 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
86. IE918 C_MRN_QUE MRN List Query	

```

<!-- Leaf: Country code A -->
<ELEMENT CouCodFrLS12 (#PCDATA)>
<!-- Leaf: Role A -->
<ELEMENT RolFrLS13 (#PCDATA)>
<!-- Leaf: Country code B -->
<ELEMENT CouCodToLS14 (#PCDATA)>
<!-- Leaf: Role B -->
<ELEMENT RolToLS15 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypTYP1 (#PCDATA)>
<!-- Leaf: Day period from -->
<ELEMENT DayPerFrPER11 (#PCDATA)>
<!-- Leaf: Time period from -->
<ELEMENT TimPerFrPER12 (#PCDATA)>
<!-- Leaf: Day period to -->
<ELEMENT DayPerToPER13 (#PCDATA)>
<!-- Leaf: Time period to -->
<ELEMENT TimPerToPER14 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
87. IE919 C_MRN_RSP MRN List Response	

87. IE919 C_MRN_RSP MRN List Response

```

<!-- Node: MESSAGE -->
<ELEMENT CD919A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, OriMesIdeMES22, MRNINF+)>
<!-- Node: MRNINFO -->
<ELEMENT MRNINF (DocRefNumINF1, StatINF2, StatExpCodINF3?, MSGMRNINFING*)>
<!-- Node: MSGINFO -->
<ELEMENT MSGMRNINFING (MesTypING1, SeqIdING2, RepToldING3?, CouCodFrING4, SenDatING5?, CouCodToING6,
RecDatING7?, RecRetCodING8?, CoARepING9?, CoDRepING10?, EXPrepING11?, EXCRepING12?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Original message identification -->
<ELEMENT OriMesIdeMES22 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocRefNumINF1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
87. IE919 C_MRN_RSP MRN List Response	

```

<!-- Leaf: CSMIS status -->
<ELEMENT StatINF2 (#PCDATA)>
<!-- Leaf: CSMIS status explanation code -->
<ELEMENT StatExpCodINF3 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypING1 (#PCDATA)>
<!-- Leaf: Sequence id -->
<ELEMENT SeqIdING2 (#PCDATA)>
<!-- Leaf: Reply to -->
<ELEMENT RepToldING3 (#PCDATA)>
<!-- Leaf: Country code A -->
<ELEMENT CouCodFrING4 (#PCDATA)>
<!-- Leaf: Sent Date -->
<ELEMENT SenDatING5 (#PCDATA)>
<!-- Leaf: Country code B -->
<ELEMENT CouCodToING6 (#PCDATA)>
<!-- Leaf: Received Date -->
<ELEMENT RecDatING7 (#PCDATA)>
<!-- Leaf: Reception return code -->
<ELEMENT RecRetCodING8 (#PCDATA)>
<!-- Leaf: CoA report -->
<ELEMENT CoARepING9 (#PCDATA)>
<!-- Leaf: CoD report -->
<ELEMENT CoDRepING10 (#PCDATA)>
<!-- Leaf: EXP report -->
<ELEMENT EXPRepING11 (#PCDATA)>
<!-- Leaf: EXC report -->
<ELEMENT EXCRepING12 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
88. IE928 E_POS_ACK POSITIVE ACKNOWLEDGE	

88. IE928 E_POS_ACK POSITIVE ACKNOWLEDGE

```

<!-- Node: MESSAGE -->
<ELEMENT CC928A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, MesSeqNumMES22?, FirAndLasTraMES23?, HEAHEA, TRAPRIPC1, CUSOFFDEPEPT)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (RefNumHEA4)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17?, StrAndNumPC122?, PosCodPC123?, CitPC124?, CouPC125?, NADLNGPC?,
TINPC159?, HITPC126?)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Message sequence number -->
<ELEMENT MesSeqNumMES22 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
88. IE928 E_POS_ACK POSITIVE ACKNOWLEDGE	

```

<!-- Leaf: First and last transfer -->
<ELEMENT FirAndLasTraMES23 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
89. IE931 C_COL_DAT COL DATA	

89. IE931 C_COL_DAT COL DATA

```

<!-- Node: MESSAGE -->
<ELEMENT CD931B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, CUSOFFINF105*, COU113*, COUHOL118*)>
<!-- Node: CUSTOMS OFFICE INFORMATION -->
<ELEMENT CUSOFFINF105 (RefNum18, RefNumMaiOff104?, RefNumHigAut19?, RefNumTak20?,
RefNumCAEnqCUSOFFINF131?, RefNumCARecCUSOFFINF132?, CouCod21, UNLId22?, RegCod24?, NCTEntDat25?,
NeaOff26?, NeaOff26LNG?, Pos28, PhoNum29?, FaxNum30?, TelNum31?, EmaAdd32?, GeolnfCod33?, TraDed34, ACT119,
TRADED106*, COICOSN*, CUSOFFLSD109+, CUSOFFTIM110*)>
<!-- Node: COUNTRY/REGION -->
<ELEMENT COU113 (CouCod73, CouCod74, ACT119, COULSD115+, COUHOL116*)>
<!-- Node: COUNTRY HOLIDAYS -->
<ELEMENT COUHOL118 (CouCod92, ACT119, COUHOLDAT120+)>
<!-- Node: ACTION -->
<ELEMENT ACT119 (Ope288, ValDat103?, ModSub144?, ActId)>
<!-- Node: (DEDICATED) TRADER -->
<ELEMENT TRADED106 (Nam36, LanCod37, TIN38?)>
<!-- Node: CUSTOMS OFFICE SPECIFIC NOTES -->
<ELEMENT COICOSN (SpecNotCodCN634)>
<!-- Node: CUSTOMS OFFICE LSD -->
<ELEMENT CUSOFFLSD109 (LanCod44, CusOffUsuNam45, CusOffUsuNam45LNG?, StrAndNum47, StrAndNum47LNG?,
Cit49, Cit49LNG?, PreLev51?, PreFla52, PreNam53?, PreNam53LNG?, Spa55)>
<!-- Node: CUSTOMS OFFICE TIMETABLE -->
<ELEMENT CUSOFFTIM110 (SeaCod57, SeaNam58?, SeaNam58LNG?, SeaStaDat60, SeaEndDat61,
CUSOFFTIMLIN111+)>
<!-- Node: COUNTRY/REGION LSD -->
<ELEMENT COULSD115 (LanCod80, CouNam81, CouNam81LNG?)>
<!-- Node: COUNTRY/REGION HOLIDAYS -->
<ELEMENT COUHOL116 (CouHolVarHolDat, Day84, Mon85, Yea86?, COUHOLLSD117+)>
<!-- Node: COUNTRY HOLIDAYS DATA -->
<ELEMENT COUHOLDAT120 (VarHolCouHolDat, Day98, Mon99, Yea100?, COUHOLDATLSD121+)>
<!-- Node: CUSTOMS OFFICE TIMETABLE LINE -->
<ELEMENT CUSOFFTIMLIN111 (DayInTheWeeBEGDA63, OpeHouTimFirPerF64, OpeHouTimFirPerT65,
DayInTheWeeENDDA66, OpeHouTimSecPerF67?, OpeHouTimSecPerT68?, CUSOFFROLCOM112+)>
<!-- Node: COUNTRY/REGION HOLIDAYS LSD -->
<ELEMENT COUHOLLSD117 (LanCod88, PubHolNam89, PubHolNam89LNG?)>
<!-- Node: COUNTRY HOLIDAYS DATA LSD -->
<ELEMENT COUHOLDATLSD121 (LanCod102, PubHolNam89, PubHolNam89LNG?)>
<!-- Node: CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE -->
<ELEMENT CUSOFFROLCOM112 (Rol70, TraTyp71)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
89. IE931 C_COL_DAT COL DATA	

```

<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNum18 (#PCDATA)>
<!-- Leaf: Reference number main office -->
<ELEMENT RefNumMaiOff104 (#PCDATA)>
<!-- Leaf: Reference number higher authority -->
<ELEMENT RefNumHigAut19 (#PCDATA)>
<!-- Leaf: Reference number take-over -->
<ELEMENT RefNumTak20 (#PCDATA)>
<!-- Leaf: Reference number Competent Authority of Enquiry -->
<ELEMENT RefNumCAEnqCUSOFFINF131 (#PCDATA)>
<!-- Leaf: Reference number Competent Authority of Recovery -->
<ELEMENT RefNumCARecCUSOFFINF132 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod21 (#PCDATA)>
<!-- Leaf: UN/LOCODE id -->
<ELEMENT UNLIid22 (#PCDATA)>
<!-- Leaf: Region code -->
<ELEMENT RegCod24 (#PCDATA)>
<!-- Leaf: NCTS entry date -->
<ELEMENT NCTEntDat25 (#PCDATA)>
<!-- Leaf: Nearest office -->
<ELEMENT NeaOff26 (#PCDATA)>
<!-- Leaf: Nearest office LNG -->
<ELEMENT NeaOff26LNG (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT Pos28 (#PCDATA)>
<!-- Leaf: Phone number -->
<ELEMENT PhoNum29 (#PCDATA)>
<!-- Leaf: Fax number -->
<ELEMENT FaxNum30 (#PCDATA)>
<!-- Leaf: Telex number -->
<ELEMENT TelNum31 (#PCDATA)>
<!-- Leaf: E-mail address -->
<ELEMENT EmaAdd32 (#PCDATA)>
<!-- Leaf: Geo info code -->
<ELEMENT GeoInfCod33 (#PCDATA)>
<!-- Leaf: Trader dedicated -->
<ELEMENT TraDed34 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
89. IE931 C_COL_DAT COL DATA	

```

<!-- Leaf: Operation -->
<ELEMENT Ope288 (#PCDATA)>
<!-- Leaf: Validity date -->
<ELEMENT ValDat103 (#PCDATA)>
<!-- Leaf: Modification subtype -->
<ELEMENT ModSub144 (#PCDATA)>
<!-- Leaf: Action identification -->
<ELEMENT ActId (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT Nam36 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod37 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TIN38 (#PCDATA)>
<!-- Leaf: Specific notes code -->
<ELEMENT SpecNotCodCN634 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod44 (#PCDATA)>
<!-- Leaf: Customs office usual name -->
<ELEMENT CusOffUsuNam45 (#PCDATA)>
<!-- Leaf: Customs office usual name LNG -->
<ELEMENT CusOffUsuNam45LNG (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNum47 (#PCDATA)>
<!-- Leaf: Street and number LNG -->
<ELEMENT StrAndNum47LNG (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT Cit49 (#PCDATA)>
<!-- Leaf: City LNG -->
<ELEMENT Cit49LNG (#PCDATA)>
<!-- Leaf: Prefix-suffix level -->
<ELEMENT PreLev51 (#PCDATA)>
<!-- Leaf: Prefix-suffix flag -->
<ELEMENT PreFla52 (#PCDATA)>
<!-- Leaf: Prefix-suffix name -->
<ELEMENT PreNam53 (#PCDATA)>
<!-- Leaf: Prefix-suffix name LNG -->
<ELEMENT PreNam53LNG (#PCDATA)>
<!-- Leaf: Space to add -->
<ELEMENT Spa55 (#PCDATA)>
<!-- Leaf: Season code -->
<ELEMENT SeaCod57 (#PCDATA)>
<!-- Leaf: Season name -->
<ELEMENT SeaNam58 (#PCDATA)>
<!-- Leaf: Season name LNG -->
<ELEMENT SeaNam58LNG (#PCDATA)>
<!-- Leaf: Season start date -->
<ELEMENT SeaStaDat60 (#PCDATA)>
<!-- Leaf: Season end date -->
<ELEMENT SeaEndDat61 (#PCDATA)>
<!-- Leaf: Day in the week (begin day) -->
<ELEMENT DayInTheWeeBEGDA63 (#PCDATA)>
<!-- Leaf: Opening hours time first period from -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
89. IE931 C_COL_DAT COL DATA	

```

<ELEMENT OpeHouTimFirPerF64 (#PCDATA)>
<!-- Leaf: Opening hours time first period to -->
<ELEMENT OpeHouTimFirPerT65 (#PCDATA)>
<!-- Leaf: Day in the week (end day) -->
<ELEMENT DayInTheWeeENDDA66 (#PCDATA)>
<!-- Leaf: Opening hours time second period from -->
<ELEMENT OpeHouTimSecPerF67 (#PCDATA)>
<!-- Leaf: Opening hours time second period to -->
<ELEMENT OpeHouTimSecPerT68 (#PCDATA)>
<!-- Leaf: Role -->
<ELEMENT Rol70 (#PCDATA)>
<!-- Leaf: Traffic type -->
<ELEMENT TraTyp71 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod73 (#PCDATA)>
<!-- Leaf: Country/region code -->
<ELEMENT CouCod74 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod80 (#PCDATA)>
<!-- Leaf: Country/region name -->
<ELEMENT CouNam81 (#PCDATA)>
<!-- Leaf: Country/region name LNG -->
<ELEMENT CouNam81LNG (#PCDATA)>
<!-- Leaf: Variable holiday date -->
<ELEMENT CouHolVarHolDat (#PCDATA)>
<!-- Leaf: Day -->
<ELEMENT Day84 (#PCDATA)>
<!-- Leaf: Month -->
<ELEMENT Mon85 (#PCDATA)>
<!-- Leaf: Year -->
<ELEMENT Yea86 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod88 (#PCDATA)>
<!-- Leaf: Public holiday name -->
<ELEMENT PubHolNam89 (#PCDATA)>
<!-- Leaf: Public holiday name LNG -->
<ELEMENT PubHolNam89LNG (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod92 (#PCDATA)>
<!-- Leaf: Variable holiday date -->
<ELEMENT VarHolCouHolDat (#PCDATA)>
<!-- Leaf: Day -->
<ELEMENT Day98 (#PCDATA)>
<!-- Leaf: Month -->
<ELEMENT Mon99 (#PCDATA)>
<!-- Leaf: Year -->
<ELEMENT Yea100 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod102 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
90. IE932 C_REF_DAT COMMON RD DATA	

90. IE932 C_REF_DAT COMMON RD DATA

```

<!-- Node: MESSAGE -->
<ELEMENT CD932B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, RESOFCON534*, AMEREJMOT429*, AARREJREA432*, ATRREJREA435*,
CONRESCOD438*, COU441*, COUREG444*, CUSOFFGEOINF447*, CURCOD450*, DISSOLNOT456*, DIVREJREA459*,
DOCTYP462*, GUATYP472*, GUAMON475*, INVGUAREA478*, LANCOD481*, PACCOD484*, ROL490*,
SENGOOCOD493*, SPEMENCOD496*, STATYP499*, TRATYP502*, CUSOPESTATYP505*, UNIOFMEA508*, UNL511*,
TRAMOD513*, QUEONGUATYP516*, SPENOTCODSNC2*, COMCOD389*, EXPQUEREACOD402*, INCCOD425*,
NATTRANCOD451*, PROREQ490*, PREPRO477*, REPSTACOD503*, RISANARESCOD382*, SPECCIRIND384*,
SUMDECREJREACOD544*, TYOFTAX570*, WARTYP595*, UNDANGOOCOD583*, COMNATPRO106*,
PREVDOCCAT464*, METHOPPAY367*, TRACHAMETOPPAY557*, DECTYP453*, DECTYPBX2*, INF359*,
PREDOCTYP463*, REQINF690*, ITENUMREJREACOD440*, CUSINT632*, INFYTP432*, RESCOD*)>
<!-- Node: RESULTS OF CONTROL -->
<ELEMENT RESOFCON534 (ConInd424, LANSPEDAT515+, ACT517)>
<!-- Node: AMENDMENT REJECTION MOTIVATION -->
<ELEMENT AMEREJMOT429 (AmeRejMotCod31, LANSPEDAT515+, ACT517)>
<!-- Node: AAR/AER REJECTION REASON -->
<ELEMENT AARREJREA432 (AARRejReaCod44, LANSPEDAT515+, ACT517)>
<!-- Node: ATR REJECTION REASON -->
<ELEMENT ATRREJREA435 (ATRRejReaCod57, LANSPEDAT515+, ACT517)>
<!-- Node: CONTROL RESULT CODE -->
<ELEMENT CONRESCOD438 (ConResCod70, ACT517, LANSPEDAT515+)>
<!-- Node: COUNTRY -->
<ELEMENT COU441 (CouCod83, TCCEntDat84, NCTEntDat85, GeoCod86?, CouRegCod87, ACT517, LANSPEDAT515+)>
<!-- Node: COUNTRY REGIME -->
<ELEMENT COUREG444 (CouRegCod100, ACT517, LANSPEDAT515+)>
<!-- Node: CUSTOMS OFFICE GEO INFO -->
<ELEMENT CUSOFFGEOINF447 (CusOffGeoInfCod113, ACT517, LANSPEDAT515+)>
<!-- Node: CURRENCY CODE -->
<ELEMENT CURCOD450 (Cur126, RatVal127, ACT517, LANSPEDAT515+)>
<!-- Node: DISCREPANCIES SOLVED NOTIFICATION -->
<ELEMENT DISSOLNOT456 (DisSolNotCod153, LANSPEDAT515+, ACT517)>
<!-- Node: DIVERSION REJECTION REASON -->
<ELEMENT DIVREJREA459 (DivRejReaCod166, LANSPEDAT515+, ACT517)>
<!-- Node: DOCUMENT TYPE -->
<ELEMENT DOCTYP462 (DocTyp179, TraDoc199, ACT517, LANSPEDAT515+)>
<!-- Node: GUARANTEE TYPE -->
<ELEMENT GUATYP472 (GuaTypCod217, ACT517, LANSPEDAT515+)>
<!-- Node: GUARANTEE MONITORING -->
<ELEMENT GUAMON475 (GuaMonCod230, ACT517, LANSPEDAT515+)>
<!-- Node: INVALID GUARANTEE REASON -->
<ELEMENT INVGUAREA478 (InvGuaReaCod243, ACT517, LANSPEDAT515+)>
<!-- Node: LANGUAGE CODE -->
<ELEMENT LANCOD481 (LanCod256, ACT517, LANSPEDAT515+)>
<!-- Node: PACKAGING CODE -->
<ELEMENT PACCOD484 (PacCod269, ACT517, LANSPEDAT515+)>
<!-- Node: ROLE -->
<ELEMENT ROL490 (Rol295, ACT517, LANSPEDAT515+)>
<!-- Node: SENSITIVE GOODS CODE -->
<ELEMENT SENGOOCOD493 (ComCod308, SenGooCod309?, RefQua310?, UniOfMea311?, EECTerLim312, ACT517,
LANSPEDAT515+)>
<!-- Node: SPECIAL MENTION CODE -->
<ELEMENT SPEMENCOD496 (SpeMenCod325, ACT517, LANSPEDAT515+)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
90. IE932 C_REF_DAT COMMON RD DATA	

```

<!-- Node: STATISTICS TYPE -->
<IELEMENT STATYP499 (StaTyp338, ACT517, LANSPEDAT515+)>
<!-- Node: TRAFFIC TYPE -->
<IELEMENT TRATYP502 (TraTyp351, ACT517, LANSPEDAT515+)>
<!-- Node: CUSTOMS OPERATION STATE TYPE -->
<IELEMENT CUSOPESTATYP505 (CusOpeStaTyp364, ACT517, LANSPEDAT515+)>
<!-- Node: UNIT OF MEASURE -->
<IELEMENT UNIOFMEA508 (UniOfMeaCod377, ACT517, LANSPEDAT515+)>
<!-- Node: UN/LOCODE -->
<IELEMENT UNL511 (CouCod390, UNL391, UNLNam392, ACT517)>
<!-- Node: TRANSPORT MODE -->
<IELEMENT TRAMOD513 (TraMod401, ACT517, LANSPEDAT515+)>
<!-- Node: QUERY ON GUARANTEE TYPE -->
<IELEMENT QUEONGUATYP516 (QueIde414, ACT517, LANSPEDAT515+)>
<!-- Node: SPECIFIC NOTES CODE -->
<IELEMENT SPENOTCODSNC2 (SpeNotCod644, ACT517, LANSPEDAT515+)>
<!-- Node: COMPLEMENTARY CODE -->
<IELEMENT COMCOD389 (ComCodCOMCOD401, LANSPEDAT515+, ACT517)>
<!-- Node: EXPORT QUERY REASON CODE -->
<IELEMENT EXPQUEREAACOD402 (ExpQueReaCodEXPQUEREAACOD414, LANSPEDAT515+, ACT517)>
<!-- Node: INCOTERM CODE -->
<IELEMENT INCCOD425 (IncCodINCCOD652, LANSPEDAT515+, ACT517)>
<!-- Node: NATURE OF TRANSACTION CODE -->
<IELEMENT NATTRANCOD451 (NatTranCodNATTRACOD463, LANSPEDAT515+, ACT517)>
<!-- Node: PROCEDURE REQUESTED -->
<IELEMENT PROREQ490 (ProReqPROREQ502, LANSPEDAT515+, ACT517)>
<!-- Node: PREVIOUS PROCEDURE -->
<IELEMENT PREPRO477 (PreProPREPRO489, LANSPEDAT515+, ACT517)>
<!-- Node: REPRESENTATIVE STATUS CODE -->
<IELEMENT REPSTACOD503 (RepStatCodREPSTATCOD516, LANSPEDAT515+, ACT517)>
<!-- Node: RISK ANALYSIS RESULT CODE -->
<IELEMENT RISANARESCOD382 (RisAnaResCodRISANARESCOD528, ACT517, LANSPEDAT515+)>
<!-- Node: SPECIFIC CIRCUMSTANCE INDICATOR -->
<IELEMENT SPECCIRIND384 (SpeCirIndSPECIRIND543, LANSPEDAT515+, ACT517)>
<!-- Node: SUMMARY DECLARATION REJECTION REASON CODE -->
<IELEMENT SUMDECREJREACOD544 (SumDecRejReaCodSUMDECREJREACOD556, ACT517, LANSPEDAT515+)>
<!-- Node: TYPE OF TAX -->
<IELEMENT TYPOFTAX570 (TypOfTaxTYPOFTAX582, LANSPEDAT515+, ACT517)>
<!-- Node: WAREHOUSE TYPE -->
<IELEMENT WARTYP595 (WarTypWARTYP607, ACT517, LANSPEDAT515+)>
<!-- Node: UN DANGEROUS GOODS CODE -->
<IELEMENT UNDANGOOCOD583 (UNDangoocodUNDANGOOCOD594, LANSPEDAT515+, ACT517)>
<!-- Node: COMMUNITY NATIONAL PROCEDURE -->
<IELEMENT COMNATPRO106 (ComNatProCOM613, LANSPEDAT515+, ACT517)>
<!-- Node: PREVIOUS DOCUMENT CATEGORY -->
<IELEMENT PREDOCCAT464 (PreDocCatPREDOCCAT476, LANSPEDAT515+, ACT517)>
<!-- Node: METHOD OF PAYMENT -->
<IELEMENT METHOFPAY367 (MethofPayMETHOFPAY450, ACT517, LANSPEDAT515+)>
<!-- Node: TRANSPORT CHARGES METHOD OF PAYMENT -->
<IELEMENT TRACHAMETOPPAY557 (TraChaMetOfPayTRACHAMETOPPAY569, ACT517, LANSPEDAT515+)>
<!-- Node: DECLARATION TYPE -->
<IELEMENT DECTYP453 (DecTyp140, ACT517, LANSPEDAT515+)>
<!-- Node: DECLARATION TYPE (BOX 1.2) -->

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
90. IE932 C_REF_DAT COMMON RD DATA	

```

<ELEMENT DECTYPBX2 (TypOfDecBx2DEC626, ACT517, LANSPEDAT515+)>
<!-- Node: INFORMATION -->
<ELEMENT INF359 (InfCodINF045, ACT517, LANSPEDAT515+)>
<!-- Node: PREVIOUS DOCUMENT TYPE -->
<ELEMENT PREDOCTYP463 (PreDocTyp180, ACT517, LANSPEDAT515+)>
<!-- Node: REQUESTED INFORMATION -->
<ELEMENT REQINF690 (ReqInfCodREQINF546, LANSPEDAT515+, ACT517)>
<!-- Node: ITEM NUMBER REJECTION REASON CODE -->
<ELEMENT ITENUMREJREACOD440 (ItemNumRejReaCodITENUMREJREACOD444, ACT517, LANSPEDAT515+)>
<!-- Node: CUSTOMS INTERVENTION -->
<ELEMENT CUSINT632 (CusIntCodCUSINT665, ACT517, LANSPEDAT515+)>
<!-- Node: INFORMATION TYPE -->
<ELEMENT INFTYP432 (InfTypINFTYP433, ACT517, LANSPEDAT515+)>
<!-- Node: RESPONSE CODE -->
<ELEMENT RESCOD (ResCodRESCOD569, LANSPEDAT515+, ACT517)>
<!-- Node: LANGUAGE SPECIFIC DATA -->
<ELEMENT LANSPEDAT515 (LanCod347, Des110, LANSPEDAT515LNG?)>
<!-- Node: ACTION -->
<ELEMENT ACT517 (Ope288, ValDat103?, ModSub144?, LegRef197?, ResDatMan302?, ActId)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Control indicator -->
<ELEMENT ConInd424 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod347 (#PCDATA)>
<!-- Leaf: Description -->
<ELEMENT Des110 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
90. IE932 C_REF_DAT COMMON RD DATA	

```

<!-- Leaf: Language specific data LNG -->
<ELEMENT LANSPEDAT515LNG (#PCDATA)>
<!-- Leaf: Operation -->
<ELEMENT Ope288 (#PCDATA)>
<!-- Leaf: Validity date -->
<ELEMENT ValDat103 (#PCDATA)>
<!-- Leaf: Modification subtype -->
<ELEMENT ModSub144 (#PCDATA)>
<!-- Leaf: Legal references -->
<ELEMENT LegRef197 (#PCDATA)>
<!-- Leaf: Responsible data manager -->
<ELEMENT ResDatMan302 (#PCDATA)>
<!-- Leaf: Action identification -->
<ELEMENT ActId (#PCDATA)>
<!-- Leaf: Amendment rejection motivation code -->
<ELEMENT AmeRejMotCod31 (#PCDATA)>
<!-- Leaf: AAR/AER rejection reason code -->
<ELEMENT AARRejReaCod44 (#PCDATA)>
<!-- Leaf: ATR rejection reason code -->
<ELEMENT ATRRejReaCod57 (#PCDATA)>
<!-- Leaf: Control result code -->
<ELEMENT ConResCod70 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod83 (#PCDATA)>
<!-- Leaf: TCC entry date -->
<ELEMENT TCCEntDat84 (#PCDATA)>
<!-- Leaf: NCTS entry date -->
<ELEMENT NCTEntDat85 (#PCDATA)>
<!-- Leaf: Geo-nomenclature code -->
<ELEMENT GeoCod86 (#PCDATA)>
<!-- Leaf: Country regime code -->
<ELEMENT CouRegCod87 (#PCDATA)>
<!-- Leaf: Country regime code -->
<ELEMENT CouRegCod100 (#PCDATA)>
<!-- Leaf: Geo info code -->
<ELEMENT CusOffGeoInfCod113 (#PCDATA)>
<!-- Leaf: Currency -->
<ELEMENT Cur126 (#PCDATA)>
<!-- Leaf: Rate value -->
<ELEMENT RatVal127 (#PCDATA)>
<!-- Leaf: Discrepancies solved notification code -->
<ELEMENT DisSolNotCod153 (#PCDATA)>
<!-- Leaf: Diversion rejection reason code -->
<ELEMENT DivRejReaCod166 (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTyp179 (#PCDATA)>
<!-- Leaf: Transport document -->
<ELEMENT TraDoc199 (#PCDATA)>
<!-- Leaf: Guarantee type -->
<ELEMENT GuaTypCod217 (#PCDATA)>
<!-- Leaf: Guarantee monitoring code -->
<ELEMENT GuaMonCod230 (#PCDATA)>
<!-- Leaf: Invalid guarantee reason code -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
90. IE932 C_REF_DAT COMMON RD DATA	

```

<ELEMENT InvGuaReaCod243 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod256 (#PCDATA)>
<!-- Leaf: Kind of packages -->
<ELEMENT PacCod269 (#PCDATA)>
<!-- Leaf: Role -->
<ELEMENT Rol295 (#PCDATA)>
<!-- Leaf: Commodity code (taric code) -->
<ELEMENT ComCod308 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<ELEMENT SenGooCod309 (#PCDATA)>
<!-- Leaf: Reference quantity -->
<ELEMENT RefQua310 (#PCDATA)>
<!-- Leaf: Unit of measure code -->
<ELEMENT UniOfMea311 (#PCDATA)>
<!-- Leaf: EEC territory limitation -->
<ELEMENT EECterLim312 (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT SpeMenCod325 (#PCDATA)>
<!-- Leaf: Statistics type -->
<ELEMENT StaTyp338 (#PCDATA)>
<!-- Leaf: Traffic type -->
<ELEMENT TraTyp351 (#PCDATA)>
<!-- Leaf: Customs Operation State Types -->
<ELEMENT CusOpeStaTyp364 (#PCDATA)>
<!-- Leaf: Unit of measure code -->
<ELEMENT UniOfMeaCod377 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod390 (#PCDATA)>
<!-- Leaf: UN/LOCODE id -->
<ELEMENT UNL391 (#PCDATA)>
<!-- Leaf: UN/LOCODE name -->
<ELEMENT UNLNam392 (#PCDATA)>
<!-- Leaf: Transport mode -->
<ELEMENT TraMod401 (#PCDATA)>
<!-- Leaf: Query identifier -->
<ELEMENT Quelde414 (#PCDATA)>
<!-- Leaf: Specific notes code -->
<ELEMENT SpeNotCod644 (#PCDATA)>
<!-- Leaf: Complementary code -->
<ELEMENT ComCodCOMCOD401 (#PCDATA)>
<!-- Leaf: Export_Query Reason Code -->
<ELEMENT ExpQueReaCodEXPQUEREACOD414 (#PCDATA)>
<!-- Leaf: Incoterm Code -->
<ELEMENT IncCodINCCOD652 (#PCDATA)>
<!-- Leaf: Nature of transaction code -->
<ELEMENT NatTranCodNATTRACOD463 (#PCDATA)>
<!-- Leaf: Procedure requested -->
<ELEMENT ProReqPROREQ502 (#PCDATA)>
<!-- Leaf: Previous Procedure -->
<ELEMENT PreProPREPRO489 (#PCDATA)>
<!-- Leaf: Representative status code -->
<ELEMENT RepStatCodREPSTATCOD516 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
90. IE932 C_REF_DAT COMMON RD DATA	

```

<!-- Leaf: Risk Analysis result code -->
<ELEMENT RisAnaResCodRISANARESCOD528 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndSPECIRIND543 (#PCDATA)>
<!-- Leaf: Summary Declaration rejection reason code -->
<ELEMENT SumDecRejReaCodSUMDECREJREACOD556 (#PCDATA)>
<!-- Leaf: Type of tax -->
<ELEMENT TypOfTaxTYPOFTAX582 (#PCDATA)>
<!-- Leaf: Warehouse type -->
<ELEMENT WarTypWARTYP607 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNdangooocodUNDANGOOCOD594 (#PCDATA)>
<!-- Leaf: Community / National Procedure -->
<ELEMENT ComNatProCOM613 (#PCDATA)>
<!-- Leaf: Previous Document Category -->
<ELEMENT PreDocCatPREDOCCAT476 (#PCDATA)>
<!-- Leaf: Method of payment -->
<ELEMENT MethofPayMETHOFPAY450 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayTRACHAMETOPPAY569 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT DecTyp140 (#PCDATA)>
<!-- Leaf: Type of declaration (Box 1.2) -->
<ELEMENT TypOfDecBx2DEC626 (#PCDATA)>
<!-- Leaf: Information Code -->
<ELEMENT InfCodINF045 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTyp180 (#PCDATA)>
<!-- Leaf: Requested Information Code -->
<ELEMENT ReqInfCodREQINF546 (#PCDATA)>
<!-- Leaf: Item number rejection reason code -->
<ELEMENT ItemNumRejReaCodITENUMREJREACOD444 (#PCDATA)>
<!-- Leaf: Customs Intervention code -->
<ELEMENT CusIntCodCUSINT665 (#PCDATA)>
<!-- Leaf: Information type -->
<ELEMENT InfTypINFTYP433 (#PCDATA)>
<!-- Leaf: Response Code -->
<ELEMENT ResCodRESCOD569 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
91. IE971 C_UNA_DAT FULL UNAVAILABILITY SCHEDULE	

91. IE971 C_UNA_DAT FULL UNAVAILABILITY SCHEDULE

```

<!-- Node: MESSAGE -->
<ELEMENT CD971A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, COU441*)>
<!-- Node: COUNTRY -->
<ELEMENT COU441 (CouCod83, ACT517+, COSYSUNAV+)>
<!-- Node: ACTION -->
<ELEMENT ACT517 (Ope288)>
<!-- Node: SYSTEM UNAVAILABILITY -->
<ELEMENT COSYSUNAV (CouSysUNaBusFunCSU660, CouSysUNaDowFrmCSU661, CouSysUNaTypCSU662,
CouSysUNaDowToCSU663?, CouSysUNaExpCSU664?, CouSysUNaExpCSU664LNG?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod83 (#PCDATA)>
<!-- Leaf: Operation -->
<ELEMENT Ope288 (#PCDATA)>
<!-- Leaf: Business functionality -->
<ELEMENT CouSysUNaBusFunCSU660 (#PCDATA)>
<!-- Leaf: Downtime from -->
<ELEMENT CouSysUNaDowFrmCSU661 (#PCDATA)>
<!-- Leaf: System unavailability type -->
<ELEMENT CouSysUNaTypCSU662 (#PCDATA)>
<!-- Leaf: Downtime to -->
<ELEMENT CouSysUNaDowToCSU663 (#PCDATA)>
<!-- Leaf: Explanation -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
91. IE971 C_UNA_DAT FULL UNAVAILABILITY SCHEDULE	

<!ELEMENT CouSysUNaExpCSU664 (#PCDATA)>
<!-- Leaf: Explanation LNG -->
<!ELEMENT CouSysUNaExpCSU664LNG (#PCDATA)>

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
92. IE012 C_AAR_SPD AAR-TIR-SPEED	

92. IE012 C_AAR_SPD AAR-TIR-SPEED

```

<!-- Node: MESSAGE -->
<ELEMENT CD012B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAPRIPC1, TRACONCO1?, TRACONCE1?, TRAAUTCONTRA?, CUSOFFDEPEPT,
CUSOFFTRARNS*, CUSOFFDESEST, CONRESERS, SEAINFSLI?, GOOITEGDS+, ITI*, RISANA*, CARTRA100?,
TRACORSEC037?, TRACONSEC029?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, TypOfDecHEA24, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?,
AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, PlaOfLoaCodHEA46?, CouOfDisCodHEA55?,
CusSubPlaHEA66?, TraModAtBorHEA76?, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?,
NatOfMeaOfTraAtDHEA80?, IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?,
ConIndHEA96, AccDatHEA158, IssDatHEA186, NCTSAccDocHEA601LNG, TotNumOfIteHEA305, TotNumOfPacHEA306?,
TotGroMasHEA307, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?, SecHEA358?, ConRefNumHEA?,
CodPIUnHEA357?, CodPIUnHEA357LNG?)>
<!-- Node: (PRINCIPAL) TRADER -->
<ELEMENT TRAPRIPC1 (NamPC17, StrAndNumPC122, PosCodPC123, CitPC124, CouPC125, NADLNGPC?, TINPC159?,
HITPC126?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO1 (NamCO17, StrAndNumCO122, PosCodCO123, CitCO124, CouCO125, NADLNGCO?,
TINCO159?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (AUTHORISED CONSIGNEE) TRADER -->
<ELEMENT TRAAUTCONTRA (TINTRA59)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (TRANSIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFTRARNS (RefNumRNS1, ArrTimTRACUS085?)>
<!-- Node: (DESTINATION) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESEST (RefNumEST1)>
<!-- Node: CONTROL RESULT -->
<ELEMENT CONRESERS (ConResCodERS16, DatLimERS69)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID+)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, ComCodTarCodGDS10?, DecTypGDS15?, GooDesGDS23, GooDesGDS23LNG?,
GroMasGDS46?, NetMasGDS48?, CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ComRefNumGIM1?,
UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPEMENMT2*, TRACONCO2?, TRACONCE2?, CONNR2*,
PACGS2+, SGICODSD2*, TRACORSECGOO021?, TRACONSECGOO013?)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: RISK ANALYSIS -->
<ELEMENT RISANA (IteNumInvRKA1?, RisAnaResCodRKA1, RisAnaTexRKA1?, RisAnaTexRKA1LNG?)>
<!-- Node: (CARRIER) TRADER -->
<ELEMENT CARTRA100 (NamCARTRA121, StrAndNumCARTRA254, PosCodCARTRA121, CitCARTRA789,
CouCodCARTRA587, NADCARTRA121?, TINCARTRA254?)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSEC037 (NamTRACORSEC041, StrNumTRACORSEC043, PosCodTRACORSEC042,
CitTRACORSEC038, CouCodTRACORSEC039, TRACORSEC037LNG?, TINTRACORSEC044?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSEC029 (NameTRACONSEC033, StrNumTRACONSEC035, PosCodTRACONSEC034,
CitTRACONSEC030, CouCodTRACONSEC031, TRACONSEC029LNG?, TINTRACONSEC036?)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
92. IE012 C_AAR_SPD AAR-TIR-SPEED	

```

<!-- Node: SEALS ID -->
<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?, ComOfInfAR29?,
ComOfInfAR29LNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23?, DocRefDCLNG?, ComOfInfDC25?, ComOfInfDC25LNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfCodMT23, ExpFroECMT24?, ExpFroCouMT25?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO2 (NamCO27, StrAndNumCO222, PosCodCO223, CitCO224, CouCO225, NADLNGGTCO?,
TINCO259?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Node: SGI CODES -->
<ELEMENT SGICODSD2 (SenGooCodSD22?, SenQuaSD23)>
<!-- Node: (CONSIGNOR-SECURITY) TRADER -->
<ELEMENT TRACORSECGOO021 (NamTRACORSECGOO025, StrNumTRACORSECGOO027,
PosCodTRACORSECGOO026, CitTRACORSECGOO022, CouCodTRACORSECGOO023, TRACORSECGOO021LNG?,
TINTRACORSECGOO028?)>
<!-- Node: (CONSIGNEE-SECURITY) TRADER -->
<ELEMENT TRACONSECGOO013 (NamTRACONSECGOO017, StrNumTRACONSECGOO019,
PosCodTRACONSECGOO018, CityTRACONSECGOO014, CouCodTRACONSECGOO015, TRACONSECGOO013LNG?,
TINTRACONSECGOO020?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecldeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>

```


DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
92. IE012 C_AAR_SPD AAR-TIR-SPEED	

```

<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<ELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<ELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<ELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<ELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Place of loading, code -->
<ELEMENT PlaOfLoaCodHEA46 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<ELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<ELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport at departure -->
<ELEMENT NatOfMeaOfTraAtDHEA80 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<ELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<ELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<ELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<ELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<ELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Issuing date -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
92. IE012 C_AAR_SPD AAR-TIR-SPEED	

```

<ELEMENT IssDatHEA186 (#PCDATA)>
<!-- Leaf: NCTS accompanying document language code -->
<ELEMENT NCTSAccDocHEA601LNG (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Security -->
<ELEMENT SecHEA358 (#PCDATA)>
<!-- Leaf: Conveyance reference number -->
<ELEMENT ConRefNumHEA (#PCDATA)>
<!-- Leaf: Place of unloading, code -->
<ELEMENT CodPIUnHEA357 (#PCDATA)>
<!-- Leaf: Place of unloading LNG -->
<ELEMENT CodPIUnHEA357LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPC17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPC122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPC123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPC124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouPC125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGPC (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPC159 (#PCDATA)>
<!-- Leaf: Holder ID TIR -->
<ELEMENT HITPC126 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO159 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
92. IE012 C_AAR_SPD AAR-TIR-SPEED	

```

<!-- Leaf: Name -->
<ELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRA59 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumRNS1 (#PCDATA)>
<!-- Leaf: Arrival Time -->
<ELEMENT ArrTimTRACUS085 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEST1 (#PCDATA)>
<!-- Leaf: Control result code -->
<ELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Date limit -->
<ELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Commodity code -->
<ELEMENT ComCodTarCodGDS10 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT DecTypGDS15 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
92. IE012 C_AAR_SPD AAR-TIR-SPEED	

```

<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<ELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<ELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfAR29 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfAR29LNG (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Complement of information -->
<ELEMENT ComOfInfDC25 (#PCDATA)>
<!-- Leaf: Complement of information LNG -->
<ELEMENT ComOfInfDC25LNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Export from EC -->
<ELEMENT ExpFroECMT24 (#PCDATA)>
<!-- Leaf: Export from country -->
<ELEMENT ExpFroCouMT25 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGTCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE224 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
92. IE012 C_AAR_SPD AAR-TIR-SPEED	

```

<!-- Leaf: Country code -->
<ELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<ELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<ELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<ELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<ELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<ELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<ELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<ELEMENT SenGooCodSD22 (#PCDATA)>
<!-- Leaf: Sensitive quantity -->
<ELEMENT SenQuaSD23 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSECGOO025 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSECGOO027 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSECGOO026 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSECGOO022 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSECGOO023 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSECGOO021LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSECGOO028 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACONSECGOO017 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSECGOO019 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSECGOO018 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CityTRACONSECGOO014 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSECGOO015 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSECGOO013LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSECGOO020 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<ELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Item Number involved -->

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
92. IE012 C_AAR_SPD AAR-TIR-SPEED	

```

<ELEMENT IteNumInvRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis result code -->
<ELEMENT RisAnaResCodRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis text -->
<ELEMENT RisAnaTexRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis LNG -->
<ELEMENT RisAnaTexRKA1LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCARTRA121 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCARTRA254 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCARTRA121 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCARTRA789 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodCARTRA587 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADCARTRA121 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCARTRA254 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRACORSEC041 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACORSEC043 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACORSEC042 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACORSEC038 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACORSEC039 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACORSEC037LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACORSEC044 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NameTRACONSEC033 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrNumTRACONSEC035 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRACONSEC034 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRACONSEC030 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRACONSEC031 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRACONSEC029LNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRACONSEC036 (#PCDATA)>

```

DDNTA for NCTS P4. Version 19.40	Aligned to DDNTA RFC-List 0.28
REF:CUST-DEV3-SC03-DDNTA_APP_T	
Appendix T: Document Type Definitions	
93. IE412 C_STA_GEN STATISTICS GENERATED SENT TO NATIONAL DOMAIN	

93. IE412 C_STA_GEN STATISTICS GENERATED SENT TO NATIONAL DOMAIN

```

<!-- Node: MESSAGE -->
<ELEMENT CD412C (MesSenMES3, MesRecMES6, DatOfPreMES9, TimOfPreMES10, PriMES15?, TesIndMES18?,
MesIdeMES19, MesTypMES20, CorIdeMES25?, STACON400)>
<!-- Node: STATISTICAL CONSOLIDATION -->
<ELEMENT STACON400 (YeaSTACON401, MonSTACON444, SysCodSTACON300, STACHASTACON478+)>
<!-- Node: STATISTICAL CHARACTERISTICS -->
<ELEMENT STACHASTACON478 (StaTypSTACHA302, SERELESTACHA008+)>
<!-- Node: SERIES ELEMENTS -->
<ELEMENT SERELESTACHA008 (SenCouCodSERELE003?, OthCouCodSERELESTA001?, CouSERELESTACHA7800)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Correlation identifier -->
<ELEMENT CorIdeMES25 (#PCDATA)>
<!-- Leaf: Year -->
<ELEMENT YeaSTACON401 (#PCDATA)>
<!-- Leaf: Month -->
<ELEMENT MonSTACON444 (#PCDATA)>
<!-- Leaf: System code -->
<ELEMENT SysCodSTACON300 (#PCDATA)>
<!-- Leaf: Statistics type -->
<ELEMENT StaTypSTACHA302 (#PCDATA)>
<!-- Leaf: Sending country code -->
<ELEMENT SenCouCodSERELE003 (#PCDATA)>
<!-- Leaf: Other country code -->
<ELEMENT OthCouCodSERELESTA001 (#PCDATA)>
<!-- Leaf: Counter -->
<ELEMENT CouSERELESTACHA7800 (#PCDATA)>

```