

| | | |
|--|---|----------------------------------|
| Owner: DG TAXUD | Issue Date: 06/04/2022 | Release: 5.15.0 |
| TAXATION AND CUSTOMS UNION DG CUST-DEV3 - FC TAXUD/2013/CC/124 - SC 35 SUBJECT: DDNTA for NCTS P5 Appendix R: XML Mapping (DDNTA_APP_R) | | |
| FRAMEWORK CONTRACT TAXUD/2013/CC/124 SPECIFIC CONTRACT 35 | | |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 1. Introduction | |

1. Introduction

This Appendix R of the DDNA presents the XML-tags for all the Data Items and Data Groups used. The naming of the XML tags follows this naming convention:

- For the Data Items:

IF the string is an acronym
 THEN Upper Case all letters
 ELSE use camelCase format

Example: MRN -> MRN

Export MRN -> ExportMRN

Declaration date -> declarationDate

Presentation notification rejection date ->presentationNotificationRejectionDate

- For the Data Groups:

IF the string is an acronym
 THEN Upper Case all letters
 ELSE use PascalCase format

Example: GPS -> GPS

TRANSPORT EQUIPMENT -> TransportEquipment

ADDITIONAL SUPPLY CHAIN ACTOR -> AdditionalSupplyChainActor

CUSTOMS OFFICE OF RECOVERY AT DEPARTURE -> CustomsOfficeOfRecoveryAtDeparture

DDNA RFC-List Alignment

The specific Appendix is aligned to DDNTA RFC-List.36

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

2. Data Groups

| Data-group or Data-item | Data type | XML-Tag |
|---|-----------|--------------------------------------|
| MESSAGE | | CDxxxA |
| MESSAGE.Message sender | an..35 | messageSender |
| MESSAGE.Message recipient | an..35 | messageRecipient |
| MESSAGE.Preparation date and time | an19 | preparationDateAndTime |
| MESSAGE.Message identification | an..35 | messageIdentification |
| MESSAGE.Message type | an6 | messageType |
| MESSAGE.Correlation identifier | an..35 | correlationIdentifier |
| MESSAGE - HEADER | | Header |
| MESSAGE - HEADER.LRN | an..22 | LRN |
| MESSAGE - HEADER.MRN | an18 | MRN |
| MESSAGE - HEADER.LRN | an..35 | LRN |
| MESSAGE - HEADER.MRN | an..35 | MRN |
| MESSAGE - HEADER.Status | an3 | status |
| MESSAGE - TRANSIT OPERATION | | TransitOperation |
| MESSAGE - TRANSIT OPERATION.AES communication purpose | n1 | AESCommunicationPurpose |
| MESSAGE - TRANSIT OPERATION.LRN | an..22 | LRN |
| MESSAGE - TRANSIT OPERATION.MRN | an18 | MRN |
| MESSAGE - TRANSIT OPERATION.Arrival date and time (actual) | an19 | arrivalDateAndTimeActual |
| MESSAGE - TRANSIT OPERATION.Declaration type | an..5 | declarationType |
| MESSAGE - TRANSIT OPERATION.Additional declaration type | a1 | additionalDeclarationType |
| MESSAGE - TRANSIT OPERATION.TIR Carnet number | an..12 | TIRCarnetNumber |
| MESSAGE - TRANSIT OPERATION.Declaration submission date and time | an19 | declarationSubmissionDateAndTime |
| MESSAGE - TRANSIT OPERATION.Declaration acceptance date | an10 | declarationAcceptanceDate |
| MESSAGE - TRANSIT OPERATION.Release date | an10 | releaseDate |
| MESSAGE - TRANSIT OPERATION.Presentation of the goods date and time | an19 | presentationOfTheGoodsDateAndTime |
| MESSAGE - TRANSIT OPERATION.Security | n1 | security |
| MESSAGE - TRANSIT OPERATION.Reduced dataset indicator | n1 | reducedDatasetIndicator |
| MESSAGE - TRANSIT OPERATION.Specific circumstance indicator | an3 | specificCircumstanceIndicator |
| MESSAGE - TRANSIT OPERATION.Arrival notification date and time | an19 | arrivalNotificationDateAndTime |
| MESSAGE - TRANSIT OPERATION.Simplified procedure | n1 | simplifiedProcedure |
| MESSAGE - TRANSIT OPERATION.Communication language at departure | a2 | communicationLanguageAtDeparture |
| MESSAGE - TRANSIT OPERATION.Binding itinerary | n1 | bindingItinerary |
| MESSAGE - TRANSIT OPERATION.Release requested | n1 | releaseRequested |
| MESSAGE - TRANSIT OPERATION.Release request date and time | an19 | releaseRequestDateAndTime |
| MESSAGE - TRANSIT OPERATION.Other things to report | an..512 | otherThingsToReport |
| MESSAGE - TRANSIT OPERATION.Amendment submission date and time | an19 | amendmentSubmissionDateAndTime |
| MESSAGE - TRANSIT OPERATION.Amendment acceptance date and time | an19 | amendmentAcceptanceDateAndTime |
| MESSAGE - TRANSIT OPERATION.Discrepancies notification date | an10 | discrepanciesNotificationDate |
| MESSAGE - TRANSIT OPERATION.Discrepancies notification text | an..512 | discrepanciesNotificationText |
| MESSAGE - TRANSIT OPERATION.Request rejection reason code | n..2 | requestRejectionReasonCode |
| MESSAGE - TRANSIT OPERATION.Discrepancies resolved | an1 | discrepanciesResolved |
| MESSAGE - TRANSIT OPERATION.Write-off date | an10 | writeOffDate |
| MESSAGE - TRANSIT OPERATION.Cancel enquiry notification date and time | an19 | cancelEnquiryNotificationDateAndTime |
| MESSAGE - TRANSIT OPERATION.Cancel enquiry notification text | an..512 | cancelEnquiryNotificationText |
| MESSAGE - TRANSIT OPERATION.Control notification date and time | an19 | controlNotificationDateAndTime |
| MESSAGE - TRANSIT OPERATION.Request on non-arrived movement date | an10 | requestOnNonArrivedMovementDate |
| MESSAGE - TRANSIT OPERATION.Recovery communication date | an10 | recoveryCommunicationDate |
| MESSAGE - TRANSIT OPERATION.Incident notification date and time | an19 | incidentNotificationDateAndTime |
| MESSAGE - TRANSIT OPERATION.Limit for response date | an10 | limitForResponseDate |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|---|-----------|------------------------------------|
| MESSAGE - TRANSIT OPERATION.Status | an3 | status |
| MESSAGE - TRANSIT OPERATION.Usage cancellation date | an10 | usageCancellationDate |
| MESSAGE - TRANSIT OPERATION.Amendment notification date and time | an19 | amendmentNotificationDateAndTime |
| MESSAGE - TRANSIT OPERATION.Incident flag | n1 | incidentFlag |
| MESSAGE - TRANSIT OPERATION.Business rejection type | an3 | businessRejectionType |
| MESSAGE - TRANSIT OPERATION.Rejection date and time | an19 | rejectionDateAndTime |
| MESSAGE - TRANSIT OPERATION.Rejection code | n..2 | rejectionCode |
| MESSAGE - TRANSIT OPERATION.Rejection reason | an..512 | rejectionReason |
| MESSAGE - TRANSIT OPERATION.Amendment type flag | n1 | amendmentTypeFlag |
| MESSAGE - TRANSIT OPERATION - EXPORT OPERATION | | ExportOperation |
| MESSAGE - TRANSIT OPERATION - EXPORT OPERATION.Sequence number | n..5 | sequenceNumber |
| MESSAGE - TRANSIT OPERATION - EXPORT OPERATION.MRN | an18 | MRN |
| MESSAGE - TRANSIT OPERATION - EXPORT OPERATION.Transit procedure category | n1 | transitProcedureCategory |
| MESSAGE - TRANSIT OPERATION.Notification type | n1 | notificationType |
| MESSAGE - TRANSIT OPERATION.No release motivation code | an2 | noReleaseMotivationCode |
| MESSAGE - TRANSIT OPERATION.No release motivation text | an..512 | noReleaseMotivationText |
| MESSAGE - TRANSIT OPERATION.Passage date | an10 | passageDate |
| MESSAGE - TRANSIT OPERATION.Limit date | an10 | limitDate |
| MESSAGE - TRANSIT OPERATION.Release indicator | n1 | releaseIndicator |
| MESSAGE - EXPORT OPERATION | | ExportOperation |
| MESSAGE - EXPORT OPERATION.Sequence number | n..5 | sequenceNumber |
| MESSAGE - EXPORT OPERATION.MRN | an18 | MRN |
| MESSAGE - EXPORT OPERATION - CONTROL RESULT | | ControlResult |
| MESSAGE - EXPORT OPERATION - CONTROL RESULT.Code | an2 | code |
| MESSAGE - EXPORT OPERATION - CONTROL RESULT.Date | an10 | date |
| MESSAGE - INVALIDATION | | Invalidation |
| MESSAGE - INVALIDATION.Request date and time | an19 | requestDateAndTime |
| MESSAGE - INVALIDATION.Decision date and time | an19 | decisionDateAndTime |
| MESSAGE - INVALIDATION.Decision | n1 | decision |
| MESSAGE - INVALIDATION.Initiated by customs | n1 | initiatedByCustoms |
| MESSAGE - INVALIDATION.Justification | an..512 | justification |
| MESSAGE - CUSTOMS OFFICE OF EXIT | | CustomsOfficeOfExit |
| MESSAGE - CUSTOMS OFFICE OF EXIT.Reference number | an8 | referenceNumber |
| MESSAGE - RECOVERY NOTIFICATION | | RecoveryNotification |
| MESSAGE - RECOVERY NOTIFICATION.Recovery notification date | an10 | recoveryNotificationDate |
| MESSAGE - RECOVERY NOTIFICATION.Recovery notification text | an..512 | recoveryNotificationText |
| MESSAGE - RECOVERY NOTIFICATION.Amount claimed | n..16,2 | amountClaimed |
| MESSAGE - RECOVERY NOTIFICATION.Currency | a3 | currency |
| MESSAGE - AUTHORISATION | | Authorisation |
| MESSAGE - AUTHORISATION.Sequence number | n..5 | sequenceNumber |
| MESSAGE - AUTHORISATION.Type | an..4 | type |
| MESSAGE - AUTHORISATION.Reference number | an..35 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF DEPARTURE | | CustomsOfficeOfDeparture |
| MESSAGE - CUSTOMS OFFICE OF DEPARTURE.Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF DESTINATION | | CustomsOfficeOfDestination |
| MESSAGE - CUSTOMS OFFICE OF DESTINATION.Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF DESTINATION (DECLARED) | | CustomsOfficeOfDestinationDeclared |
| MESSAGE - CUSTOMS OFFICE OF DESTINATION (DECLARED).Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF DESTINATION (ACTUAL) | | CustomsOfficeOfDestinationActual |
| MESSAGE - CUSTOMS OFFICE OF DESTINATION (ACTUAL).Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF DESTINATION | | CustomsOfficeOfDestination |
| MESSAGE - CUSTOMS OFFICE OF DESTINATION.Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF TRANSIT | | CustomsOfficeOfTransit |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|--|-----------|---------------------------------------|
| MESSAGE - CUSTOMS OFFICE OF TRANSIT.Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF TRANSIT (DECLARED) | | CustomsOfficeOfTransitDeclared |
| MESSAGE - CUSTOMS OFFICE OF TRANSIT (DECLARED).Sequence number | n..5 | sequenceNumber |
| MESSAGE - CUSTOMS OFFICE OF TRANSIT (DECLARED).Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF TRANSIT (DECLARED).Arrival date and time (estimated) | an19 | arrivalDateAndTimeEstimated |
| MESSAGE - CUSTOMS OFFICE OF TRANSIT (ACTUAL) | | CustomsOfficeOfTransitActual |
| MESSAGE - CUSTOMS OFFICE OF TRANSIT (ACTUAL).Sequence number | n..5 | sequenceNumber |
| MESSAGE - CUSTOMS OFFICE OF TRANSIT (ACTUAL).Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF TRANSIT (ACTUAL).Guarantee not valid for country | n1 | guaranteeNotValidForCountry |
| MESSAGE - CUSTOMS OFFICE OF EXIT FOR TRANSIT | | CustomsOfficeOfExitForTransit |
| MESSAGE - CUSTOMS OFFICE OF EXIT FOR TRANSIT.Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF EXIT FOR TRANSIT (DECLARED) | | CustomsOfficeOfExitForTransitDeclared |
| MESSAGE - CUSTOMS OFFICE OF EXIT FOR TRANSIT (DECLARED).Sequence number | n..5 | sequenceNumber |
| MESSAGE - CUSTOMS OFFICE OF EXIT FOR TRANSIT (DECLARED).Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF EXIT FOR TRANSIT (ACTUAL) | | CustomsOfficeOfExitForTransitActual |
| MESSAGE - CUSTOMS OFFICE OF EXIT FOR TRANSIT (ACTUAL).Sequence number | n..5 | sequenceNumber |
| MESSAGE - CUSTOMS OFFICE OF EXIT FOR TRANSIT (ACTUAL).Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF INCIDENT REGISTRATION | | CustomsOfficeOfIncidentRegistration |
| MESSAGE - CUSTOMS OFFICE OF INCIDENT REGISTRATION.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CUSTOMS OFFICE OF INCIDENT REGISTRATION.Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTING | | CustomsOfficeOfRecoveryRequesting |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTING.Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTING - CONTACT PERSON | | ContactPerson |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTING - CONTACT PERSON.Name | an..70 | name |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTING - CONTACT PERSON.Phone number | an..35 | phoneNumber |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTING - CONTACT PERSON.E-mail address | an..256 | eMailAddress |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTED | | CustomsOfficeOfRecoveryRequested |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTED.Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTED - CONTACT PERSON | | ContactPerson |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTED - CONTACT PERSON.Name | an..70 | name |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTED - CONTACT PERSON.Phone number | an..35 | phoneNumber |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTED - CONTACT PERSON.E-mail address | an..256 | eMailAddress |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY AT DEPARTURE | | CustomsOfficeOfRecoveryAtDeparture |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY AT DEPARTURE.Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY AT DEPARTURE - CONTACT PERSON | | ContactPerson |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY AT DEPARTURE - CONTACT PERSON.Name | an..70 | name |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|---|-----------|-------------------------------------|
| MESSAGE - CUSTOMS OFFICE OF RECOVERY AT DEPARTURE - CONTACT PERSON.Phone number | an..35 | phoneNumber |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY AT DEPARTURE - CONTACT PERSON.E-mail address | an..256 | eMailAddress |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY | | CustomsOfficeOfRecovery |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY.Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF REQUEST | | CustomsOfficeOfRequest |
| MESSAGE - CUSTOMS OFFICE OF REQUEST.Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF REQUEST - CONTACT PERSON | | ContactPerson |
| MESSAGE - CUSTOMS OFFICE OF REQUEST - CONTACT PERSON.Name | an..70 | name |
| MESSAGE - CUSTOMS OFFICE OF REQUEST - CONTACT PERSON.Phone number | an..35 | phoneNumber |
| MESSAGE - CUSTOMS OFFICE OF REQUEST - CONTACT PERSON.E-mail address | an..256 | eMailAddress |
| MESSAGE - CUSTOMS OFFICE OF ENQUIRY AT DEPARTURE | | CustomsOfficeOfEnquiryAtDeparture |
| MESSAGE - CUSTOMS OFFICE OF ENQUIRY AT DEPARTURE.Reference number | an8 | referenceNumber |
| MESSAGE - CUSTOMS OFFICE OF ENQUIRY AT DEPARTURE - CONTACT PERSON | | ContactPerson |
| MESSAGE - CUSTOMS OFFICE OF ENQUIRY AT DEPARTURE - CONTACT PERSON.Name | an..70 | name |
| MESSAGE - CUSTOMS OFFICE OF ENQUIRY AT DEPARTURE - CONTACT PERSON.Phone number | an..35 | phoneNumber |
| MESSAGE - CUSTOMS OFFICE OF ENQUIRY AT DEPARTURE - CONTACT PERSON.E-mail address | an..256 | eMailAddress |
| MESSAGE - COMPETENT CUSTOMS OFFICE AT DEPARTURE | | CompetentCustomsOfficeAtDeparture |
| MESSAGE - COMPETENT CUSTOMS OFFICE AT DEPARTURE.Reference number | an8 | referenceNumber |
| MESSAGE - COMPETENT CUSTOMS OFFICE AT DEPARTURE - CONTACT PERSON | | ContactPerson |
| MESSAGE - COMPETENT CUSTOMS OFFICE AT DEPARTURE - CONTACT PERSON.Name | an..70 | name |
| MESSAGE - COMPETENT CUSTOMS OFFICE AT DEPARTURE - CONTACT PERSON.Phone number | an..35 | phoneNumber |
| MESSAGE - COMPETENT CUSTOMS OFFICE AT DEPARTURE - CONTACT PERSON.E-mail address | an..256 | eMailAddress |
| MESSAGE - COMPETENT CUSTOMS OFFICE AT DESTINATION | | CompetentCustomsOfficeAtDestination |
| MESSAGE - COMPETENT CUSTOMS OFFICE AT DESTINATION.Reference number | an8 | referenceNumber |
| MESSAGE - COMPETENT CUSTOMS OFFICE AT DESTINATION - CONTACT PERSON | | ContactPerson |
| MESSAGE - COMPETENT CUSTOMS OFFICE AT DESTINATION - CONTACT PERSON.Name | an..70 | name |
| MESSAGE - COMPETENT CUSTOMS OFFICE AT DESTINATION - CONTACT PERSON.Phone number | an..35 | phoneNumber |
| MESSAGE - COMPETENT CUSTOMS OFFICE AT DESTINATION - CONTACT PERSON.E-mail address | an..256 | eMailAddress |
| MESSAGE - HOLDER OF THE TRANSIT PROCEDURE | | HolderOfTheTransitProcedure |
| MESSAGE - HOLDER OF THE TRANSIT PROCEDURE.Identification number | an..17 | identificationNumber |
| MESSAGE - HOLDER OF THE TRANSIT PROCEDURE.TIR holder identification number | an..17 | TIRHolderIdentificationNumber |
| MESSAGE - HOLDER OF THE TRANSIT PROCEDURE.Name | an..70 | name |
| MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - ADDRESS | | Address |
| MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - ADDRESS.Street and number | an..70 | streetAndNumber |
| MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - ADDRESS.Postcode | an..17 | postcode |
| MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - ADDRESS.City | an..35 | city |
| MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - ADDRESS.Country | a2 | country |
| MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - CONTACT PERSON | | ContactPerson |
| MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - CONTACT PERSON.Name | an..70 | name |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|--|-----------|------------------------------------|
| MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - CONTACT PERSON.Phone number | an..35 | phoneNumber |
| MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - CONTACT PERSON.E-mail address | an..256 | eMailAddress |
| MESSAGE - RECOVERY | | Recovery |
| MESSAGE - RECOVERY.Recovery acceptance | n1 | recoveryAcceptance |
| MESSAGE - RECOVERY.Recovery communication date | an10 | recoveryCommunicationDate |
| MESSAGE - RECOVERY.Collection date | an10 | collectionDate |
| MESSAGE - RECOVERY.Text | an..512 | text |
| MESSAGE - GUARANTOR | | Guarantor |
| MESSAGE - GUARANTOR.Identification number | an..17 | identificationNumber |
| MESSAGE - GUARANTOR.Name | an..70 | name |
| MESSAGE - GUARANTOR - ADDRESS | | Address |
| MESSAGE - GUARANTOR - ADDRESS.Street and number | an..70 | streetAndNumber |
| MESSAGE - GUARANTOR - ADDRESS.Postcode | an..17 | postcode |
| MESSAGE - GUARANTOR - ADDRESS.City | an..35 | city |
| MESSAGE - GUARANTOR - ADDRESS.Country | a2 | country |
| MESSAGE - REPRESENTATIVE | | Representative |
| MESSAGE - REPRESENTATIVE.Identification number | an..17 | identificationNumber |
| MESSAGE - REPRESENTATIVE.Status | n1 | status |
| MESSAGE - REPRESENTATIVE - CONTACT PERSON | | ContactPerson |
| MESSAGE - REPRESENTATIVE - CONTACT PERSON.Name | an..70 | name |
| MESSAGE - REPRESENTATIVE - CONTACT PERSON.Phone number | an..35 | phoneNumber |
| MESSAGE - REPRESENTATIVE - CONTACT PERSON.E-mail address | an..256 | eMailAddress |
| MESSAGE - TRADER AT DESTINATION | | TraderAtDestination |
| MESSAGE - TRADER AT DESTINATION.Identification number | an..17 | identificationNumber |
| MESSAGE - TRADER AT DESTINATION.Communication language at destination | a2 | communicationLanguageAtDestination |
| MESSAGE - REQUESTER | | Requester |
| MESSAGE - REQUESTER.Identification number | an..17 | identificationNumber |
| MESSAGE - REQUESTER.Role | n1 | role |
| MESSAGE - CONTROL RESULT | | ControlResult |
| MESSAGE - CONTROL RESULT.Code | an2 | code |
| MESSAGE - CONTROL RESULT.Date | an10 | date |
| MESSAGE - CONTROL RESULT.State of seals | n1 | stateOfSeals |
| MESSAGE - CONTROL RESULT.Controlled by | an..35 | controlledBy |
| MESSAGE - CONTROL RESULT.Remark | an..512 | remark |
| MESSAGE - CONTROL RESULT.Text | an..512 | text |
| MESSAGE - COUNTRY INVOLVED | | CountryInvolved |
| MESSAGE - COUNTRY INVOLVED.Sequence number | n..5 | sequenceNumber |
| MESSAGE - COUNTRY INVOLVED.Country | a2 | country |
| MESSAGE - GUARANTEE | | Guarantee |
| MESSAGE - GUARANTEE.Sequence number | n..5 | sequenceNumber |
| MESSAGE - GUARANTEE.Guarantee type | an1 | guaranteeType |
| MESSAGE - GUARANTEE.Other guarantee reference | an..35 | otherGuaranteeReference |
| MESSAGE - GUARANTEE - GUARANTEE REFERENCE | | GuaranteeReference |
| MESSAGE - GUARANTEE - GUARANTEE REFERENCE.Sequence number | n..5 | sequenceNumber |
| MESSAGE - GUARANTEE - GUARANTEE REFERENCE.GRN | an..24 | GRN |
| MESSAGE - GUARANTEE - GUARANTEE REFERENCE.Access code | an..4 | accessCode |
| MESSAGE - GUARANTEE - GUARANTEE REFERENCE.Amount to be covered | n..16,2 | amountToBeCovered |
| MESSAGE - GUARANTEE - GUARANTEE REFERENCE.Amount concerned | n..16,2 | amountConcerned |
| MESSAGE - GUARANTEE - GUARANTEE REFERENCE.Currency | a3 | currency |
| MESSAGE - GUARANTEE - GUARANTEE REFERENCE - CUSTOMS OFFICE OF GUARANTEE | | CustomsOfficeOfGuarantee |
| MESSAGE - GUARANTEE - GUARANTEE REFERENCE - CUSTOMS OFFICE OF GUARANTEE.Reference number | an8 | referenceNumber |
| MESSAGE - GUARANTEE - GUARANTEE REFERENCE - VALIDITY LIMITATION | | ValidityLimitation |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|--|-----------|-----------------------------------|
| MESSAGE - GUARANTEE - GUARANTEE REFERENCE - VALIDITY LIMITATION.Sequence number | n..5 | sequenceNumber |
| MESSAGE - GUARANTEE - GUARANTEE REFERENCE - VALIDITY LIMITATION.Guarantee not valid in | a2 | guaranteeNotValidIn |
| MESSAGE - GUARANTEE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON | | InvalidGuaranteeReason |
| MESSAGE - GUARANTEE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON.Sequence number | n..5 | sequenceNumber |
| MESSAGE - GUARANTEE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON.Code | an..3 | code |
| MESSAGE - TYPE OF CONTROLS | | TypeOfControls |
| MESSAGE - TYPE OF CONTROLS.Sequence number | n..5 | sequenceNumber |
| MESSAGE - TYPE OF CONTROLS.Type | an..3 | type |
| MESSAGE - TYPE OF CONTROLS.Text | an..512 | text |
| MESSAGE - ENQUIRY | | Enquiry |
| MESSAGE - ENQUIRY.Date | an10 | date |
| MESSAGE - ENQUIRY.TC11 delivery date | an10 | TC11DeliveryDate |
| MESSAGE - ENQUIRY.Enquiry request date | an10 | enquiryRequestDate |
| MESSAGE - ENQUIRY.Enquiry response date | an10 | enquiryResponseDate |
| MESSAGE - ENQUIRY.Information available from trader | n1 | informationAvailableFromTrader |
| MESSAGE - ENQUIRY.Response code | n..2 | responseCode |
| MESSAGE - ENQUIRY.Text | an..512 | text |
| MESSAGE - ENQUIRY.Return copy returned date | an10 | returnCopyReturnedDate |
| MESSAGE - ENQUIRY.Limit for the enquiry response date | an10 | limitForTheEnquiryResponseDate |
| MESSAGE - RESPONSE INFORMATION | | ResponseInformation |
| MESSAGE - RESPONSE INFORMATION.Sequence number | n..5 | sequenceNumber |
| MESSAGE - RESPONSE INFORMATION.Information code | n2 | informationCode |
| MESSAGE - RESPONSE INFORMATION.Text | an..512 | text |
| MESSAGE - REQUESTED INFORMATION | | RequestedInformation |
| MESSAGE - REQUESTED INFORMATION.Sequence number | n..5 | sequenceNumber |
| MESSAGE - REQUESTED INFORMATION.Code | n1 | code |
| MESSAGE - REQUESTED INFORMATION.Text | an..512 | text |
| MESSAGE - CTL_CONTROL | | CTLControl |
| MESSAGE - CTL_CONTROL.Continue unloading | n1 | continueUnloading |
| MESSAGE - UNLOADING REMARK | | UnloadingRemark |
| MESSAGE - UNLOADING REMARK.Conform | n1 | conform |
| MESSAGE - UNLOADING REMARK.Unloading completion | n1 | unloadingCompletion |
| MESSAGE - UNLOADING REMARK.Unloading date | an10 | unloadingDate |
| MESSAGE - UNLOADING REMARK.State of seals | n1 | stateOfSeals |
| MESSAGE - UNLOADING REMARK.Unloading remark | an..512 | unloadingRemark |
| MESSAGE - GUARANTOR NOTIFICATION | | GuarantorNotification |
| MESSAGE - GUARANTOR NOTIFICATION.Guarantor notification date | an10 | guarantorNotificationDate |
| MESSAGE - GUARANTOR NOTIFICATION.Guarantor notification text | an..512 | guarantorNotificationText |
| MESSAGE - AES RESULTS | | AESResults |
| MESSAGE - AES RESULTS.AES communication purpose | n1 | AESCommunicationPurpose |
| MESSAGE - AES RESULTS.Response date and time | an19 | responseDateAndTime |
| MESSAGE - AES RESULTS.Global validation response | n1 | globalValidationResponse |
| MESSAGE - AES RESULTS - EXPORT OPERATION | | ExportOperation |
| MESSAGE - AES RESULTS - EXPORT OPERATION.Sequence number | n..5 | sequenceNumber |
| MESSAGE - AES RESULTS - EXPORT OPERATION.MRN | an18 | MRN |
| MESSAGE - AES RESULTS - EXPORT OPERATION.Security | n1 | security |
| MESSAGE - AES RESULTS - EXPORT OPERATION.Result indicator | an2 | resultIndicator |
| MESSAGE - AES RESULTS - EXPORT OPERATION - GOODS SHIPMENT | | GoodsShipment |
| MESSAGE - AES RESULTS - EXPORT OPERATION - GOODS SHIPMENT - GOODS ITEM | | GoodsItem |
| MESSAGE - AES RESULTS - EXPORT OPERATION - GOODS SHIPMENT - GOODS ITEM.Export Declaration goods item number | n..5 | exportDeclarationGoodsItemNumber |
| MESSAGE - AES RESULTS - EXPORT OPERATION - GOODS SHIPMENT - GOODS ITEM.Transit Declaration goods item number | n..5 | transitDeclarationGoodsItemNumber |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|---|-----------|----------------------------|
| MESSAGE - AES RESULTS - EXPORT OPERATION - GOODS SHIPMENT - GOODS ITEM - PREVIOUS DOCUMENT | | PreviousDocument |
| MESSAGE - AES RESULTS - EXPORT OPERATION - GOODS SHIPMENT - GOODS ITEM - PREVIOUS DOCUMENT.Type | an4 | type |
| MESSAGE - AES RESULTS - EXPORT OPERATION - GOODS SHIPMENT - GOODS ITEM - PREVIOUS DOCUMENT.Reference number | an..70 | referenceNumber |
| MESSAGE - RISK ANALYSIS IDENTIFICATION | | RiskAnalysisIdentification |
| MESSAGE - RISK ANALYSIS IDENTIFICATION.Code | a1 | code |
| MESSAGE - RISK ANALYSIS IDENTIFICATION - RISK ANALYSIS | | RiskAnalysis |
| MESSAGE - RISK ANALYSIS IDENTIFICATION - RISK ANALYSIS.Sequence number | n..5 | sequenceNumber |
| MESSAGE - RISK ANALYSIS IDENTIFICATION - RISK ANALYSIS.Declaration goods item number | n..5 | declarationGoodsItemNumber |
| MESSAGE - RISK ANALYSIS IDENTIFICATION - RISK ANALYSIS - RISK ANALYSIS RESULT | | RiskAnalysisResult |
| MESSAGE - RISK ANALYSIS IDENTIFICATION - RISK ANALYSIS - RISK ANALYSIS RESULT.Sequence number | n..5 | sequenceNumber |
| MESSAGE - RISK ANALYSIS IDENTIFICATION - RISK ANALYSIS - RISK ANALYSIS RESULT.Code | an..17 | code |
| MESSAGE - RISK ANALYSIS IDENTIFICATION - RISK ANALYSIS - RISK ANALYSIS RESULT.Risk area code | an..7 | riskAreaCode |
| MESSAGE - RISK ANALYSIS IDENTIFICATION - RISK ANALYSIS - RISK ANALYSIS RESULT.Text | an..512 | text |
| MESSAGE - CONSIGNMENT | | Consignment |
| MESSAGE - CONSIGNMENT.Country of dispatch | a2 | countryOfDispatch |
| MESSAGE - CONSIGNMENT.Country of destination | a2 | countryOfDestination |
| MESSAGE - CONSIGNMENT.Container indicator | n1 | containerIndicator |
| MESSAGE - CONSIGNMENT.Inland mode of transport | n1 | inlandModeOfTransport |
| MESSAGE - CONSIGNMENT.Mode of transport at the border | n1 | modeOfTransportAtTheBorder |
| MESSAGE - CONSIGNMENT.Gross mass | n..16,6 | grossMass |
| MESSAGE - CONSIGNMENT.Reference number UCR | an..70 | referenceNumberUCR |
| MESSAGE - CONSIGNMENT.Reference number UCR | an..35 | referenceNumberUCR |
| MESSAGE - CONSIGNMENT - CARRIER | | Carrier |
| MESSAGE - CONSIGNMENT - CARRIER.Identification number | an..17 | identificationNumber |
| MESSAGE - CONSIGNMENT - CARRIER - CONTACT PERSON | | ContactPerson |
| MESSAGE - CONSIGNMENT - CARRIER - CONTACT PERSON.Name | an..70 | name |
| MESSAGE - CONSIGNMENT - CARRIER - CONTACT PERSON.Phone number | an..35 | phoneNumber |
| MESSAGE - CONSIGNMENT - CARRIER - CONTACT PERSON.E-mail address | an..256 | eMailAddress |
| MESSAGE - CONSIGNMENT - CONSIGNOR | | Consignor |
| MESSAGE - CONSIGNMENT - CONSIGNOR.Identification number | an..17 | identificationNumber |
| MESSAGE - CONSIGNMENT - CONSIGNOR.Name | an..70 | name |
| MESSAGE - CONSIGNMENT - CONSIGNOR - ADDRESS | | Address |
| MESSAGE - CONSIGNMENT - CONSIGNOR - ADDRESS.Street and number | an..70 | streetAndNumber |
| MESSAGE - CONSIGNMENT - CONSIGNOR - ADDRESS.Postcode | an..17 | postcode |
| MESSAGE - CONSIGNMENT - CONSIGNOR - ADDRESS.City | an..35 | city |
| MESSAGE - CONSIGNMENT - CONSIGNOR - ADDRESS.Country | a2 | country |
| MESSAGE - CONSIGNMENT - CONSIGNOR - CONTACT PERSON | | ContactPerson |
| MESSAGE - CONSIGNMENT - CONSIGNOR - CONTACT PERSON.Name | an..70 | name |
| MESSAGE - CONSIGNMENT - CONSIGNOR - CONTACT PERSON.Phone number | an..35 | phoneNumber |
| MESSAGE - CONSIGNMENT - CONSIGNOR - CONTACT PERSON.E-mail address | an..256 | eMailAddress |
| MESSAGE - CONSIGNMENT - CONSIGNEE | | Consignee |
| MESSAGE - CONSIGNMENT - CONSIGNEE.Identification number | an..17 | identificationNumber |
| MESSAGE - CONSIGNMENT - CONSIGNEE.Name | an..70 | name |
| MESSAGE - CONSIGNMENT - CONSIGNEE - ADDRESS | | Address |
| MESSAGE - CONSIGNMENT - CONSIGNEE - ADDRESS.Street and number | an..70 | streetAndNumber |
| MESSAGE - CONSIGNMENT - CONSIGNEE - ADDRESS.Postcode | an..17 | postcode |
| MESSAGE - CONSIGNMENT - CONSIGNEE - ADDRESS.City | an..35 | city |
| MESSAGE - CONSIGNMENT - CONSIGNEE - ADDRESS.Country | a2 | country |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|---|-----------|-------------------------------|
| MESSAGE - CONSIGNMENT - ADDITIONAL SUPPLY CHAIN ACTOR | | AdditionalSupplyChainActor |
| MESSAGE - CONSIGNMENT - ADDITIONAL SUPPLY CHAIN ACTOR.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - ADDITIONAL SUPPLY CHAIN ACTOR.Role | a..3 | role |
| MESSAGE - CONSIGNMENT - ADDITIONAL SUPPLY CHAIN ACTOR.Identification number | an..17 | identificationNumber |
| MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT | | TransportEquipment |
| MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT.Container identification number | an..17 | containerIdentificationNumber |
| MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT.Number of seals | n..4 | numberOfSeals |
| MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT - SEAL | | Seal |
| MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT - SEAL.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT - SEAL.Identifier | an..20 | identifier |
| MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT - GOODS REFERENCE | | GoodsReference |
| MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT - GOODS REFERENCE.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT - GOODS REFERENCE.Declaration goods item number | n..5 | declarationGoodsItemNumber |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS | | LocationOfGoods |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS.Type of location | a1 | typeOfLocation |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS.Qualifier of identification | a1 | qualifierOfIdentification |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS.Authorisation number | an..35 | authorisationNumber |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS.Additional identifier | an..4 | additionalIdentifier |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS.UN LOCODE | an..17 | UNLocode |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - CUSTOMS OFFICE | | CustomsOffice |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - CUSTOMS OFFICE.Reference number | an8 | referenceNumber |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - GNSS | | GNSS |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - GNSS.Latitude | an..17 | latitude |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - GNSS.Longitude | an..17 | longitude |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - ECONOMIC OPERATOR | | EconomicOperator |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - ECONOMIC OPERATOR.Identification number | an..17 | identificationNumber |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - ADDRESS | | Address |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - ADDRESS.Street and number | an..70 | streetAndNumber |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - ADDRESS.Postcode | an..17 | postcode |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - ADDRESS.City | an..35 | city |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - ADDRESS.Country | a2 | country |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - POSTCODE ADDRESS | | PostcodeAddress |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - POSTCODE ADDRESS.House number | an..17 | houseNumber |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - POSTCODE ADDRESS.Postcode | an..17 | postcode |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - POSTCODE ADDRESS.Country | a2 | country |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - CONTACT PERSON | | ContactPerson |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - CONTACT PERSON.Name | an..70 | name |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - CONTACT PERSON.Phone number | an..35 | phoneNumber |
| MESSAGE - CONSIGNMENT - LOCATION OF GOODS - CONTACT PERSON.E-mail address | an..256 | eMailAddress |
| MESSAGE - CONSIGNMENT - DEPARTURE TRANSPORT MEANS | | DepartureTransportMeans |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|---|-----------|--------------------------------------|
| MESSAGE - CONSIGNMENT - DEPARTURE TRANSPORT MEANS.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - DEPARTURE TRANSPORT MEANS.Type of identification | n2 | typeOfIdentification |
| MESSAGE - CONSIGNMENT - DEPARTURE TRANSPORT MEANS.Identification number | an..35 | identificationNumber |
| MESSAGE - CONSIGNMENT - DEPARTURE TRANSPORT MEANS.Nationality | a2 | nationality |
| MESSAGE - CONSIGNMENT - COUNTRY OF ROUTING OF CONSIGNMENT | | CountryOfRoutingOfConsignment |
| MESSAGE - CONSIGNMENT - COUNTRY OF ROUTING OF CONSIGNMENT.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - COUNTRY OF ROUTING OF CONSIGNMENT.Country | a2 | country |
| MESSAGE - CONSIGNMENT - ACTIVE BORDER TRANSPORT MEANS | | ActiveBorderTransportMeans |
| MESSAGE - CONSIGNMENT - ACTIVE BORDER TRANSPORT MEANS.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - ACTIVE BORDER TRANSPORT MEANS.Customs office at border reference number | an8 | customsOfficeAtBorderReferenceNumber |
| MESSAGE - CONSIGNMENT - ACTIVE BORDER TRANSPORT MEANS.Type of identification | n2 | typeOfIdentification |
| MESSAGE - CONSIGNMENT - ACTIVE BORDER TRANSPORT MEANS.Identification number | an..35 | identificationNumber |
| MESSAGE - CONSIGNMENT - ACTIVE BORDER TRANSPORT MEANS.Nationality | a2 | nationality |
| MESSAGE - CONSIGNMENT - ACTIVE BORDER TRANSPORT MEANS.Conveyance reference number | an..35 | conveyanceReferenceNumber |
| MESSAGE - CONSIGNMENT - ACTIVE BORDER TRANSPORT MEANS.Conveyance reference number | an..17 | conveyanceReferenceNumber |
| MESSAGE - CONSIGNMENT - PLACE OF LOADING | | PlaceOfLoading |
| MESSAGE - CONSIGNMENT - PLACE OF LOADING.UN LOCODE | an..17 | UNLocode |
| MESSAGE - CONSIGNMENT - PLACE OF LOADING.Country | a2 | country |
| MESSAGE - CONSIGNMENT - PLACE OF LOADING.Location | an..35 | location |
| MESSAGE - CONSIGNMENT - PLACE OF UNLOADING | | PlaceOfUnloading |
| MESSAGE - CONSIGNMENT - PLACE OF UNLOADING.UN LOCODE | an..17 | UNLocode |
| MESSAGE - CONSIGNMENT - PLACE OF UNLOADING.Country | a2 | country |
| MESSAGE - CONSIGNMENT - PLACE OF UNLOADING.Location | an..35 | location |
| MESSAGE - CONSIGNMENT - PREVIOUS DOCUMENT | | PreviousDocument |
| MESSAGE - CONSIGNMENT - PREVIOUS DOCUMENT.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - PREVIOUS DOCUMENT.Type | an4 | type |
| MESSAGE - CONSIGNMENT - PREVIOUS DOCUMENT.Reference number | an..70 | referenceNumber |
| MESSAGE - CONSIGNMENT - PREVIOUS DOCUMENT.Complement of information | an..35 | complementOfInformation |
| MESSAGE - CONSIGNMENT - PREVIOUS DOCUMENT.Complete control | n1 | completeControl |
| MESSAGE - CONSIGNMENT - SUPPORTING DOCUMENT | | SupportingDocument |
| MESSAGE - CONSIGNMENT - SUPPORTING DOCUMENT.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - SUPPORTING DOCUMENT.Type | an4 | type |
| MESSAGE - CONSIGNMENT - SUPPORTING DOCUMENT.Reference number | an..70 | referenceNumber |
| MESSAGE - CONSIGNMENT - SUPPORTING DOCUMENT.Document line item number | n..5 | documentLineItemNumber |
| MESSAGE - CONSIGNMENT - SUPPORTING DOCUMENT.Complement of information | an..35 | complementOfInformation |
| MESSAGE - CONSIGNMENT - SUPPORTING DOCUMENT.Complete control | n1 | completeControl |
| MESSAGE - CONSIGNMENT - TRANSPORT DOCUMENT | | TransportDocument |
| MESSAGE - CONSIGNMENT - TRANSPORT DOCUMENT.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - TRANSPORT DOCUMENT.Type | an4 | type |
| MESSAGE - CONSIGNMENT - TRANSPORT DOCUMENT.Reference number | an..70 | referenceNumber |
| MESSAGE - CONSIGNMENT - ADDITIONAL REFERENCE | | AdditionalReference |
| MESSAGE - CONSIGNMENT - ADDITIONAL REFERENCE.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - ADDITIONAL REFERENCE.Type | an4 | type |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|--|-----------|-------------------------------|
| MESSAGE - CONSIGNMENT - ADDITIONAL REFERENCE.Reference number | an..70 | referenceNumber |
| MESSAGE - CONSIGNMENT - ADDITIONAL INFORMATION | | AdditionalInformation |
| MESSAGE - CONSIGNMENT - ADDITIONAL INFORMATION.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - ADDITIONAL INFORMATION.Code | an5 | code |
| MESSAGE - CONSIGNMENT - ADDITIONAL INFORMATION.Text | an..512 | text |
| MESSAGE - CONSIGNMENT - ADDITIONAL INFORMATION.Complete control | n1 | completeControl |
| MESSAGE - CONSIGNMENT - INCIDENT | | Incident |
| MESSAGE - CONSIGNMENT - INCIDENT.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - INCIDENT.Code | n1 | code |
| MESSAGE - CONSIGNMENT - INCIDENT.Text | an..512 | text |
| MESSAGE - CONSIGNMENT - INCIDENT - ENDORSEMENT | | Endorsement |
| MESSAGE - CONSIGNMENT - INCIDENT - ENDORSEMENT.Date | an10 | date |
| MESSAGE - CONSIGNMENT - INCIDENT - ENDORSEMENT.Authority | an..35 | authority |
| MESSAGE - CONSIGNMENT - INCIDENT - ENDORSEMENT.Place | an..35 | place |
| MESSAGE - CONSIGNMENT - INCIDENT - ENDORSEMENT.Country | a2 | country |
| MESSAGE - CONSIGNMENT - INCIDENT - LOCATION | | Location |
| MESSAGE - CONSIGNMENT - INCIDENT - LOCATION.Qualifier of identification | a1 | qualifierOfIdentification |
| MESSAGE - CONSIGNMENT - INCIDENT - LOCATION.UN LOCODE | an..17 | UNLocode |
| MESSAGE - CONSIGNMENT - INCIDENT - LOCATION.Country | a2 | country |
| MESSAGE - CONSIGNMENT - INCIDENT - LOCATION - GNSS | | GNSS |
| MESSAGE - CONSIGNMENT - INCIDENT - LOCATION - GNSS.Latitude | an..17 | latitude |
| MESSAGE - CONSIGNMENT - INCIDENT - LOCATION - GNSS.Longitude | an..17 | longitude |
| MESSAGE - CONSIGNMENT - INCIDENT - LOCATION - ADDRESS | | Address |
| MESSAGE - CONSIGNMENT - INCIDENT - LOCATION - ADDRESS.Street and number | an..70 | streetAndNumber |
| MESSAGE - CONSIGNMENT - INCIDENT - LOCATION - ADDRESS.Postcode | an..17 | postcode |
| MESSAGE - CONSIGNMENT - INCIDENT - LOCATION - ADDRESS.City | an..35 | city |
| MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT | | TransportEquipment |
| MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT.Container identification number | an..17 | containerIdentificationNumber |
| MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT.Number of seals | n..4 | numberOfSeals |
| MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT - SEAL | | Seal |
| MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT - SEAL.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT - SEAL.Identifier | an..20 | identifier |
| MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT - GOODS REFERENCE | | GoodsReference |
| MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT - GOODS REFERENCE.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT - GOODS REFERENCE.Declaration goods item number | n..5 | declarationGoodsItemNumber |
| MESSAGE - CONSIGNMENT - INCIDENT - TRANSHIPMENT | | Transshipment |
| MESSAGE - CONSIGNMENT - INCIDENT - TRANSHIPMENT.Container indicator | n1 | containerIndicator |
| MESSAGE - CONSIGNMENT - INCIDENT - TRANSHIPMENT - TRANSPORT MEANS | | TransportMeans |
| MESSAGE - CONSIGNMENT - INCIDENT - TRANSHIPMENT - TRANSPORT MEANS.Type of identification | n2 | typeOfIdentification |
| MESSAGE - CONSIGNMENT - INCIDENT - TRANSHIPMENT - TRANSPORT MEANS.Identification number | an..35 | identificationNumber |
| MESSAGE - CONSIGNMENT - INCIDENT - TRANSHIPMENT - TRANSPORT MEANS.Nationality | a2 | nationality |
| MESSAGE - CONSIGNMENT - TRANSPORT CHARGES | | TransportCharges |
| MESSAGE - CONSIGNMENT - TRANSPORT CHARGES.Method of payment | a1 | methodOfPayment |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|---|-----------|--|
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT | | HouseConsignment |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT.Country of dispatch | a2 | countryOfDispatch |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT.Gross mass | n..16,6 | grossMass |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT.Reference number UCR | an..35 | referenceNumberUCR |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT.Reference number UCR | an..70 | referenceNumberUCR |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT.Security indicator from export declaration | n1 | securityIndicatorFromExportDeclaration |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT.Release type | n1 | releaseType |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR | | Consignor |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR.Identification number | an..17 | identificationNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR.Name | an..70 | name |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - ADDRESS | | Address |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - ADDRESS.Street and number | an..70 | streetAndNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - ADDRESS.Postcode | an..17 | postcode |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - ADDRESS.City | an..35 | city |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - ADDRESS.Country | a2 | country |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - CONTACT PERSON | | ContactPerson |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - CONTACT PERSON.Name | an..70 | name |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - CONTACT PERSON.Phone number | an..35 | phoneNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - CONTACT PERSON.E-mail address | an..256 | eMailAddress |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNEE | | Consignee |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNEE.Identification number | an..17 | identificationNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNEE.Name | an..70 | name |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNEE - ADDRESS | | Address |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNEE - ADDRESS.Street and number | an..70 | streetAndNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNEE - ADDRESS.Postcode | an..17 | postcode |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNEE - ADDRESS.City | an..35 | city |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNEE - ADDRESS.Country | a2 | country |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL SUPPLY CHAIN ACTOR | | AdditionalSupplyChainActor |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL SUPPLY CHAIN ACTOR.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL SUPPLY CHAIN ACTOR.Role | a..3 | role |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL SUPPLY CHAIN ACTOR.Identification number | an..17 | identificationNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - DEPARTURE TRANSPORT MEANS | | DepartureTransportMeans |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - DEPARTURE TRANSPORT MEANS.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - DEPARTURE TRANSPORT MEANS.Type of identification | n2 | typeOfIdentification |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - DEPARTURE TRANSPORT MEANS.Identification number | an..35 | identificationNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - DEPARTURE TRANSPORT MEANS.Nationality | a2 | nationality |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|--|-----------|----------------------------|
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - PREVIOUS DOCUMENT | | PreviousDocument |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - PREVIOUS DOCUMENT.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - PREVIOUS DOCUMENT.Type | an4 | type |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - PREVIOUS DOCUMENT.Reference number | an..70 | referenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - PREVIOUS DOCUMENT.Complement of information | an..35 | complementOfInformation |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - SUPPORTING DOCUMENT | | SupportingDocument |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - SUPPORTING DOCUMENT.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - SUPPORTING DOCUMENT.Type | an4 | type |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - SUPPORTING DOCUMENT.Reference number | an..70 | referenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - SUPPORTING DOCUMENT.Document line item number | n..5 | documentLineItemNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - SUPPORTING DOCUMENT.Complement of information | an..35 | complementOfInformation |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - SUPPORTING DOCUMENT.Complete control | n1 | completeControl |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - TRANSPORT DOCUMENT | | TransportDocument |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - TRANSPORT DOCUMENT.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - TRANSPORT DOCUMENT.Type | an4 | type |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - TRANSPORT DOCUMENT.Reference number | an..70 | referenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL REFERENCE | | AdditionalReference |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL REFERENCE.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL REFERENCE.Type | an4 | type |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL REFERENCE.Reference number | an..70 | referenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL INFORMATION | | AdditionalInformation |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL INFORMATION.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL INFORMATION.Code | an5 | code |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL INFORMATION.Text | an..512 | text |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL INFORMATION.Complete control | n1 | completeControl |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - TRANSPORT CHARGES | | TransportCharges |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - TRANSPORT CHARGES.Method of payment | a1 | methodOfPayment |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM | | ConsignmentItem |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Goods item number | n..5 | goodsItemNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Goods item number | n..5 | goodsItemNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Declaration goods item number | n..5 | declarationGoodsItemNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Declaration type | an..5 | declarationType |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Country of dispatch | a2 | countryOfDispatch |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Country of destination | a2 | countryOfDestination |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|--|-----------|--------------------------------|
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Reference number UCR | an..70 | referenceNumberUCR |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Release type | n1 | releaseType |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Reference number UCR | an..35 | referenceNumberUCR |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - CONSIGNEE | | Consignee |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - CONSIGNEE.Identification number | an..17 | identificationNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - CONSIGNEE.Name | an..70 | name |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - CONSIGNEE - ADDRESS | | Address |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - CONSIGNEE - ADDRESS.Street and number | an..70 | streetAndNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - CONSIGNEE - ADDRESS.Postcode | an..17 | postcode |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - CONSIGNEE - ADDRESS.City | an..35 | city |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - CONSIGNEE - ADDRESS.Country | a2 | country |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL SUPPLY CHAIN ACTOR | | AdditionalSupplyChainActor |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL SUPPLY CHAIN ACTOR.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL SUPPLY CHAIN ACTOR.Role | a..3 | role |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL SUPPLY CHAIN ACTOR.Identification number | an..17 | identificationNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY | | Commodity |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY.Description of goods | an..512 | descriptionOfGoods |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY.CUS code | an9 | cusCode |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - COMMODITY CODE | | CommodityCode |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - COMMODITY CODE.Harmonized System sub-heading code | an6 | harmonizedSystemSubHeadingCode |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - COMMODITY CODE.Combined nomenclature code | an2 | combinedNomenclatureCode |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - DANGEROUS GOODS | | DangerousGoods |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - DANGEROUS GOODS.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - DANGEROUS GOODS.UN Number | an4 | UNNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - GOODS MEASURE | | GoodsMeasure |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - GOODS MEASURE.Gross mass | n..16,6 | grossMass |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - GOODS MEASURE.Net mass | n..16,6 | netMass |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - GOODS MEASURE.Supplementary units | n..16,6 | supplementaryUnits |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PACKAGING | | Packaging |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PACKAGING.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PACKAGING.Type of packages | an2 | typeOfPackages |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PACKAGING.Number of packages | n..8 | numberOfPackages |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PACKAGING.Shipping marks | an..512 | shippingMarks |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|---|-----------|-----------------------------|
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT | | PreviousDocument |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Type | an4 | type |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Reference number | an..70 | referenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Goods item number | n..5 | goodsItemNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Type of packages | an2 | typeOfPackages |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Number of packages | n..8 | numberOfPackages |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Measurement unit and qualifier | an..4 | measurementUnitAndQualifier |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Quantity | n..16,6 | quantity |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Complement of information | an..35 | complementOfInformation |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Complete control | n1 | completeControl |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - SUPPORTING DOCUMENT | | SupportingDocument |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - SUPPORTING DOCUMENT.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - SUPPORTING DOCUMENT.Type | an4 | type |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - SUPPORTING DOCUMENT.Reference number | an..70 | referenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - SUPPORTING DOCUMENT.Document line item number | n..5 | documentLineItemNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - SUPPORTING DOCUMENT.Complement of information | an..35 | complementOfInformation |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - SUPPORTING DOCUMENT.Complete control | n1 | completeControl |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - TRANSPORT DOCUMENT | | TransportDocument |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - TRANSPORT DOCUMENT.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - TRANSPORT DOCUMENT.Type | an4 | type |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - TRANSPORT DOCUMENT.Reference number | an..70 | referenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL REFERENCE | | AdditionalReference |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL REFERENCE.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL REFERENCE.Type | an4 | type |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL REFERENCE.Reference number | an..70 | referenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL INFORMATION | | AdditionalInformation |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL INFORMATION.Sequence number | n..5 | sequenceNumber |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL INFORMATION.Code | an5 | code |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL INFORMATION.Text | an..512 | text |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL INFORMATION.Complete control | n1 | completeControl |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - TRANSPORT CHARGES | | TransportCharges |
| MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - TRANSPORT CHARGES.Method of payment | a1 | methodOfPayment |
| MESSAGE - CONSIGNMENT - CONSIGNEE (ACTUAL) | | ConsigneeActual |
| MESSAGE - CONSIGNMENT - CONSIGNEE (ACTUAL).Identification number | an..17 | identificationNumber |
| MESSAGE - CONSIGNMENT - CONSIGNEE (ACTUAL).Name | an..70 | name |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|--|-----------|----------------------------|
| MESSAGE - CONSIGNMENT - CONSIGNEE (ACTUAL) - ADDRESS | | Address |
| MESSAGE - CONSIGNMENT - CONSIGNEE (ACTUAL) - ADDRESS.Street and number | an..70 | streetAndNumber |
| MESSAGE - CONSIGNMENT - CONSIGNEE (ACTUAL) - ADDRESS.Postcode | an..17 | postcode |
| MESSAGE - CONSIGNMENT - CONSIGNEE (ACTUAL) - ADDRESS.City | an..35 | city |
| MESSAGE - CONSIGNMENT - CONSIGNEE (ACTUAL) - ADDRESS.Country | a2 | country |
| MESSAGE - REQUESTED DOCUMENT | | RequestedDocument |
| MESSAGE - REQUESTED DOCUMENT.Sequence number | n..5 | sequenceNumber |
| MESSAGE - REQUESTED DOCUMENT.Document type | an4 | documentType |
| MESSAGE - REQUESTED DOCUMENT.Description | an..512 | description |
| MESSAGE - CUSTOMS OFFICE OF GUARANTEE | | CustomsOfficeOfGuarantee |
| MESSAGE - CUSTOMS OFFICE OF GUARANTEE.Reference number | an8 | referenceNumber |
| MESSAGE - XML ERROR | | XMLError |
| MESSAGE - XML ERROR.Error line number | n..9 | errorLineNumber |
| MESSAGE - XML ERROR.Error column number | n..9 | errorColumnNumber |
| MESSAGE - XML ERROR.Error pointer | an..512 | errorPointer |
| MESSAGE - XML ERROR.Error code | n2 | errorCode |
| MESSAGE - XML ERROR.Error text | an..512 | errorText |
| MESSAGE - XML ERROR.Original attribute value | an..512 | originalAttributeValue |
| MESSAGE - COUNTRY | | Country |
| MESSAGE - COUNTRY.Sequence number | n..5 | sequenceNumber |
| MESSAGE - COUNTRY.Country | a2 | country |
| MESSAGE - COUNTRY - ACTION | | Action |
| MESSAGE - COUNTRY - ACTION.Sequence number | n..5 | sequenceNumber |
| MESSAGE - COUNTRY - ACTION.Operation | a1 | operation |
| MESSAGE - COUNTRY - ACTION - UNAVAILABILITY | | Unavailability |
| MESSAGE - COUNTRY - ACTION - UNAVAILABILITY.Sequence number | n..5 | sequenceNumber |
| MESSAGE - COUNTRY - ACTION - UNAVAILABILITY.Type | a1 | type |
| MESSAGE - COUNTRY - ACTION - UNAVAILABILITY.Functionality | a1 | functionality |
| MESSAGE - COUNTRY - ACTION - UNAVAILABILITY.Start date and time | an19 | startDateAndTime |
| MESSAGE - COUNTRY - ACTION - UNAVAILABILITY.End date and time | an19 | endDateAndTime |
| MESSAGE - COUNTRY - ACTION - UNAVAILABILITY.Explanation | an2 | explanation |
| MESSAGE - COUNTRY - ACTION - UNAVAILABILITY.Text | an..512 | text |
| MESSAGE - COUNTRY - ACTION - UNAVAILABILITY - FALLBACK | | Fallback |
| MESSAGE - COUNTRY - ACTION - UNAVAILABILITY - FALLBACK.Flag | n1 | flag |
| MESSAGE - COUNTRY - ACTION - UNAVAILABILITY - FALLBACK.Text | an..512 | text |
| MESSAGE - SENDING COUNTRY | | SendingCountry |
| MESSAGE - SENDING COUNTRY.Country | a2 | country |
| MESSAGE - SENDING COUNTRY.Year | n4 | year |
| MESSAGE - SENDING COUNTRY.Month | an2 | month |
| MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY | | SystemApplicability |
| MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY.Sequence number | n..5 | sequenceNumber |
| MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY.System code | n..2 | systemCode |
| MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS | | StatisticalCharacteristics |
| MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS.Sequence number | n..5 | sequenceNumber |
| MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS.Operation | a1 | operation |
| MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS.Statistics type | an4 | statisticsType |
| MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS.Statistics type support | n1 | statisticsTypeSupport |
| MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS - SERIES ELEMENTS | | SeriesElements |
| MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS - SERIES ELEMENTS.Sequence number | n..5 | sequenceNumber |
| MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS - SERIES ELEMENTS.Other country | a2 | otherCountry |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|--|-----------|-----------------------------|
| MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS - SERIES ELEMENTS.Counter | n..9 | counter |
| MESSAGE - GUARANTEE REFERENCE | | GuaranteeReference |
| MESSAGE - GUARANTEE REFERENCE.Sequence number | n..5 | sequenceNumber |
| MESSAGE - GUARANTEE REFERENCE.GRN | an..24 | GRN |
| MESSAGE - GUARANTEE REFERENCE.Currency | a3 | currency |
| MESSAGE - GUARANTEE REFERENCE.Issue date | an10 | issueDate |
| MESSAGE - GUARANTEE REFERENCE.Reference amount | n..16,2 | referenceAmount |
| MESSAGE - GUARANTEE REFERENCE.Percentage of reference amount | n..3 | percentageOfReferenceAmount |
| MESSAGE - GUARANTEE REFERENCE.Guarantee amount | n..16,2 | guaranteeAmount |
| MESSAGE - GUARANTEE REFERENCE.Master access code | an..4 | masterAccessCode |
| MESSAGE - GUARANTEE REFERENCE.Number of certificates | n..8 | numberOfCertificates |
| MESSAGE - GUARANTEE REFERENCE.Validity date | an10 | validityDate |
| MESSAGE - GUARANTEE REFERENCE.Invalidity date | an10 | invalidityDate |
| MESSAGE - GUARANTEE REFERENCE.Invalidity reason code | an3 | invalidityReasonCode |
| MESSAGE - GUARANTEE REFERENCE.Restricted use (suspended goods) | n1 | restrictedUseSuspendedGoods |
| MESSAGE - GUARANTEE REFERENCE.Liability liberation date | an10 | liabilityLiberationDate |
| MESSAGE - GUARANTEE REFERENCE.Acceptance date and time | an19 | acceptanceDateAndTime |
| MESSAGE - GUARANTEE REFERENCE.Guarantee type | an1 | guaranteeType |
| MESSAGE - GUARANTEE REFERENCE.Guarantee monitoring code | n1 | guaranteeMonitoringCode |
| MESSAGE - GUARANTEE REFERENCE.Invalidity reason text | an..512 | invalidityReasonText |
| MESSAGE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON | | InvalidGuaranteeReason |
| MESSAGE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON.Code | an..3 | code |
| MESSAGE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON.Text | an..512 | text |
| MESSAGE - GUARANTEE REFERENCE.Access code | an..4 | accessCode |
| MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY | | GuaranteeQuery |
| MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY.Query identifier | n1 | queryIdentifier |
| MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY.Period from date | an10 | periodFromDate |
| MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY.Period to date | an10 | periodToDate |
| MESSAGE - GUARANTEE REFERENCE - OWNER | | Owner |
| MESSAGE - GUARANTEE REFERENCE - OWNER.Identification number | an..17 | identificationNumber |
| MESSAGE - GUARANTEE REFERENCE - OWNER.Name | an..70 | name |
| MESSAGE - GUARANTEE REFERENCE - OWNER - ADDRESS | | Address |
| MESSAGE - GUARANTEE REFERENCE - OWNER - ADDRESS.Street and number | an..70 | streetAndNumber |
| MESSAGE - GUARANTEE REFERENCE - OWNER - ADDRESS.Postcode | an..17 | postcode |
| MESSAGE - GUARANTEE REFERENCE - OWNER - ADDRESS.City | an..35 | city |
| MESSAGE - GUARANTEE REFERENCE - OWNER - ADDRESS.Country | a2 | country |
| MESSAGE - GUARANTEE REFERENCE - CUSTOMS OFFICE OF GUARANTEE | | CustomsOfficeOfGuarantee |
| MESSAGE - GUARANTEE REFERENCE - CUSTOMS OFFICE OF GUARANTEE.Reference number | an8 | referenceNumber |
| MESSAGE - GUARANTEE REFERENCE - USAGE | | Usage |
| MESSAGE - GUARANTEE REFERENCE - USAGE.Sequence number | n..5 | sequenceNumber |
| MESSAGE - GUARANTEE REFERENCE - USAGE.MRN | an18 | MRN |
| MESSAGE - GUARANTEE REFERENCE - USAGE.Covered amount | n..16,2 | coveredAmount |
| MESSAGE - GUARANTEE REFERENCE - USAGE.Currency | a3 | currency |
| MESSAGE - GUARANTEE REFERENCE - USAGE.Lock date | an10 | lockDate |
| MESSAGE - GUARANTEE REFERENCE - USAGE.Arrival date and time | an19 | arrivalDateAndTime |
| MESSAGE - GUARANTEE REFERENCE - USAGE.Release date | an10 | releaseDate |
| MESSAGE - GUARANTEE REFERENCE - EXPOSURE | | Exposure |
| MESSAGE - GUARANTEE REFERENCE - EXPOSURE.Exposure | n..16,2 | exposure |
| MESSAGE - GUARANTEE REFERENCE - EXPOSURE.Exposure counter | n..8 | exposureCounter |
| MESSAGE - GUARANTEE REFERENCE - EXPOSURE.Balance | n..16,2 | balance |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|---|-----------|---|
| MESSAGE - GUARANTEE REFERENCE - EXPOSURE.Currency | a3 | currency |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR | | Guarantor |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR.Contact details in country of competent authority | an..140 | contactDetailsInCountryOfCompetentAuthority |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR.Identification number | an..17 | identificationNumber |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR.Name | an..70 | name |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - ADDRESS | | Address |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - ADDRESS.Street and number | an..70 | streetAndNumber |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - ADDRESS.Postcode | an..17 | postcode |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - ADDRESS.City | an..35 | city |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - ADDRESS.Country | a2 | country |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - CONTACT PERSON | | ContactPerson |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - CONTACT PERSON.Name | an..70 | name |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - CONTACT PERSON.Phone number | an..35 | phoneNumber |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - CONTACT PERSON.E-mail address | an..256 | eMailAddress |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - AGENT IN COUNTRY OF COMPETENT AUTHORITY | | AgentInCountryOfCompetentAuthority |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - AGENT IN COUNTRY OF COMPETENT AUTHORITY.Identification number | an..17 | identificationNumber |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - AGENT IN COUNTRY OF COMPETENT AUTHORITY.Name | an..70 | name |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - AGENT IN COUNTRY OF COMPETENT AUTHORITY - ADDRESS | | Address |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - AGENT IN COUNTRY OF COMPETENT AUTHORITY - ADDRESS.Street and number | an..70 | streetAndNumber |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - AGENT IN COUNTRY OF COMPETENT AUTHORITY - ADDRESS.Postcode | an..17 | postcode |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - AGENT IN COUNTRY OF COMPETENT AUTHORITY - ADDRESS.City | an..35 | city |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - AGENT IN COUNTRY OF COMPETENT AUTHORITY - ADDRESS.Country | a2 | country |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - AGENT IN COUNTRY OF COMPETENT AUTHORITY - CONTACT PERSON | | ContactPerson |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - AGENT IN COUNTRY OF COMPETENT AUTHORITY - CONTACT PERSON.Name | an..70 | name |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - AGENT IN COUNTRY OF COMPETENT AUTHORITY - CONTACT PERSON.Phone number | an..35 | phoneNumber |
| MESSAGE - GUARANTEE REFERENCE - GUARANTOR - AGENT IN COUNTRY OF COMPETENT AUTHORITY - CONTACT PERSON.E-mail address | an..256 | eMailAddress |
| MESSAGE - GUARANTEE REFERENCE.TIR Carnet | n1 | TIRCarnet |
| MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE | | ComprehensiveGuarantee |
| MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Reference amount | n..16,2 | referenceAmount |
| MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Percentage of reference amount | n..3 | percentageOfReferenceAmount |
| MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Guarantee amount | n..16,2 | guaranteeAmount |
| MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Currency | a3 | currency |
| MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Number of certificates | n..8 | numberOfCertificates |
| MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Validity start date | an10 | validityStartDate |
| MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Validity end date | an10 | validityEndDate |
| MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Invalidity reason code | an3 | invalidityReasonCode |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|--|-----------|------------------------------------|
| MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Invalidity reason text | an..512 | invalidityReasonText |
| MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Liability liberation date | an10 | liabilityLiberationDate |
| MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Restricted use for suspended goods | n1 | restrictedUseForSuspendedGoods |
| MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE - VALIDITY LIMITATION | | ValidityLimitation |
| MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE - VALIDITY LIMITATION.Sequence number | n..5 | sequenceNumber |
| MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE - VALIDITY LIMITATION.Guarantee not valid in | a2 | guaranteeNotValidIn |
| MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR | | IndividualGuaranteeByGuarantor |
| MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR.Guarantee amount | n..16,2 | guaranteeAmount |
| MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR.Currency | a3 | currency |
| MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - CUSTOMS OFFICE OF DEPARTURE | | CustomsOfficeOfDeparture |
| MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - CUSTOMS OFFICE OF DEPARTURE.Reference number | an8 | referenceNumber |
| MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - CUSTOMS OFFICE OF DESTINATION | | CustomsOfficeOfDestination |
| MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - CUSTOMS OFFICE OF DESTINATION.Reference number | an8 | referenceNumber |
| MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER | | IndividualGuaranteeVoucher |
| MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.Issue date | an10 | issueDate |
| MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.Expiry date | an10 | expiryDate |
| MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.Copy given | n1 | copyGiven |
| MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.TIR Carnet | n1 | TIRCarnet |
| MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.Voucher amount | n..16,2 | voucherAmount |
| MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.Currency | a3 | currency |
| MESSAGE - GUARANTEE REFERENCE - ACCESS CODE | | AccessCode |
| MESSAGE - GUARANTEE REFERENCE - ACCESS CODE.Access code | an..4 | accessCode |
| MESSAGE - GUARANTEE REFERENCE - ACCESS CODE.Access code current | an..4 | accessCodeCurrent |
| MESSAGE - GUARANTEE REFERENCE - ACCESS CODE.Access code new | an..4 | accessCodeNew |
| MESSAGE - GUARANTEE REFERENCE.Expiry date | an10 | expiryDate |
| MESSAGE - GUARANTEE REFERENCE.Copy given | n1 | copyGiven |
| MESSAGE - GUARANTEE REFERENCE.Voucher amount | n..16,2 | voucherAmount |
| MESSAGE - FUNCTIONAL ERROR | | FunctionalError |
| MESSAGE - FUNCTIONAL ERROR.Sequence number | n..5 | sequenceNumber |
| MESSAGE - FUNCTIONAL ERROR.Error pointer | an..512 | errorPointer |
| MESSAGE - FUNCTIONAL ERROR.Error code | n2 | errorCode |
| MESSAGE - FUNCTIONAL ERROR.Error reason | an..7 | errorReason |
| MESSAGE - FUNCTIONAL ERROR.Original attribute value | an..512 | originalAttributeValue |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY AT DEPARTURE | | CustomsOfficeOfRecoveryAtDeparture |
| MESSAGE - CUSTOMS OFFICE OF RECOVERY AT DEPARTURE.Reference number | an8 | referenceNumber |
| MESSAGE - EVALUATED MESSAGE | | EvaluatedMessage |
| MESSAGE - EVALUATED MESSAGE.Message type | an6 | messageType |
| MESSAGE - EVALUATED MESSAGE.Country | a2 | country |
| MESSAGE - EVALUATED MESSAGE.Year | n4 | year |
| MESSAGE - EVALUATED MESSAGE.Month | an2 | month |
| MESSAGE - CONSISTENCY CHECK WARNING | | ConsistencyCheckWarning |
| MESSAGE - CONSISTENCY CHECK WARNING.Warning pointer | an..512 | warningPointer |

| | |
|-----------------------------------|------------------------------|
| DDNTA for NCTS P5. Release 5.15.0 | Aligned to DDNTA RFC-List.36 |
| REF:DDNTA_APP_R | |
| Appendix R: XML Mapping | |
| 2. Data Groups | |

| Data-group or Data-item | Data type | XML-Tag |
|--|-----------|------------------------|
| MESSAGE - CONSISTENCY CHECK WARNING.Warning code | an6 | warningCode |
| MESSAGE - CONSISTENCY CHECK WARNING.Original attribute value | an..512 | originalAttributeValue |