

TDR050

Bilaga H

Mapping till segment

Version 4.0.5

2014-03-24

Mappning till segment

TDR050, bilaga H

Version 4.0.5

2014-03-24

Mappning till segment

TDR050, bilaga H

Version 4.0.5

2014-03-24

1 Allmänt om segmentbeskrivningarna

För varje segment som beskrivs, finns följande uppgifter med:

| Position | Beskrivning av innehåll |
|-----------------|---|
| Huvud, kolumn 1 | Segmentsidentiteten och segmentets position inom hakparantes i den hierarkiska EDIFACT-strukturen. Efter positionsnumret följer i tur och ordning segmentets namn, segmentets EDIFACT-status (M = Mandatory och C = Conditional) och hur många gånger segmentet EDIFACT-mässigt kan förekomma i meddelandet. |
| Huvud, kolumn 2 | Namn på den datagrupp som innehåller de dataelement som läggs in i segmentet. Här finns det inget givet ett till ett förhållande, en datagrupp kan läggas in i flera segment och tvärtom. Efter datagrupsnamnet kommer i tur och ordning dataelementets status i meddelandet (R = Required, D = Dependent) och hur många gånger dataelementet kan repeteras. |
| Kropp, kolumn 1 | Identitet och namn på den komposit, komponent eller enkelt dataelement som raden avser. |
| Kropp, kolumn 2 | Elementets EDIFACT-status (M = Mandatory, C = Conditional). |
| Kropp, kolumn 3 | Elementets EDIFACT-format (a = enbart alfa, n = enbart numeriskt och an = alfanumeriskt), som följs av siffra som anger antal tecken. Format som innehåller '..' följd av ett angivet antal, innebär att storleken kan vara mindre eller lika med det givna antalet. T.ex. innebär an..35 att EDIFACT-elementet är alfanumeriskt och att antal tecken kan vara upp till 35. |
| Kropp, kolumn 4 | Innehåller antingen ett kvalificerarvärde eller ett kodvärde som alltid ska användas (visas mellan apostrofer, t.ex. 'AUTACK '), eller då detta inte är möjligt dataelementets namn samt i förekommande fall hänvisning till relevant kodlista. |

Mappning till segment

TDR050, bilaga H

Version 4.0.5

2014-03-24

2 Avsteg

Följande avsteg från UN standard meddelanden är införda i TDR050.

| Meddelande | Position | Avsteg |
|------------|----------------------------|---------------------|
| CUSDEC | CST[92] | Repeat factor 999 |
| CUSDEC | CST(*).FTX[93] | Repeat factor 999 |
| CUSDEC | Group 31 - CST(*).PAC[99] | Repeat factor 99 |
| CUSDEC | Group 37 - CST(*).DOC[111] | Repeat factor 999 |
| CUSDEC | CST(*).PAC[99].C402.7077 | Conditional & an..4 |
| CUSDEC | CST(*).PAC[99].C402.7064#1 | Conditional |
| | | |

3 Beskrivning av segmenten UNA, UNB och UNZ

UNA[-1], SERVICE STRING ADVICE, C/1x

SERVICE STRING ADVICE, R/1x

SERVICE STRING ADVICE

M an6 Service string advice = ":+.?" "

Kommentar: UNA är det enda EDIFACT-segment som formellt saknar dataelement. I praktiken hanteras segmentet så att strängen ovan adderas till strängidentiteten, d.v.s. början på en överföring i gränssnittet mellan nationell och extern domän ser alltid ut på följande sätt

UNA:+.? 'UNB+UNOC:3+.... o.s.v.

| UNB[0], INTERCHANGE HEADER, M/1x | | INTERCHANGE, R/1x | | |
|----------------------------------|--|-------------------|--------|---|
| S001 | SYNTAX IDENTIFIER | M | | |
| 0001 | Syntax identifier | M | a4 | 'UNOC' |
| 0002 | Syntax version number | M | n1 | '3' |
| S002 | INTERCHANGE SENDER | M | | |
| 0004 | Sender identification | M | an..35 | Message sender |
| 0007 | Identification code qualifier | C | an..4 | Addresslistekvalificerare, se kodlista K103 |
| 0008 | Address for reverse routing | C | an..14 | Sending application |
| S003 | INTERCHANGE RECIPIENT | M | | |
| 0010 | Recipient identification | M | an..35 | Message recipient |
| 0007 | Identification code qualifier | C | an..4 | Addresslistekvalificerare, se kodlista K103 |
| 0014 | Routing address | C | an..14 | Receiving application |
| S004 | DATE/TIME OF PREPARATION | M | | |
| 0017 | Date | M | n6 | Date of preparation |
| 0019 | Time | M | n4 | Time of preparation |
| 0020 | INTERCHANGE CONTROL REFERENCE | M | an..14 | Interchange control reference |
| S005 | RECIPIENTS REFERENCE, PASSWORD | C | | |
| 0022 | Recipient's reference/password | M | an..14 | Recipient's password |
| 0025 | Recipient's reference/password qualifier | C | an2 | - |
| 0026 | APPLICATION REFERENCE | C | an..14 | Applikationsreferens, se kodlista K101 |
| 0029 | PROCESSING PRIORITY CODE | C | a1 | - |
| 0031 | ACKNOWLEDGEMENT REQUEST | C | n1 | Acknowledgement request, se kodlista K104 |
| 0032 | COMMUNICATIONS AGREEMENT ID. | C | an..35 | - |
| 0035 | TEST INDICATOR | C | n1 | Testindikator, se kodlista K102 |

Mellan UNB och UNZ ligger meddelandena i överföringen.

- Varje överföring i riktningen Företag -> TMF/TES innehåller ett eller flera meddelanden av typ CUSDEC och ett meddelande av typ AUTACK
- En överföring i riktningen TMF/TES -> Företag innehåller antingen ett eller flera meddelanden av typ CUSRES och ett meddelande av typ AUTACK eller enbart ett meddelande av typ CONTRL.

Mappning till segment

TDR050, bilaga H
Version 4.0.5
2014-03-24

UNZ[11], INTERCHANGE TRAILER, M/1x

INTERCHANGE, R/1x

0036 INTERCHANGE CONTROL COUNT

M n..6 *Interchange control count*

0020 INTERCHANGE CONTROL REFERENCE

M an..14 *Interchange reference*

4 Meddelandet CUSDEC

| UNH[1], MESSAGE HEADER, M/1x | INTERCHANGE - MEDDELANDE, R/1x |
|--------------------------------|-----------------------------------|
| 0062 MESSAGE REFERENCE NUMBER | M an..14 <i>Message reference</i> |
| S009 MESSAGE IDENTIFIER | M |
| 0065 Message type | M an..6 'CUSDEC' |
| 0052 Message version number | M an..3 'D' |
| 0054 Message release number | M an..3 '96B' |
| 0051 Controlling agency | M an..2 'UN' |
| 0057 Association assigned code | C an..6 '145050' |
| 0068 COMMON ACCESS REFERENCE | C an..35 - |
| S010 STATUS OF THE TRANSFER | C |
| 0070 Sequence of transfers | M n..2 - |
| 0073 First and last transfer | C al - |

BGM[2], BEGINNING OF MESSAGE, M, 1x

MEDDELANDE - HUVUD, R/1x

| | | | | |
|------|-------------------------------------|---|--------|-------------------------------------|
| C002 | DOCUMENT/MESSAGE NAME | C | | |
| 1001 | Document/message name, coded | C | an..3 | Meddelandenamn, se kodlista K401 |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 1000 | Document/message name | C | an..35 | Deklaration [1:1], se kodlista K404 |
| C106 | DOCUMENT/MESSAGE IDENTIFICATION | C | | |
| 1004 | Document/message number | C | an..35 | Movement reference number = MRN |
| 1056 | Version | C | an..9 | - |
| 1060 | Revision number | C | an..6 | - |
| 1225 | MESSAGE FUNCTION, CODED | C | an..3 | Deklaration [1:2], se kodlista K405 |
| 4343 | RESPONSE TYPE, CODED | C | an..3 | - |

| LOC[4], PLACE/LOCATION IDENTIFICATION, C, 99x | MEDDELANDE – HUVUD | | |
|--|--------------------|--------|-------------------------------------|
| 3227 PLACE/LOCATION QUALIFIER | M | an..3 | '17' |
| C517 LOCATION IDENTIFICATION | C | | |
| 3225 Place/location identification | C | an..25 | Utfartstullkontor, se kodlista K423 |
| 1131 Code list qualifier | C | an..3 | - |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| 3224 Place/location | C | an..70 | - |
| C519 RELATED LOCATION ONE IDENTIFICATION | C | | |
| 3223 Related place/location one identification | C | an..25 | - |
| 1131 Code list qualifier | C | an..3 | - |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| 3222 Related place/location one | C | an..70 | - |
| C553 RELATED LOCATION TWO IDENTIFICATION | C | | |
| 3233 Related place/location two identification | C | an..25 | - |
| 1131 Code list qualifier | C | an..3 | - |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| 3232 Related place/location two | C | an..70 | - |
| 5479 RELATION, CODED | C | an..3 | - |

LOC[4], PLACE/LOCATION IDENTIFICATION, C, 99x

MEDDELANDE – HUVUD

| | | | | |
|------|---|---|--------|-------------------------|
| 3227 | PLACE/LOCATION QUALIFIER | M | an..3 | '18' |
| C517 | LOCATION IDENTIFICATION | C | | |
| 3225 | Place/location identification | C | an..25 | Godsets förvaringsplats |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3224 | Place/location | C | an..70 | - |
| C519 | RELATED LOCATION ONE IDENTIFICATION | C | | |
| 3223 | Related place/location one identification | C | an..25 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3222 | Related place/location one | C | an..70 | - |
| C553 | RELATED LOCATION TWO IDENTIFICATION | C | | |
| 3233 | Related place/location two identification | C | an..25 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3232 | Related place/location two | C | an..70 | - |
| 5479 | RELATION, CODED | C | an..3 | - |

LOC[4], PLACE/LOCATION IDENTIFICATION, C, 99x

MEDDELANDE – HUVUD

| | | | | |
|------|---|---|--------|-----------------------|
| 3227 | PLACE/LOCATION QUALIFIER | M | an..3 | '122' |
| C517 | LOCATION IDENTIFICATION | C | | |
| 3225 | Place/location identification | C | an..25 | Utlämningsstullkontor |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3224 | Place/location | C | an..70 | - |
| C519 | RELATED LOCATION ONE IDENTIFICATION | C | | |
| 3223 | Related place/location one identification | C | an..25 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3222 | Related place/location one | C | an..70 | - |
| C553 | RELATED LOCATION TWO IDENTIFICATION | C | | |
| 3233 | Related place/location two identification | C | an..25 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3232 | Related place/location two | C | an..70 | - |
| 5479 | RELATION, CODED | C | an..3 | - |

LOC[4], PLACE/LOCATION IDENTIFICATION, C, 99x

MEDDELANDE – HUVUD

| | | | |
|--|---|--------|--|
| 3227 PLACE/LOCATION QUALIFIER | M | an..3 | '35' |
| C517 LOCATION IDENTIFICATION | C | | |
| 3225 Place/location identification | C | an..25 | Avsändnings- /Exportland, se kodlista K418 |
| 1131 Code list qualifier | C | an..3 | - |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| 3224 Place/location | C | an..70 | - |
| C519 RELATED LOCATION ONE IDENTIFICATION | C | | |
| 3223 Related place/location one identification | C | an..25 | - |
| 1131 Code list qualifier | C | an..3 | - |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| 3222 Related place/location one | C | an..70 | - |
| C553 RELATED LOCATION TWO IDENTIFICATION | C | | |
| 3233 Related place/location two identification | C | an..25 | - |
| 1131 Code list qualifier | C | an..3 | - |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| 3232 Related place/location two | C | an..70 | - |
| 5479 RELATION, CODED | C | an..3 | - |

| LOC[4], PLACE/LOCATION IDENTIFICATION, C, 99x | MEDDELANDE - HUVUD | | |
|--|---------------------------|--------|-----------------------------------|
| 3227 PLACE/LOCATION QUALIFIER | M | an..3 | '36' |
| C517 LOCATION IDENTIFICATION | C | | |
| 3225 Place/location identification | C | an..25 | Bestämmelseland, se kodlista K418 |
| 1131 Code list qualifier | C | an..3 | - |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| 3224 Place/location | C | an..70 | - |
| C519 RELATED LOCATION ONE IDENTIFICATION | C | | |
| 3223 Related place/location one identification | C | an..25 | - |
| 1131 Code list qualifier | C | an..3 | - |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| 3222 Related place/location one | C | an..70 | - |
| C553 RELATED LOCATION TWO IDENTIFICATION | C | | |
| 3233 Related place/location two identification | C | an..25 | - |
| 1131 Code list qualifier | C | an..3 | - |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| 3232 Related place/location two | C | an..70 | - |
| 5479 RELATION, CODED | C | an..3 | - |

LOC[4], PLACE/LOCATION IDENTIFICATION, C, 99x

MEDDELANDE - HUVUD

| | | | | |
|------|---|---|--------|--------------|
| 3227 | PLACE/LOCATION QUALIFIER | M | an..3 | '9' |
| C517 | LOCATION IDENTIFICATION | C | | |
| 3225 | Place/location identification | C | an..25 | Lastplatskod |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3224 | Place/location | C | an..70 | - |
| C519 | RELATED LOCATION ONE IDENTIFICATION | C | | |
| 3223 | Related place/location one identification | C | an..25 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3222 | Related place/location one | C | an..70 | - |
| C553 | RELATED LOCATION TWO IDENTIFICATION | C | | |
| 3233 | Related place/location two identification | C | an..25 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3232 | Related place/location two | C | an..70 | - |
| 5479 | RELATION, CODED | C | an..3 | - |

LOC[4], PLACE/LOCATION IDENTIFICATION, C, 99x

MEDDELANDE – KOMPLETTERANDE INFORMATION

| | | | |
|--|---|--------|------------------------------------|
| 3227 PLACE/LOCATION QUALIFIER | M | an..3 | '116' |
| C517 LOCATION IDENTIFICATION | C | | |
| 3225 Place/location identification | C | an..25 | Exporttullkontor, se kodlista K423 |
| 1131 Code list qualifier | C | an..3 | - |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| 3224 Place/location | C | an..70 | - |
| C519 RELATED LOCATION ONE IDENTIFICATION | C | | |
| 3223 Related place/location one identification | C | an..25 | - |
| 1131 Code list qualifier | C | an..3 | - |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| 3222 Related place/location one | C | an..70 | - |
| C553 RELATED LOCATION TWO IDENTIFICATION | C | | |
| 3233 Related place/location two identification | C | an..25 | - |
| 1131 Code list qualifier | C | an..3 | - |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| 3232 Related place/location two | C | an..70 | - |
| 5479 RELATION, CODED | C | an..3 | - |

DTM[5], DATE/TIME/PERIOD, C, 99x

MEDDELANDE - HUVUD

| | | | | | |
|------|-----------------------------------|--|--|---|---------------------------------------|
| C507 | DATA/TIME/PERIOD | | | M | |
| 2005 | Date/time/period qualifier | | | M | an..3 '131' |
| 2380 | Date/time/period | | | C | an..35 Taxebestämmande dag (CCYYMMDD) |
| 2379 | Date/time/period format qualifier | | | C | an..3 '102' |

DTM[5], DATE/TIME/PERIOD, C, 99x

MEDDELANDE - HUVUD

| | | | | | |
|------|-----------------------------------|--|--|---|---------------------------------|
| C507 | DATA/TIME/PERIOD | | | M | |
| 2005 | Date/time/period qualifier | | | M | an..3 '161' |
| 2380 | Date/time/period | | | C | an..35 Utlämningsdag (CCYYMMDD) |
| 2379 | Date/time/period format qualifier | | | C | an..3 '102' |

DTM[5], DATE/TIME/PERIOD, C, 99x

MEDDELANDE - HUVUD

| | | | | | |
|------|-----------------------------------|--|--|---|---|
| C507 | DATA/TIME/PERIOD | | | M | |
| 2005 | Date/time/period qualifier | | | M | an..3 '133' |
| 2380 | Date/time/period | | | C | an..35 Beräknad avgångstid (CCYYMMDDHHMM) |
| 2379 | Date/time/period format qualifier | | | C | an..3 '203' |

DTM[5], DATE/TIME/PERIOD, C, 99x

MEDDELANDE - KONTROLLRESULTAT

| | | | | |
|------|-----------------------------------|---|--------|--------------------------|
| C507 | DATA/TIME/PERIOD | M | | |
| 2005 | Date/time/period qualifier | M | an..3 | '9' |
| 2380 | Date/time/period | C | an..35 | Kontrolldatum (CCYYMMDD) |
| 2379 | Date/time/period format qualifier | C | an..3 | '102' |

DTM[5], DATE/TIME/PERIOD, C, 99x

MEDDELANDE - KONTROLLRESULTAT

| | | | | |
|------|-----------------------------------|---|--------|----------------------|
| C507 | DATA/TIME/PERIOD | M | | |
| 2005 | Date/time/period qualifier | M | an..3 | '268' |
| 2380 | Date/time/period | C | an..35 | Tidsfrist (CCYYMMDD) |
| 2379 | Date/time/period format qualifier | C | an..3 | '102' |

DTM[5], DATE/TIME/PERIOD, C, 99x

MEDDELANDE - KOMPLETTERANDE INFORMATION

| | | | | |
|------|-----------------------------------|---|--------|----------------------------|
| C507 | DATA/TIME/PERIOD | M | | |
| 2005 | Date/time/period qualifier | M | an..3 | '182' |
| 2380 | Date/time/period | C | an..35 | Utfärdandedatum (CCYYMMDD) |
| 2379 | Date/time/period format qualifier | C | an..3 | '102' |

DTM[5], DATE/TIME/PERIOD, C, 99x

MEDDELANDE - KOMPLETTERANDE INFORMATION

| | | | | |
|------|-----------------------------------|---|--------|---------------------------|
| C507 | DATA/TIME/PERIOD | M | | |
| 2005 | Date/time/period qualifier | M | an..3 | '148' |
| 2380 | Date/time/period | C | an..35 | Mottagningsdag (CCYYMMDD) |
| 2379 | Date/time/period format qualifier | C | an..3 | '102' |

GIS[6], GENERAL INDICATOR, C, 25x

MEDDELANDE - HUVUD

| | | | | |
|------|-------------------------------------|---|--------|------------------------------------|
| C529 | PROCESSING INDICATOR | M | | |
| 7365 | Processing indicator, coded | M | an..3 | Kvalitetssäkring, se kodlista K402 |
| 1131 | Code list qualifier | C | an..3 | 'ZKS' |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 7187 | Processing type identification | C | an..17 | - |

GIS[6], GENERAL INDICATOR, C, 25x

MEDDELANDE - HUVUD

| | | | | |
|------|-------------------------------------|---|--------|-----------------------------|
| C529 | PROCESSING INDICATOR | M | | |
| 7365 | Processing indicator, coded | M | an..3 | Container, se kodlista K407 |
| 1131 | Code list qualifier | C | an..3 | '109' |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 7187 | Processing type identification | C | an..17 | - |

GIS[6], GENERAL INDICATOR, C, 25x

MEDDELANDE - HUVUD

| | | | | |
|------|-------------------------------------|---|--------|--------------------------------------|
| C529 | PROCESSING INDICATOR | M | | |
| 7365 | Processing indicator, coded | M | an..3 | Transaktionens art, se kodlista K408 |
| 1131 | Code list qualifier | C | an..3 | '71' |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 7187 | Processing type identification | C | an..17 | - |

GIS[6], GENERAL INDICATOR, C, 25x

MEDDELANDE - HUVUD

| | | | | |
|------|-------------------------------------|---|--------|--|
| C529 | PROCESSING INDICATOR | M | | |
| 7365 | Processing indicator, coded | M | an..3 | Finans. mv avdragsrätt, se kodlista K403 |
| 1131 | Code list qualifier | C | an..3 | 'AML' |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 7187 | Processing type identification | C | an..17 | - |

GIS[6], GENERAL INDICATOR, C, 25x

MEDDELANDE - HUVUD

| | | | | |
|------|-------------------------------------|---|--------|---|
| C529 | PROCESSING INDICATOR | M | | |
| 7365 | Processing indicator, coded | M | an..3 | Använd ombuds tillstånd, se kodlista K422 |
| 1131 | Code list qualifier | C | an..3 | 'ZOT' |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 7187 | Processing type identification | C | an..17 | - |

FII[7], FINANCIAL INSTITUTION INFORMATION, C, 1x

MEDDELANDE - HUVUD

| | | | | |
|------|-------------------------------------|---|--------|-----------------------------|
| 3035 | PARTY QUALIFIER | M | an..3 | 'XX' |
| C078 | ACCOUNT IDENTIFICATION | C | | |
| 3194 | Account holder number | C | an..35 | - |
| 3192 | Account holder name | C | an..35 | - |
| 3192 | Account holder name | C | an..35 | - |
| 6345 | Currency, coded | C | an..3 | - |
| C088 | INSTITUTION IDENTIFICATION | C | | |
| 3433 | Institution name identification | C | an..11 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3434 | Institution branch number | C | an..17 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3432 | Institution name | C | an..70 | - |
| 3436 | Institution branch place | C | an..70 | Kommersiellt referensnummer |
| 3207 | COUNTRY, CODED | C | an..3 | - |

MEA[8], MEASUREMENTS, C, 5x

MEDDELANDE - HUVUD

| | | | | |
|------|--------------------------------------|---|--------|------------------|
| 6311 | MEASUREMENT APPLICATION QUALIFIER | M | an..3 | 'WT' |
| C502 | MEASUREMENT DETAILS | C | | |
| 6313 | Measurement dimension, coded | C | an..3 | 'AAD' |
| 6321 | Measurement significance, coded | C | an..3 | - |
| 6155 | Measurement attribute identification | C | an..17 | - |
| 6154 | Measurement attribute | C | an..70 | - |
| C174 | VALUE/RANGE | C | | |
| 6411 | Measurement unit qualifier | M | an..3 | 'KGM' |
| 6314 | Measurement value | C | an..18 | Total bruttovikt |
| 6162 | Range minimum | C | n..18 | - |
| 6152 | Range maximum | C | n..18 | - |
| 6432 | Significant digits | C | n..2 | - |
| 7383 | SURFACE/LAYER INDICATOR, CODED | C | an..3 | - |

EQD[9], EQUIPMENT DETAILS, C, 999x

MEDDELANDE - RESPLAN

| | | | | |
|------|--|---|--------|---|
| 8053 | EQUIPMENT QUALIFIER | M | an..3 | 'CH' |
| C237 | EQUIPMENT IDENTIFICATION | C | | |
| 8260 | Equipment identification number | C | an..17 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3207 | Country, coded | C | an..3 | Landkoder i ruttordning, se kodlista K418 |
| C224 | EQUIPMENT SIZE AND TYPE | C | | |
| 8155 | Equipment size and type identification | C | an..10 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 8154 | Equipment size and type | C | an..35 | - |
| 8077 | EQUIPMENT SUPPLIER, CODED | C | an..3 | - |
| 8249 | EQUIPMENT STATUS, CODED | C | an..3 | - |
| 8169 | FULL/EMPTY INDICATOR, CODED | C | an..3 | - |

SEL[10], SEAL NUMBER, C, 999x

MEDDELANDE – FÖRSEGLINGSINFORMATION - FÖRSEGLINGSIDENTITET

| | | | |
|--|---|--------|----------------------|
| 9308 SEAL NUMBER | M | an..10 | '0' |
| C215 SEAL ISSUER | C | | |
| 9303 Sealing party, coded | C | an..3 | - |
| 1131 Code list qualifier | C | an..3 | - |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| 9302 Sealing party | C | an..35 | Förseglingsidentitet |
| 4517 SEAL CONDITION, CODED | C | an..3 | - |

FTX[11], FREE TEXT, C, 99x

MEDDELANDE – HUVUD

| | | | | |
|------|-------------------------------------|---|--------|---|
| 4451 | TEXT SUBJECT QUALIFIER | M | an..3 | 'PAI' |
| 4453 | TEXT FUNCTION, CODED | C | an..3 | Betalningssätt för transportkostnad, se kodlista K426 |
| C107 | TEXT REFERENCE | C | | |
| 4441 | Free text identification | M | an..17 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| C108 | TEXT LITERAL | C | | |
| 4440 | Free text | C | an..70 | - |
| 4440 | Free text | C | an..70 | - |
| 4440 | Free text | C | an..70 | - |
| 4440 | Free text | C | an..70 | - |
| 4440 | Free text | C | an..70 | - |
| 3453 | LANGUAGE, CODED | C | an..3 | - |

FTX[11], FREE TEXT, C, 99x

MEDDELANDE – KONTROLLRESULTAT

| | | | | |
|------|-------------------------------------|---|--------|--|
| 4451 | TEXT SUBJECT QUALIFIER | M | an..3 | 'ADO' |
| 4453 | TEXT FUNCTION, CODED | C | an..3 | - |
| C107 | TEXT REFERENCE | C | | |
| 4441 | Free text identification | M | an..17 | Kontrollresultat kod, se kodlista K424 |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| C108 | TEXT LITERAL | C | | |
| 4440 | Free text | C | an..70 | - |
| 4440 | Free text | C | an..70 | - |
| 4440 | Free text | C | an..70 | - |
| 4440 | Free text | C | an..70 | - |
| 4440 | Free text | C | an..70 | - |
| 3453 | LANGUAGE, CODED | C | an..3 | - |

RFF[12], REFERENCE, C, 99x

MEDDELANDE – HUVUD

| | | | | | |
|------|--------------------------|--|--|--|------------------|
| C506 | REFERENCE | | | | M |
| 1153 | Reference qualifier | | | | M an..3 'ZTI' |
| 1154 | Reference number | | | | C an..35 Tullid* |
| 1156 | Line number | | | | C an..6 - |
| 4000 | Reference version number | | | | C an..35 - |

RFF[12], REFERENCE, C, 99x

MEDDELANDE – HUVUD

| | | | | | |
|------|--------------------------|--|--|--|-------------------------|
| C506 | REFERENCE | | | | M |
| 1153 | Reference qualifier | | | | M an..3 'ABE' |
| 1154 | Reference number | | | | C an..35 Referensnummer |
| 1156 | Line number | | | | C an..6 - |
| 4000 | Reference version number | | | | C an..35 - |

RFF[12], REFERENCE, C, 99x

MEDDELANDE – HUVUD

| | | | | | |
|------|--------------------------|--|--|--|-------------------------------------|
| C506 | REFERENCE | | | | M |
| 1153 | Reference qualifier | | | | M an..3 'ACD' |
| 1154 | Reference number | | | | C an..35 Ytterligare referensnummer |
| 1156 | Line number | | | | C an..6 - |
| 4000 | Reference version number | | | | C an..35 - |

* För meddelandenamn "FRA" tolkas uppgiften som en referens, ej som ett tullid

RFF[12], REFERENCE, C, 99x

MEDDELANDE – HUVUD

| | | | | | |
|------|--------------------------|---|--------|--|-----------------|
| C506 | REFERENCE | | | | |
| 1153 | Reference qualifier | M | | | |
| 1154 | Reference number | M | an..3 | | 'CLU' |
| 1156 | Line number | C | an..35 | | Klareringsenhet |
| 4000 | Reference version number | C | an..6 | | - |
| | | C | an..35 | | - |

RFF[12], REFERENCE, C, 99x

MEDDELANDE – HUVUD

| | | | | | |
|------|--------------------------|---|--------|--|--|
| C506 | REFERENCE | | | | |
| 1153 | Reference qualifier | M | | | |
| 1154 | Reference number | M | an..3 | | 'ABI' |
| 1156 | Line number | C | an..35 | | Uppskjuten betalning, se kodlista K420 |
| 4000 | Reference version number | C | an..6 | | - |
| | | C | an..35 | | - |

RFF[12], REFERENCE, C, 99x

MEDDELANDE – FÖRFRÅGAT TULLID

| | | | | | |
|------|--------------------------|---|--------|--|------------------|
| C506 | REFERENCE | | | | |
| 1153 | Reference qualifier | M | | | |
| 1154 | Reference number | M | an..3 | | 'AEI' |
| 1156 | Line number | C | an..35 | | Förfrågat tullid |
| 4000 | Reference version number | C | an..6 | | - |
| | | C | an..35 | | - |

RFF[12], REFERENCE, C, 99x

MEDDELANDE – HUVUD

| | | | | |
|------|--------------------------|---|--------|---|
| C506 | REFERENCE | M | | |
| 1153 | Reference qualifier | M | an..3 | 'AMJ' |
| 1154 | Reference number | C | an..35 | Särskild omständighet, se kodlista K425 |
| 1156 | Line number | C | an..6 | - |
| 4000 | Reference version number | C | an..35 | - |

RFF[12], REFERENCE, C, 99x

MEDDELANDE – HUVUD

| | | | | |
|------|--------------------------|---|--------|------------------------------------|
| C506 | REFERENCE | M | | |
| 1153 | Reference qualifier | M | an..3 | 'ZDN' |
| 1154 | Reference number | C | an..35 | Dokumentets namn, se kodlista K428 |
| 1156 | Line number | C | an..6 | - |
| 4000 | Reference version number | C | an..35 | - |

TD[T17], DETAILS OF TRANSPORT, C, 5x

MEDDELANDE – HUVUD

| | | | | |
|------|---|---|--------|---|
| 8051 | TRANSPORT STAGE QUALIFIER | M | an..3 | '1' |
| 8028 | CONVEYANCE REFERENCE NUMBER | C | an..17 | - |
| C220 | MODE OF TRANSPORT | C | | |
| 8067 | Mode of transport, coded | C | an..3 | Transportsätt inrikes, se kodlista K409 |
| 8066 | Mode of transport | C | an..17 | - |
| C228 | TRANSPORT MEANS | C | | |
| 8179 | Type of means of transport identification | C | an..8 | - |
| 8178 | Type of means of transport | C | an..17 | - |
| C040 | CARRIER | C | | |
| 3127 | Carrier identification | C | an..17 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3128 | Carrier name | C | an..35 | - |
| 8101 | TRANSIT DIRECTION, CODED | C | an..3 | - |
| C401 | EXCESS TRANSPORTATION INFORMATION | C | | |
| 8457 | Excess transportation reason, coded | M | an..3 | - |
| 8459 | Excess transportation responsibility, coded | M | an..3 | - |
| 7130 | Customer authorization number | C | an..17 | - |
| C222 | TRANSPORT IDENTIFICATION | C | | |
| 8213 | Id. of means of transport identification | C | an..9 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 8212 | Id. of means of transport | C | an..35 | - |
| 8453 | Nationality of means of transport, coded | C | an..3 | - |
| 8281 | TRANSPORT OWNERSHIP, CODED | C | an..3 | - |

TD[T17], DETAILS OF TRANSPORT, C, 5x

MEDDELANDE – HUVUD

| | | | | |
|------|---|---|--------|--|
| 8051 | TRANSPORT STAGE QUALIFIER | M | an..3 | '11' |
| 8028 | CONVEYANCE REFERENCE NUMBER | C | an..17 | - |
| C220 | MODE OF TRANSPORT | C | | |
| 8067 | Mode of transport, coded | C | an..3 | Transportsätt vid gräns, se kodlista K409 |
| 8066 | Mode of transport | C | an..17 | - |
| C228 | TRANSPORT MEANS | C | | |
| 8179 | Type of means of transport identification | C | an..8 | - |
| 8178 | Type of means of transport | C | an..17 | - |
| C040 | CARRIER | C | | |
| 3127 | Carrier identification | C | an..17 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3128 | Carrier name | C | an..35 | - |
| 8101 | TRANSIT DIRECTION, CODED | C | an..3 | - |
| C401 | EXCESS TRANSPORTATION INFORMATION | C | | |
| 8457 | Excess transportation reason, coded | M | an..3 | - |
| 8459 | Excess transportation responsibility, coded | M | an..3 | - |
| 7130 | Customer authorization number | C | an..17 | - |
| C222 | TRANSPORT IDENTIFICATION | C | | |
| 8213 | Id. of means of transport identification | C | an..9 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 8212 | Id. of means of transport | C | an..35 | Transportmedlets identitet vid gränspassage |
| 8453 | Nationality of means of transport, coded | C | an..3 | Transportmedlets nationalitet vid gränspassage, se kodlista K418 |
| 8281 | TRANSPORT OWNERSHIP, CODED | C | an..3 | - |

TD[T17], DETAILS OF TRANSPORT, C, 5x

MEDDELANDE – HUVUD

| | | | | |
|------|---|---|--------|---|
| 8051 | TRANSPORT STAGE QUALIFIER | M | an..3 | '12' |
| 8028 | CONVEYANCE REFERENCE NUMBER | C | an..17 | - |
| C220 | MODE OF TRANSPORT | C | | |
| 8067 | Mode of transport, coded | C | an..3 | - |
| 8066 | Mode of transport | C | an..17 | - |
| C228 | TRANSPORT MEANS | C | | |
| 8179 | Type of means of transport identification | C | an..8 | - |
| 8178 | Type of means of transport | C | an..17 | - |
| C040 | CARRIER | C | | |
| 3127 | Carrier identification | C | an..17 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3128 | Carrier name | C | an..35 | - |
| 8101 | TRANSIT DIRECTION, CODED | C | an..3 | - |
| C401 | EXCESS TRANSPORTATION INFORMATION | C | | |
| 8457 | Excess transportation reason, coded | M | an..3 | - |
| 8459 | Excess transportation responsibility, coded | M | an..3 | - |
| 7130 | Customer authorization number | C | an..17 | - |
| C222 | TRANSPORT IDENTIFICATION | C | | |
| 8213 | Id. of means of transport identification | C | an..9 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 8212 | Id. of means of transport | C | an..35 | Transportmedlets identitet vid avgången |
| 8453 | Nationality of means of transport, coded | C | an..3 | - |
| 8281 | TRANSPORT OWNERSHIP, CODED | C | an..3 | - |

| NAD[22], NAME AND ADDRESS, C, 10x | | MEDDELANDE – KLARERINGSBEHÖRIG | | |
|-----------------------------------|-------------------------------------|--------------------------------|--------|---|
| 3035 | PARTY QUALIFIER | M | an..3 | 'BK' |
| C082 | PARTY IDENTIFICATION DETAILS | C | | |
| 3039 | Party id. identification | M | an..35 | Klareringsbehörig orgnr |
| 1131 | Code list qualifier | C | an..3 | Klareringsbehörig orgnr landkod, se kodlista K418 |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| C058 | NAME AND ADDRESS | C | | |
| 3124 | Name and address line | M | an..35 | - |
| 3124 | Name and address line | C | an..35 | - |
| 3124 | Name and address line | C | an..35 | - |
| 3124 | Name and address line | C | an..35 | - |
| 3124 | Name and address line | C | an..35 | - |
| C080 | PARTY NAME | C | | |
| 3036 | Party name | M | an..35 | - |
| 3036 | Party name | C | an..35 | - |
| 3036 | Party name | C | an..35 | - |
| 3036 | Party name | C | an..35 | - |
| 3036 | Party name | C | an..35 | - |
| 3045 | Party name format, coded | C | an..3 | - |
| C059 | STREET | C | | |
| 3042 | Street and number/p.o. box | M | an..35 | - |
| 3042 | Street and number/p.o. box | C | an..35 | - |
| 3042 | Street and number/p.o. box | C | an..35 | - |
| 3042 | Street and number/p.o. box | C | an..35 | - |
| 3164 | CITY NAME | C | an..35 | - |
| 3229 | COUNTRY SUB-ENTITY IDENTIFICATION | C | an..9 | - |
| 3251 | POSTCODE IDENTIFICATION | C | an..9 | - |
| 3207 | COUNTRY, CODED | C | an..3 | - |

| NAD[22], NAME AND ADDRESS, C, 10x | MEDDELANDE – AVSÄNDARE/EXPORTÖR (Import) | | |
|--|--|--------|---------------------------|
| 3035 PARTY QUALIFIER | M | an..3 | 'CZ' |
| C082 PARTY IDENTIFICATION DETAILS | C | | |
| 3039 Party id. identification | M | an..35 | - |
| 1131 Code list qualifier | C | an..3 | - |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| C058 NAME AND ADDRESS | C | | |
| 3124 Name and address line | M | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| C080 PARTY NAME | C | | |
| 3036 Party name | M | an..35 | Namn |
| 3036 Party name | C | an..35 | - |
| 3036 Party name | C | an..35 | - |
| 3036 Party name | C | an..35 | - |
| 3036 Party name | C | an..35 | - |
| 3045 Party name format, coded | C | an..3 | - |
| C059 STREET | C | | |
| 3042 Street and number/p.o. box | M | an..35 | Gatuadress |
| 3042 Street and number/p.o. box | C | an..35 | Gatuadress |
| 3042 Street and number/p.o. box | C | an..35 | - |
| 3042 Street and number/p.o. box | C | an..35 | - |
| 3164 CITY NAME | C | an..35 | Postadress |
| 3229 COUNTRY SUB-ENTITY IDENTIFICATION | C | an..9 | - |
| 3251 POSTCODE IDENTIFICATION | C | an..9 | Postnummer |
| 3207 COUNTRY, CODED | C | an..3 | Landkod, se kodlista K418 |

| NAD[22], NAME AND ADDRESS, C, 10x | MEDDELANDE – AVSÄNDARE/EXPORTÖR (Export) | | |
|--|--|--------|----------------------------------|
| 3035 PARTY QUALIFIER | M | an..3 | 'EX' |
| C082 PARTY IDENTIFICATION DETAILS | C | | |
| 3039 Party id. identification | M | an..35 | Orgnr |
| 1131 Code list qualifier | C | an..3 | Orgnr. landkod, se kodlista K418 |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| C058 NAME AND ADDRESS | C | | |
| 3124 Name and address line | M | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| C080 PARTY NAME | C | | |
| 3036 Party name | M | an..35 | Namn |
| 3036 Party name | C | an..35 | - |
| 3036 Party name | C | an..35 | - |
| 3036 Party name | C | an..35 | - |
| 3036 Party name | C | an..35 | - |
| 3045 Party name format, coded | C | an..3 | - |
| C059 STREET | C | | |
| 3042 Street and number/p.o. box | M | an..35 | Gatuadress |
| 3042 Street and number/p.o. box | C | an..35 | Gatuadress |
| 3042 Street and number/p.o. box | C | an..35 | - |
| 3042 Street and number/p.o. box | C | an..35 | - |
| 3164 CITY NAME | C | an..35 | Postadress |
| 3229 COUNTRY SUB-ENTITY IDENTIFICATION | C | an..9 | - |
| 3251 POSTCODE IDENTIFICATION | C | an..9 | Postnummer |
| 3207 COUNTRY, CODED | C | an..3 | Landkod, se kodlista K418 |

NAD(3035=EX).CTA[24], CONTACT INFORMATION, C, 1x

MEDDELANDE – AVSÄNDARE/EXPORTÖR (Export)

| | | | |
|--|---|--------|-------------------|
| 3139 CONTACT FUNCTION, CODED | C | an..3 | 'AH' |
| C056 DEPARTMENT OR EMPLOYEE DETAILS | C | | |
| 3413 Department or employee identification | C | an..17 | - |
| 3412 Department or employee | C | an..35 | Handläggare, namn |

NAD(3035=EX).COM[25], COMMUNICATION CONTACT, C, 5x

MEDDELANDE – AVSÄNDARE/EXPORTÖR (Export)

| | | | |
|--------------------------------------|---|---------|---------------------------|
| C076 COMMUNICATION CONTACT | M | | |
| 3148 Communication number | M | an..512 | Handläggare Telefonnummer |
| 3155 Communication channel qualifier | M | an..3 | 'TE' |

| NAD[22], NAME AND ADDRESS, C, 10x | | MEDDELANDE – MOTTAGARE | | |
|-----------------------------------|-------------------------------------|------------------------|--------|----------------------------------|
| 3035 | PARTY QUALIFIER | M | an..3 | 'CN' |
| C082 | PARTY IDENTIFICATION DETAILS | C | | |
| 3039 | Party id. identification | M | an..35 | Orgnr |
| 1131 | Code list qualifier | C | an..3 | Orgnr. landkod, se kodlista K418 |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| C058 | NAME AND ADDRESS | C | | |
| 3124 | Name and address line | M | an..35 | - |
| 3124 | Name and address line | C | an..35 | - |
| 3124 | Name and address line | C | an..35 | - |
| 3124 | Name and address line | C | an..35 | - |
| 3124 | Name and address line | C | an..35 | - |
| C080 | PARTY NAME | C | | |
| 3036 | Party name | M | an..35 | Namn |
| 3036 | Party name | C | an..35 | - |
| 3036 | Party name | C | an..35 | - |
| 3036 | Party name | C | an..35 | - |
| 3036 | Party name | C | an..35 | - |
| 3045 | Party name format, coded | C | an..3 | - |
| C059 | STREET | C | | |
| 3042 | Street and number/p.o. box | M | an..35 | Gatuadress |
| 3042 | Street and number/p.o. box | C | an..35 | Gatuadress |
| 3042 | Street and number/p.o. box | C | an..35 | - |
| 3042 | Street and number/p.o. box | C | an..35 | - |
| 3164 | CITY NAME | C | an..35 | Postadress |
| 3229 | COUNTRY SUB-ENTITY IDENTIFICATION | C | an..9 | - |
| 3251 | POSTCODE IDENTIFICATION | C | an..9 | Postnummer |
| 3207 | COUNTRY, CODED | C | an..3 | Landkod, se kodlista K418 |

| NAD[22], NAME AND ADDRESS, C, 10x | MEDDELANDE – DEKLARANT | | |
|--|-------------------------------|--------|----------------------------------|
| 3035 PARTY QUALIFIER | M | an..3 | 'DT' |
| C082 PARTY IDENTIFICATION DETAILS | C | | |
| 3039 Party id. identification | M | an..35 | Orgnr |
| 1131 Code list qualifier | C | an..3 | Orgnr. landkod, se kodlista K418 |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| C058 NAME AND ADDRESS | C | | |
| 3124 Name and address line | M | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| C080 PARTY NAME | C | | |
| 3036 Party name | M | an..35 | Namn |
| 3036 Party name | C | an..35 | - |
| 3036 Party name | C | an..35 | - |
| 3036 Party name | C | an..35 | - |
| 3036 Party name | C | an..35 | - |
| 3045 Party name format, coded | C | an..3 | - |
| C059 STREET | C | | |
| 3042 Street and number/p.o. box | M | an..35 | Gatuadress |
| 3042 Street and number/p.o. box | C | an..35 | Gatuadress |
| 3042 Street and number/p.o. box | C | an..35 | - |
| 3042 Street and number/p.o. box | C | an..35 | - |
| 3164 CITY NAME | C | an..35 | Postadress |
| 3229 COUNTRY SUB-ENTITY IDENTIFICATION | C | an..9 | - |
| 3251 POSTCODE IDENTIFICATION | C | an..9 | Postnummer |
| 3207 COUNTRY, CODED | C | an..3 | Landkod, se kodlista K418 |

Mappning till segment
CUSDEC

TDR050, bilaga H
Version 4.0.5
2014-03-24

NAD(3035=DT).CTA[24], CONTACT INFORMATION, C, 1x

MEDDELANDE – DEKLARANT

| | | | | |
|------|---------------------------------------|---|--------|-------------------|
| 3139 | CONTACT FUNCTION, CODED | C | an..3 | 'AH' |
| C056 | DEPARTMENT OR EMPLOYEE DETAILS | C | | |
| 3413 | Department or employee identification | C | an..17 | - |
| 3412 | Department or employee | C | an..35 | Handläggare, namn |

NAD(3035=DT).COM[25], COMMUNICATION CONTACT, C, 5x

MEDDELANDE – DEKLARANT

| | | | | |
|------|---------------------------------|---|---------|----------------------------|
| C076 | COMMUNICATION CONTACT | M | | |
| 3148 | Communication number | M | an..512 | Handläggare, telefonnummer |
| 3155 | Communication channel qualifier | M | an..3 | 'TE' |

| NAD[22], NAME AND ADDRESS, C, 10x | MEDDELANDE – OMBUD | | |
|--|--------------------|--------|-------------------------------------|
| 3035 PARTY QUALIFIER | M | an..3 | 'AE' |
| C082 PARTY IDENTIFICATION DETAILS | C | | |
| 3039 Party id. identification | M | an..35 | Orgnr |
| 1131 Code list qualifier | C | an..3 | Orgnr. Landkod, se kodlista K418 |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| C058 NAME AND ADDRESS | C | | |
| 3124 Name and address line | M | an..35 | Typ av ombudsskap, se kodlista K406 |
| 3124 Name and address line | C | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| C080 PARTY NAME | C | | |
| 3036 Party name | M | an..35 | Namn |
| 3036 Party name | C | an..35 | - |
| 3036 Party name | C | an..35 | - |
| 3036 Party name | C | an..35 | - |
| 3036 Party name | C | an..35 | - |
| 3045 Party name format, coded | C | an..3 | - |
| C059 STREET | C | | |
| 3042 Street and number/p.o. box | M | an..35 | Gatuadress |
| 3042 Street and number/p.o. box | C | an..35 | Gatuadress |
| 3042 Street and number/p.o. box | C | an..35 | - |
| 3042 Street and number/p.o. box | C | an..35 | - |
| 3164 CITY NAME | C | an..35 | Postadress |
| 3229 COUNTRY SUB-ENTITY IDENTIFICATION | C | an..9 | - |
| 3251 POSTCODE IDENTIFICATION | C | an..9 | Postnummer |
| 3207 COUNTRY, CODED | C | an..3 | Landkod, se kodlista K418 |

NAD(3035=AE).CTA[24], CONTACT INFORMATION, C, 1x

MEDDELANDE – OMBUD

| | | | | |
|------|---------------------------------------|---|--------|-------------------|
| 3139 | CONTACT FUNCTION, CODED | C | an..3 | 'AH' |
| C056 | DEPARTMENT OR EMPLOYEE DETAILS | C | | |
| 3413 | Department or employee identification | C | an..17 | - |
| 3412 | Department or employee | C | an..35 | Handläggare, namn |

NAD(3035=AE).COM[25], COMMUNICATION CONTACT, C, 5x

MEDDELANDE – OMBUD

| | | | | |
|------|---------------------------------|---|---------|----------------------------|
| C076 | COMMUNICATION CONTACT | M | | |
| 3148 | Communication number | M | an..512 | Handläggare, telefonnummer |
| 3155 | Communication channel qualifier | M | an..3 | 'TE' |

| NAD[22], NAME AND ADDRESS, C, 10x | MEDDELANDE – KONTROLLRESULTAT | | |
|--|-------------------------------|--------|-----------------|
| 3035 PARTY QUALIFIER | M | an..3 | 'EI' |
| C082 PARTY IDENTIFICATION DETAILS | C | | |
| 3039 Party id. identification | M | an..35 | Kontrollerad av |
| 1131 Code list qualifier | C | an..3 | - |
| 3055 Code list responsible agency, coded | C | an..3 | - |
| C058 NAME AND ADDRESS | C | | |
| 3124 Name and address line | M | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| 3124 Name and address line | C | an..35 | - |
| C080 PARTY NAME | C | | |
| 3036 Party name | M | an..35 | - |
| 3036 Party name | C | an..35 | - |
| 3036 Party name | C | an..35 | - |
| 3036 Party name | C | an..35 | - |
| 3036 Party name | C | an..35 | - |
| 3045 Party name format, coded | C | an..3 | - |
| C059 STREET | C | | |
| 3042 Street and number/p.o. box | M | an..35 | - |
| 3042 Street and number/p.o. box | C | an..35 | - |
| 3042 Street and number/p.o. box | C | an..35 | - |
| 3042 Street and number/p.o. box | C | an..35 | - |
| 3164 CITY NAME | C | an..35 | - |
| 3229 COUNTRY SUB-ENTITY IDENTIFICATION | C | an..9 | - |
| 3251 POSTCODE IDENTIFICATION | C | an..9 | - |
| 3207 COUNTRY, CODED | C | an..3 | - |

TOD[26], TERMS OF DELIVERY OF TRANSPORT, C, 99x

MEDDELANDE – HUVUD

| | | | | |
|------|--|---|--------|----------------------|
| 4055 | TERMS OF DELIVERY OF TRANSPORT FUNCTION, CODED | M | an..3 | '5' |
| 4215 | TRANSPORT CHARGES METHOD OF PAYMENT, CODED | C | an..3 | - |
| C100 | TERMS OF DELIVERY OF TRANSPORT | C | | |
| 4053 | Terms of delivery of transport, coded | C | an..3 | Leveransvillkor, kod |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 4052 | Terms of delivery of transport | C | an..70 | - |
| 4052 | Terms of delivery of transport | C | an..70 | - |

TOD(4055=5)LOC[27], PLACE/LOCATION IDENTIFICATION, C, 2x MEDDELANDE - HUVUD

| | | | | |
|------|---|---|--------|----------------------|
| 3227 | PLACE/LOCATION QUALIFIER | M | an..3 | '1' |
| C517 | LOCATION IDENTIFICATION | C | | |
| 3225 | Place/location identification | C | an..25 | Leveransvillkor, ort |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3224 | Place/location | C | an..70 | - |
| C519 | RELATED LOCATION ONE IDENTIFICATION | C | | |
| 3223 | Related place/location one identification | C | an..25 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3222 | Related place/location one | C | an..70 | - |
| C553 | RELATED LOCATION TWO IDENTIFICATION | C | | |
| 3233 | Related place/location two identification | C | an..25 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3232 | Related place/location two | C | an..70 | - |
| 5479 | RELATION, CODED | C | an..3 | - |

MOA[29], MONETARY AMOUNT, C, 25x

MEDDELANDE – HUVUD

| | | | | |
|------|--------------------------------|---|-------|------------|
| C516 | MONETARY AMOUNT | M | | |
| 5025 | Monetary amount type qualifier | M | an..3 | '70' |
| 5004 | Monetary amount | C | n..18 | Försäkring |
| 6345 | Currency, coded | C | an..3 | - |
| 6343 | Currency qualifier | C | an..3 | - |
| 4405 | Status, coded | C | an..3 | - |

MOA[29], MONETARY AMOUNT, C, 25x

MEDDELANDE – HUVUD

| | | | | |
|------|--------------------------------|---|-------|------------------|
| C516 | MONETARY AMOUNT | M | | |
| 5025 | Monetary amount type qualifier | M | an..3 | '160' |
| 5004 | Monetary amount | C | n..18 | Övriga kostnader |
| 6345 | Currency, coded | C | an..3 | - |
| 6343 | Currency qualifier | C | an..3 | - |
| 4405 | Status, coded | C | an..3 | - |

MOA[29], MONETARY AMOUNT, C, 25x

MEDDELANDE – HUVUD

| | | | | |
|------|--------------------------------|---|-------|-------------|
| C516 | MONETARY AMOUNT | M | | |
| 5025 | Monetary amount type qualifier | M | an..3 | '142' |
| 5004 | Monetary amount | C | n..18 | Kassarabatt |
| 6345 | Currency, coded | C | an..3 | - |
| 6343 | Currency qualifier | C | an..3 | - |
| 4405 | Status, coded | C | an..3 | - |

MOA[29], MONETARY AMOUNT, C, 25x

MEDDELANDE – HUVUD

| | | | | |
|------|--------------------------------|---|-------|--------------|
| C516 | MONETARY AMOUNT | M | | |
| 5025 | Monetary amount type qualifier | M | an..3 | '103' |
| 5004 | Monetary amount | C | n..18 | Annan rabatt |
| 6345 | Currency, coded | C | an..3 | - |
| 6343 | Currency qualifier | C | an..3 | - |
| 4405 | Status, coded | C | an..3 | - |

MOA[29], MONETARY AMOUNT, C, 25x

MEDDELANDE – HUVUD

| | | | | |
|------|--------------------------------|---|-------|----------------|
| C516 | MONETARY AMOUNT | M | | |
| 5025 | Monetary amount type qualifier | M | an..3 | '144' |
| 5004 | Monetary amount | C | n..18 | Fraktkostnader |
| 6345 | Currency, coded | C | an..3 | Valutakod |
| 6343 | Currency qualifier | C | an..3 | - |
| 4405 | Status, coded | C | an..3 | - |

MOA(C516.5025=144).CUX[30], CURRENCIES, C, 1x

MEDDELANDE – HUVUD

| | | | | |
|------|---------------------------------|---|-------|------------|
| C504 | CURRENCY DETAILS | C | | |
| 6347 | Currency details qualifier | M | an..3 | - |
| 6345 | Currency, coded | C | an..3 | - |
| 6343 | Currency qualifier | C | an..3 | - |
| 6348 | Currency rate base | C | n..4 | - |
| C504 | CURRENCY DETAILS | C | | |
| 6347 | Currency details qualifier | M | an..3 | - |
| 6345 | Currency, coded | C | an..3 | - |
| 6343 | Currency qualifier | C | an..3 | - |
| 6348 | Currency rate base | C | n..4 | - |
| 5402 | RATE OF EXCHANGE | C | n..12 | Valutakurs |
| 6341 | CURRENCY MARKET EXCHANGE, CODED | C | an..3 | - |

Mappning till segment
CUSDEC

TDR050, bilaga H
Version 4.0.5
2014-03-24

MOA[29], MONETARY AMOUNT, C, 25x

MEDDELANDE – HUVUD

| | | | | |
|------|--------------------------------|---|-------|----------------------|
| C516 | MONETARY AMOUNT | M | | |
| 5025 | Monetary amount type qualifier | M | an..3 | '39' |
| 5004 | Monetary amount | C | n..18 | Totalt fakturabelopp |
| 6345 | Currency, coded | C | an..3 | Valutakod |
| 6343 | Currency qualifier | C | an..3 | - |
| 4405 | Status, coded | C | an..3 | - |

Mappning till segment
CUSDEC

TDR050, bilaga H
Version 4.0.5
2014-03-24

UNS[32], SECTION CONTROL, M, 1x

0081 SECTION IDENTIFICATION

M a l 'D'

CST[92], CUSTOMS STATUS OF GOODS, C, 999x

MEDDELANDE – VARUPOST

| | | | | |
|------|-------------------------------------|---|--------|-------------------|
| 1496 | GOODS ITEM NUMBER | C | n..5 | Varupostnummer |
| C246 | CUSTOMS IDENTITY CODES | C | | |
| 7361 | Customs code identification | M | an..18 | Varukod/KN-nummer |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| C246 | CUSTOMS IDENTITY CODES | C | | |
| 7361 | Customs code identification | M | an..18 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| C246 | CUSTOMS IDENTITY CODES | C | | |
| 7361 | Customs code identification | M | an..18 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| C246 | CUSTOMS IDENTITY CODES | C | | |
| 7361 | Customs code identification | M | an..18 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| C246 | CUSTOMS IDENTITY CODES | C | | |
| 7361 | Customs code identification | M | an..18 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |

CST(*).FTX[93], FREE TEXT, C, 999x

MEDDELANDE – VARUPOST

| | | | | |
|------|-------------------------------------|---|--------|-----------------------------|
| 4451 | TEXT SUBJECT QUALIFIER | M | an..3 | 'IND' |
| 4453 | TEXT FUNCTION, CODED | C | an..3 | - |
| C107 | TEXT REFERENCE | C | | |
| 4441 | Free text identification | M | an..17 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| C108 | TEXT LITERAL | C | | |
| 4440 | Free text | C | an..70 | Kommersiellt referensnummer |
| 4440 | Free text | C | an..70 | - |
| 4440 | Free text | C | an..70 | - |
| 4440 | Free text | C | an..70 | - |
| 4440 | Free text | C | an..70 | - |
| 3453 | LANGUAGE, CODED | C | an..3 | - |

CST(*).FTX[93], FREE TEXT, C, 999x

MEDDELANDE – VARUPOST - KOLLIUPPGIFTER

| | | | | |
|------|-------------------------------------|---|--------|-----------------|
| 4451 | TEXT SUBJECT QUALIFIER | M | an..3 | ‘AAA’ |
| 4453 | TEXT FUNCTION, CODED | C | an..3 | - |
| C107 | TEXT REFERENCE | C | | |
| 4441 | Free text identification | M | an..17 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| C108 | TEXT LITERAL | C | | |
| 4440 | Free text | C | an..70 | Varubeskrivning |
| 4440 | Free text | C | an..70 | Varubeskrivning |
| 4440 | Free text | C | an..70 | Varubeskrivning |
| 4440 | Free text | C | an..70 | Varubeskrivning |
| 4440 | Free text | C | an..70 | - |
| 3453 | LANGUAGE, CODED | C | an..3 | - |

CST(*).FTX[93], FREE TEXT, C, 999x

MEDDELANDE – VARUPOST – SÄRSKILDA UPPLYSNINGAR

| | | | | |
|------|-------------------------------------|---|--------|--|
| 4451 | TEXT SUBJECT QUALIFIER | M | an..3 | ‘SU’ |
| 4453 | TEXT FUNCTION, CODED | C | an..3 | - |
| C107 | TEXT REFERENCE | C | | |
| 4441 | Free text identification | M | an..17 | Särskilda upplysningar kod, se kodlista K415 |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| C108 | TEXT LITERAL | C | | |
| 4440 | Free text | C | an..70 | Särskilda upplysningar text |
| 4440 | Free text | C | an..70 | Särskilda upplysningar text |
| 4440 | Free text | C | an..70 | Särskilda upplysningar text |
| 4440 | Free text | C | an..70 | Särskilda upplysningar text |
| 4440 | Free text | C | an..70 | Särskilda upplysningar text |
| 3453 | LANGUAGE, CODED | C | an..3 | - |

| CST(*).LOC[94], PLACE/LOCATION IDENTIFICATION, C, 25x | | MEDDELANDE – VARUPOST | | |
|---|---|-----------------------|--------|---------------------------------|
| 3227 | PLACE/LOCATION QUALIFIER | M | an..3 | '27' |
| C517 | LOCATION IDENTIFICATION | C | | |
| 3225 | Place/location identification | C | an..25 | Ursprungsland, se kodlista K418 |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3224 | Place/location | C | an..70 | - |
| C519 | RELATED LOCATION ONE IDENTIFICATION | C | | |
| 3223 | Related place/location one identification | C | an..25 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3222 | Related place/location one | C | an..70 | - |
| C553 | RELATED LOCATION TWO IDENTIFICATION | C | | |
| 3233 | Related place/location two identification | C | an..25 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3232 | Related place/location two | C | an..70 | - |
| 5479 | RELATION, CODED | C | an..3 | - |

| CST(*).LOC[94], PLACE/LOCATION IDENTIFICATION, C, 25x | | MEDDELANDE – VARUPOST | | |
|---|---|-----------------------|--------|--------------------------------|
| 3227 | PLACE/LOCATION QUALIFIER | M | an..3 | 'ZIL' |
| C517 | LOCATION IDENTIFICATION | C | | |
| 3225 | Place/location identification | C | an..25 | Identitetsnummer |
| 1131 | Code list qualifier | C | an..3 | Typ av lager, se kodlista K417 |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3224 | Place/location | C | an..70 | Landkod, se kodlista K418 |
| C519 | RELATED LOCATION ONE IDENTIFICATION | C | | |
| 3223 | Related place/location one identification | C | an..25 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3222 | Related place/location one | C | an..70 | - |
| C553 | RELATED LOCATION TWO IDENTIFICATION | C | | |
| 3233 | Related place/location two identification | C | an..25 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3232 | Related place/location two | C | an..70 | - |
| 5479 | RELATION, CODED | C | an..3 | - |

CST(*).MEA[96], MEASUREMENTS, C, 20x

MEDDELANDE – VARUPOST

| | | | | |
|------|--------------------------------------|---|--------|------------|
| 6311 | MEASUREMENT APPLICATION QUALIFIER | M | an..3 | 'WT' |
| C502 | MEASUREMENT DETAILS | C | | |
| 6313 | Measurement dimension, coded | C | an..3 | 'AAB' |
| 6321 | Measurement significance, coded | C | an..3 | - |
| 6155 | Measurement attribute identification | C | an..17 | - |
| 6154 | Measurement attribute | C | an..70 | - |
| C174 | VALUE/RANGE | C | | |
| 6411 | Measurement unit qualifier | M | an..3 | 'KGM' |
| 6314 | Measurement value | C | an..18 | Bruttovikt |
| 6162 | Range minimum | C | n..18 | - |
| 6152 | Range maximum | C | n..18 | - |
| 6432 | Significant digits | C | n..2 | - |
| 7383 | SURFACE/LAYER INDICATOR, CODED | C | an..3 | - |

CST(*).MEA[96], MEASUREMENTS, C, 20x

MEDDELANDE – VARUPOST

| | | | | |
|------|--------------------------------------|---|--------|-----------|
| 6311 | MEASUREMENT APPLICATION QUALIFIER | M | an..3 | 'WT' |
| C502 | MEASUREMENT DETAILS | C | | |
| 6313 | Measurement dimension, coded | C | an..3 | 'AAA' |
| 6321 | Measurement significance, coded | C | an..3 | - |
| 6155 | Measurement attribute identification | C | an..17 | - |
| 6154 | Measurement attribute | C | an..70 | - |
| C174 | VALUE/RANGE | C | | |
| 6411 | Measurement unit qualifier | M | an..3 | 'KGM' |
| 6314 | Measurement value | C | an..18 | Nettovikt |
| 6162 | Range minimum | C | n..18 | - |
| 6152 | Range maximum | C | n..18 | - |
| 6432 | Significant digits | C | n..2 | - |
| 7383 | SURFACE/LAYER INDICATOR, CODED | C | an..3 | - |

CST(*).MEA[96], MEASUREMENTS, C, 20x

MEDDELANDE – VARUPOST

| | | | | |
|------|--------------------------------------|---|--------|--------------------|
| 6311 | MEASUREMENT APPLICATION QUALIFIER | M | an..3 | 'WT' |
| C502 | MEASUREMENT DETAILS | C | | |
| 6313 | Measurement dimension, coded | C | an..3 | 'AAS' |
| 6321 | Measurement significance, coded | C | an..3 | - |
| 6155 | Measurement attribute identification | C | an..17 | - |
| 6154 | Measurement attribute | C | an..70 | - |
| C174 | VALUE/RANGE | C | | |
| 6411 | Measurement unit qualifier | M | an..3 | 'AQU' |
| 6314 | Measurement value | C | an..18 | Extra mängdenheter |
| 6162 | Range minimum | C | n..18 | - |
| 6152 | Range maximum | C | n..18 | - |
| 6432 | Significant digits | C | n..2 | - |
| 7383 | SURFACE/LAYER INDICATOR, CODED | C | an..3 | - |

| CST(*).TDT[98], DETAIL OF TRANSPORT, C, 9x | | MEDDELANDE – VARUPOST | | |
|--|---|-----------------------|--------|--|
| 8051 | TRANSPORT STAGE QUALIFIER | M | an..3 | '10' |
| 8028 | CONVEYANCE REFERENCE NUMBER | C | an..17 | - |
| C220 | MODE OF TRANSPORT | C | | |
| 8067 | Mode of transport, coded | C | an..3 | - |
| 8066 | Mode of transport | C | an..17 | - |
| C228 | TRANSPORT MEANS | C | | |
| 8179 | Type of means of transport identification | C | an..8 | Betalningsätt för transportkostnad, se kodlista K426 |
| 8178 | Type of means of transport | C | an..17 | - |
| C040 | CARRIER | C | | |
| 3127 | Carrier identification | C | an..17 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 3128 | Carrier name | C | an..35 | - |
| 8101 | TRANSIT DIRECTION, CODED | C | an..3 | - |
| C401 | EXCESS TRANSPORTATION INFORMATION | C | | |
| 8457 | Excess transportation reason, coded | M | an..3 | - |
| 8459 | Excess transportation responsibility, coded | M | an..3 | - |
| 7130 | Customer authorization number | C | an..17 | - |
| C222 | TRANSPORT IDENTIFICATION | C | | |
| 8213 | Id. of means of transport identification | C | an..9 | FN-kod för farligt gods, se kodlista K427 |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 8212 | Id. of means of transport | C | an..35 | - |
| 8453 | Nationality of means of transport, coded | C | an..3 | - |
| 8281 | TRANSPORT OWNERSHIP, CODED | C | an..3 | - |

CST(*).PAC[99], PACKAGE, C, 99x

MEDDELANDE – VARUPOST - KOLLIUPPGIFTER

| | | | | |
|------|--|---|--------|---|
| 7224 | NUMBER OF PACKAGES | C | n..8 | '6' |
| C531 | PACKAGING DETAILS | C | | |
| 7075 | Packaging level, coded | C | an..3 | - |
| 7233 | Packaging related information, coded | C | an..3 | - |
| 7073 | Packaging terms and conditions, coded | C | an..3 | - |
| C202 | PACKAGE TYPE | C | | |
| 7065 | Type of packages identification | C | an..17 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 7064 | Type of packages | C | an..35 | - |
| C402 | PACKAGE TYPE IDENTIFICATION | C | | |
| 7077 | Item description list, coded | C | an..4 | Kollislag (förpackningskod), se kodlista K410 |
| 7064 | Type of packages | C | an..35 | Antal kolli/delar (n..5) alt endast Antal kolli (n..5)* |
| 7143 | Item number type, coded | C | an..3 | - |
| 7064 | Type of packages | C | an..35 | Antal delar (n..5)* |
| 7143 | Item number type, coded | C | an..3 | - |
| C532 | RETURNABLE PACKAGE DETAILS | C | | |
| 8395 | Returnable package freight payment responsibility, coded | C | an..3 | - |
| 8393 | Returnable package load contents, coded | C | an..3 | - |

* För meddelanden tillhörande applikationsreferens **CUSDECI-IE** (i riktning ftg till tullen) ska CST(*).PAC[99].C402.7064#1 användas för **Antal kolli/delar**. För meddelanden tillhörande applikationsreferens **CUSDECU-IE** (i riktning tullen till ftg) ska CST(*).PAC[99].C402.7064#1 användas för **Antal kolli** och CST(*).PAC[99].C402.7064#2 användas för **Antal delar**.

CST(*).PAC(7224=6).PCI[100], PACKAGE IDENTIFICATION, M, 1x MEDDELANDE - VARUPOST - KOLLIUPPGIFTER

| | | | | |
|------|-------------------------------------|---|--------|---------------------------------------|
| 4233 | MARKING INSTRUCTIONS, CODED | C | an..3 | '28' |
| C210 | MARKS & LABELS | C | | |
| 7102 | Shipping marks | C | an..35 | Godsmärkning |
| 7102 | Shipping marks | C | an..35 | Godsmärkning, fortsätt max. 7 tecken. |
| 7102 | Shipping marks | C | an..35 | - |
| 7102 | Shipping marks | C | an..35 | - |
| 7102 | Shipping marks | C | an..35 | - |
| 7102 | Shipping marks | C | an..35 | - |
| 7102 | Shipping marks | C | an..35 | - |
| 7102 | Shipping marks | C | an..35 | - |
| 7102 | Shipping marks | C | an..35 | - |
| 8275 | CONTAINER/PACKAGE STATUS, CODED | C | an..3 | - |
| C827 | TYPE OF MARKING | C | | |
| 7511 | Type of marking, coded | M | an..3 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |

CST(*).MOA[102], MONETARY AMOUNT, C, 25x

MEDDELANDE – VARUPOST

| | | | | |
|------|--------------------------------|---|-------|-------------|
| C516 | MONETARY AMOUNT | M | | |
| 5025 | Monetary amount type qualifier | M | an..3 | '66' |
| 5004 | Monetary amount | C | n..18 | Varans pris |
| 6345 | Currency, coded | C | an..3 | - |
| 6343 | Currency qualifier | C | an..3 | - |
| 4405 | Status, coded | C | an..3 | - |

CST(*).MOA[102], MONETARY AMOUNT, C, 25x

MEDDELANDE – VARUPOST

| | | | | |
|------|--------------------------------|---|-------|-------------------|
| C516 | MONETARY AMOUNT | M | | |
| 5025 | Monetary amount type qualifier | M | an..3 | '123' |
| 5004 | Monetary amount | C | n..18 | Statistiskt värde |
| 6345 | Currency, coded | C | an..3 | - |
| 6343 | Currency qualifier | C | an..3 | - |
| 4405 | Status, coded | C | an..3 | - |

Mappning till segment
CUSDEC

TDR050, bilaga H
Version 4.0.5
2014-03-24

CST(*).RFF[105], REFERENCE, C, 999x

MEDDELANDE – VARUPOST - CONTAINERUPPGIFTER

| | | | | |
|------|--------------------------|---|--------|-----------------|
| C506 | REFERENCE | M | | |
| 1153 | Reference qualifier | M | an..3 | 'AAQ' |
| 1154 | Reference number | C | an..35 | Containernummer |
| 1156 | Line number | C | an..6 | - |
| 4000 | Reference version number | C | an..35 | - |

CST(*).RFF[105], REFERENCE, C, 999x

MEDDELANDE – VARUPOST

| | | | | |
|------|--------------------------|---|--------|-------|
| C506 | REFERENCE | M | | |
| 1153 | Reference qualifier | M | an..3 | 'ABJ' |
| 1154 | Reference number | C | an..35 | Kvot |
| 1156 | Line number | C | an..6 | - |
| 4000 | Reference version number | C | an..35 | - |

CST(*).DOC[111], DOCUMENT/MEDDELANDE DETAILS, C, 999x MEDDELANDE – VARUPOST – TIDIGARE HANDLINGAR

| | | | | |
|------|--|---|--------|--|
| C002 | DOCUMENT/MESSAGE NAME | M | | |
| 1001 | Document/message name, coded | C | an..3 | '190' |
| 1131 | Code list qualifier | C | an..3 | Tidigare handlingar kategori, se kodlista K414 |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 1000 | Document/message name | C | an..35 | Tidigare handlingar typ, se kodlista K414 |
| C503 | DOCUMENT/MESSAGE DETAILS | C | | |
| 1004 | Document/message number | C | an..35 | Tidigare handlingar identitet |
| 1373 | Document/message status, coded | C | an..3 | - |
| 1366 | Document/message source | C | an..35 | - |
| 3454 | Language, coded | C | an..3 | - |
| 3153 | COMMUNICATION CHANNEL IDENTIFIERE, CODED | C | an..3 | - |
| 1220 | NUMBER OF COPIES OF DOCUMENT REQUIRED | C | n..2 | - |
| 1218 | NUMBER OF ORIGINALS OF DOCUMENT REQUIRED | C | n..2 | - |

Mapping till segment
CUSDEC

TDR050, bilaga H
Version 4.0.5
2014-03-24

CST(*).DOC[111], DOCUMENT/MESSAGE DETAILS, C, 999x

MEDDELANDE – VARUPOST – BILAGDA HANDLINGAR

| | | | | |
|------|--|---|--------|---|
| C002 | DOCUMENT/MESSAGE NAME | M | | |
| 1001 | Document/message name, coded | C | an..3 | 'ZBH' |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 1000 | Document/message name | C | an..35 | Bilagda handlingar, typ, se kodlista K419 |
| C503 | DOCUMENT/MESSAGE DETAILS | C | | |
| 1004 | Document/message number | C | an..35 | Bilagda handlingar, identitet |
| 1373 | Document/message status, coded | C | an..3 | - |
| 1366 | Document/message source | C | an..35 | - |
| 3454 | Language, coded | C | an..3 | - |
| 3153 | COMMUNICATION CHANNEL IDENTIFIERE, CODED | C | an..3 | - |
| 1220 | NUMBER OF COPIES OF DOCUMENT REQUIRED | C | n..2 | - |
| 1218 | NUMBER OF ORIGINALS OF DOCUMENT REQUIRED | C | n..2 | - |

CST(*).GIS[120], GENERAL INDICATOR, C, 25x

MEDDELANDE – VARUPOST

| | | | | |
|------|-------------------------------------|---|--------|----------------------------|
| C529 | PROCESSING INDICATOR | M | | |
| 7365 | Processing indicator, coded | M | an..3 | Förmåner, se kodlista K411 |
| 1131 | Code list qualifier | C | an..3 | '116' |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 7187 | Processing type identification | C | an..17 | - |

CST(*).GIS[120], GENERAL INDICATOR, C, 25x

MEDDELANDE – VARUPOST

| | | | | |
|------|-------------------------------------|---|--------|---|
| C529 | PROCESSING INDICATOR | M | | |
| 7365 | Processing indicator, coded | M | an..3 | Åtgärdsindikator (call me), se kodlista 421 |
| 1131 | Code list qualifier | C | an..3 | 'Z11' |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 7187 | Processing type identification | C | an..17 | - |

CST(*).GIS[120], GENERAL INDICATOR, C, 25x

MEDDELANDE – VARUPOST

| | | | | |
|------|-------------------------------------|---|--------|-------------------------------------|
| C529 | PROCESSING INDICATOR | M | | |
| 7365 | Processing indicator, coded | M | an..3 | '1' |
| 1131 | Code list qualifier | C | an..3 | 'ZF' |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 7187 | Processing type identification | C | an..17 | Förfarande (37:1), se kodlista K412 |

CST(*).GIS[120], GENERAL INDICATOR, C, 25x

MEDDELANDE – VARUPOST

| | | | | |
|------|-------------------------------------|---|--------|-------------------------------------|
| C529 | PROCESSING INDICATOR | M | | |
| 7365 | Processing indicator, coded | M | an..3 | '2' |
| 1131 | Code list qualifier | C | an..3 | 'ZF' |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 7187 | Processing type identification | C | an..17 | Förfarande (37:2), se kodlista K413 |

CST(*).GIS[120], GENERAL INDICATOR, C, 25x

MEDDELANDE – VARUPOST

| | | | | |
|------|-------------------------------------|---|--------|-----------------------------|
| C529 | PROCESSING INDICATOR | M | | |
| 7365 | Processing indicator, coded | M | an..3 | '3' |
| 1131 | Code list qualifier | C | an..3 | 'ZA' |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 7187 | Processing type identification | C | an..17 | Varukod, tilläggskod (33:3) |

CST(*).GIS[120], GENERAL INDICATOR, C, 25x

MEDDELANDE – VARUPOST

| | | | | |
|------|-------------------------------------|---|--------|-----------------------------|
| C529 | PROCESSING INDICATOR | M | | |
| 7365 | Processing indicator, coded | M | an..3 | '4' |
| 1131 | Code list qualifier | C | an..3 | 'ZA' |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 7187 | Processing type identification | C | an..17 | Varukod, tilläggskod (33:4) |

CST(*).GIS[120], GENERAL INDICATOR, C, 25x

MEDDELANDE – VARUPOST

| | | | | |
|------|-------------------------------------|---|--------|-----------------------------|
| C529 | PROCESSING INDICATOR | M | | |
| 7365 | Processing indicator, coded | M | an..3 | '5' |
| 1131 | Code list qualifier | C | an..3 | 'ZA' |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 7187 | Processing type identification | C | an..17 | Varukod, tilläggskod (33:5) |

CST(*).TAX[124], DUTY/TAX/FEE DETAILS, C, 10x

MEDDELANDE – VARUPOST - AVGIFTER

| | | | | |
|------|--|---|--------|------------------------------|
| 5283 | DUTY/TAX/FEE FUNCTION QUALIFIER | M | an..3 | '6' |
| C241 | DUTY/TAX/FEE TYPE | C | | |
| 5153 | Duty/tax/fee type, coded | C | an..3 | Avgiftskod, se kodlista K416 |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 5152 | Duty/tax/fee type | C | an..35 | - |
| C533 | DUTY/TAX/FEE ACCOUNT DETAIL | C | | |
| 5289 | Duty/tax/fee account identification | M | an..6 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 5286 | DUTY/TAX/FEE ASSESSMENT BASIS | C | an..15 | Beskattningsgrund |
| C243 | DUTY/TAX/FEE DETAIL | C | | |
| 5279 | Duty/tax/fee rate identification | C | an..7 | - |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 5278 | Duty/tax/fee rate | C | an..17 | Avgiftssats |
| 5273 | Duty/tax/fee rate basis identification | C | an..12 | Beräkningsenhet |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 5305 | DUTY/TAX/FEE CATEGORY, CODED | C | an..3 | - |
| 3446 | PARTY TAX IDENTIFICATION NUMBER | C | an..20 | - |

UNS[144], SECTION CONTROL, M, 1x

0081 SECTION IDENTIFICATION

M a l 'S'

CNT[145], CONTROL TOTAL, C, 5x

MEDDELANDE – HUVUD

| | | | |
|-----------------------------|---|-------|--------------|
| C270 CONTROL | M | | |
| 6069 Control qualifier | M | an..3 | '11' |
| 6066 Control value | M | n..18 | Antal kollin |
| 6411 Measure unit qualifier | C | an..3 | - |

CNT[145], CONTROL TOTAL, C, 5x

MEDDELANDE – HUVUD

| | | | |
|-----------------------------|---|-------|------------------|
| C270 CONTROL | M | | |
| 6069 Control qualifier | M | an..3 | '5' |
| 6066 Control value | M | n..18 | Antal varuposter |
| 6411 Measure unit qualifier | C | an..3 | - |

CNT[145], CONTROL TOTAL, C, 5x

MEDDELANDE – FÖRSEGLINGSINFORMATION

| | | | |
|-----------------------------|---|-------|--------------------|
| C270 CONTROL | M | | |
| 6069 Control qualifier | M | an..3 | '16' |
| 6066 Control value | M | n..18 | Antal förseglingar |
| 6411 Measure unit qualifier | C | an..3 | - |

Mappning till segment
CUSDEC

TDR050, bilaga H
Version 4.0.5
2014-03-24

UNT[151], MEDDELANDE TRAILER, M/1x

INTERCHANGE - MEDDELANDE, R/1x

0074 NUMBER OF SEGMENTS IN THE MESSAGE

M n..6 *Number of segments in the message*

0062 MESSAGE REFERENCE NUMBER

M an..14 *Message reference*

5 Meddelandet CUSRES

| UNH[1], MESSAGE HEADER, M/1x | INTERCHANGE - MEDDELANDE | | |
|--------------------------------|--------------------------|--------|--------------------------|
| 0062 MESSAGE REFERENCE NUMBER | M | an..14 | <i>Message reference</i> |
| S009 MESSAGE IDENTIFIER | M | | |
| 0065 Message type | M | an..6 | 'CUSRES' |
| 0052 Message version number | M | an..3 | 'D' |
| 0054 Message release number | M | an..3 | '96B' |
| 0051 Controlling agency | M | an..2 | 'UN' |
| 0057 Association assigned code | C | an..6 | '145050' |
| 0068 COMMON ACCESS REFERENCE | C | an..35 | - |
| S010 STATUS OF THE TRANSFER | C | | |
| 0070 Sequence of transfers | M | n..2 | - |
| 0073 First and last transfer | C | a1 | - |

Mapping till segment
CUSRES

TDR050, bilaga H
Version 4.0.5
2014-03-24

BGM[2], BEGINNING OF MESSAGE, M, 1x

MEDDELANDE - HUVUD

| | | | | |
|------|-------------------------------------|---|--------|---|
| C002 | DOCUMENT/MESSAGE NAME | C | | |
| 1001 | Document/message name, coded | C | an..3 | Meddelandenamn, <i>Se kodlista K507</i> |
| 1131 | Code list qualifier | C | an..3 | - |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 1000 | Document/message name | C | an..35 | - |
| C106 | DOCUMENT/MESSAGE IDENTIFICATION | C | | |
| 1004 | Document/message number | C | an..35 | Movement reference number = MRN |
| 1056 | Version | C | an..9 | - |
| 1060 | Revision number | C | an..6 | - |
| 1225 | MESSAGE FUNCTION, CODED | C | an..3 | - |
| 4343 | RESPONSE TYPE, CODED | C | an..3 | - |

Mappning till segment
CUSRES

TDR050, bilaga H
Version 4.0.5
2014-03-24

DTM[3], DATE/TIME/PERIOD, C, 9x

MEDDELANDE - HUVUD

C507 DATA/TIME/PERIOD

2005 Date/time/period qualifier

2380 Date/time/period

2379 Date/time/period format qualifier

M

M an..3

C an..35

C an..3

'Z11'

Mottagningsdatum (CCYYMMDD)

'102'

GIS[7], GENERAL INDICATOR, C, 10x

MEDDELANDE - HUVUD

| | | | | |
|------|-------------------------------------|---|--------|--------------------------------------|
| C529 | PROCESSING INDICATOR | M | | |
| 7365 | Processing indicator, coded | M | an..3 | Utfall av rättelse, se kodlista K508 |
| 1131 | Code list qualifier | C | an..3 | 'ZUR' |
| 3055 | Code list responsible agency, coded | C | an..3 | - |
| 7187 | Processing type identification | C | an..17 | - |

RFF[12], REFERENCE, C, 99x

MEDDELANDE – HUVUD

| | | | | | |
|------|--------------------------|---|--------|--|--------------------------------|
| C506 | REFERENCE | | | | |
| 1153 | Reference qualifier | M | | | |
| 1154 | Reference number | M | an..3 | | 'ZTI' |
| 1156 | Line number | C | an..35 | | Lokalt referensnummer = TullId |
| 4000 | Reference version number | C | an..6 | | - |
| | | C | an..35 | | - |

RFF[12], REFERENCE, C, 999x

MEDDELANDE – HUVUD

| | | | | | |
|------|--------------------------|---|--------|--|----------------------------|
| C506 | REFERENCE | | | | |
| 1153 | Reference qualifier | M | | | |
| 1154 | Reference number | M | an..3 | | 'ABE' |
| 1156 | Line number | C | an..35 | | Uppgiftslämnarens referens |
| 4000 | Reference version number | C | an..6 | | - |
| | | C | an..35 | | - |

RFF[12], REFERENCE, C, 999x

MEDDELANDE – HUVUD

| | | | | | |
|------|--------------------------|---|--------|--|--|
| C506 | REFERENCE | | | | |
| 1153 | Reference qualifier | M | | | |
| 1154 | Reference number | M | an..3 | | 'ABO' |
| 1156 | Line number | C | an..35 | | Ursprunglig uppgiftslämnarens referens |
| 4000 | Reference version number | C | an..6 | | - |
| | | C | an..35 | | - |

RFF[12], REFERENCE, C, 999x

MEDDELANDE – HUVUD

| | | | | | |
|------|--------------------------|--|--|---|-----------------------------------|
| C506 | REFERENCE | | | M | |
| 1153 | Reference qualifier | | | M | an..3 'GKF', se kodlista K506 |
| 1154 | Reference number | | | C | an..35 Tullid, klart för utförsel |
| 1156 | Line number | | | C | an..6 - |
| 4000 | Reference version number | | | C | an..35 - |

RFF[12], REFERENCE, C, 999x

MEDDELANDE – HUVUD

| | | | | | |
|------|--------------------------|--|--|---|--------------------------------------|
| C506 | REFERENCE | | | M | |
| 1153 | Reference qualifier | | | M | an..3 'GEF', se kodlista K506 |
| 1154 | Reference number | | | C | an..35 Tullid, ej klart för utförsel |
| 1156 | Line number | | | C | an..6 - |
| 4000 | Reference version number | | | C | an..35 - |

RFF[12], REFERENCE, C, 999x

MEDDELANDE – HUVUD

| | | | | | |
|------|--------------------------|--|--|---|------------------------------------|
| C506 | REFERENCE | | | M | |
| 1153 | Reference qualifier | | | M | an..3 'GKL', se kodlista K506 |
| 1154 | Reference number | | | C | an..35 Tullid, klart för utlämning |
| 1156 | Line number | | | C | an..6 - |
| 4000 | Reference version number | | | C | an..35 - |

RFF[12], REFERENCE, C, 999x

MEDDELANDE – HUVUD

| | | | | | |
|------|--------------------------|--|--|---|---------------------------------------|
| C506 | REFERENCE | | | M | |
| 1153 | Reference qualifier | | | M | an..3 'GEL', se kodlista K506 |
| 1154 | Reference number | | | C | an..35 Tullid, ej klart för utlämning |
| 1156 | Line number | | | C | an..6 - |
| 4000 | Reference version number | | | C | an..35 - |

RFF[12], REFERENCE, C, 999x

MEDDELANDE – HUVUD

| | | | | | |
|------|--------------------------|--|---|--------|--------------------------|
| C506 | REFERENCE | | | M | |
| 1153 | Reference qualifier | | M | an..3 | 'KLU', se kodlista K506 |
| 1154 | Reference number | | C | an..35 | Tullid, klarering utförd |
| 1156 | Line number | | C | an..6 | - |
| 4000 | Reference version number | | C | an..35 | - |

RFF[12], REFERENCE, C, 999x

MEDDELANDE – HUVUD

| | | | | | |
|------|--------------------------|--|---|--------|-------------------------|
| C506 | REFERENCE | | | M | |
| 1153 | Reference qualifier | | M | an..3 | 'TFE', se kodlista K506 |
| 1154 | Reference number | | C | an..35 | Tullid, finns ej |
| 1156 | Line number | | C | an..6 | - |
| 4000 | Reference version number | | C | an..35 | - |

RFF[12], REFERENCE, C, 999x

MEDDELANDE – HUVUD

| | | | | |
|------|--------------------------|---|--------|---|
| C506 | REFERENCE | M | | |
| 1153 | Reference qualifier | M | an..3 | 'ZMF' Felaktigt MRN i Tidigare handlingar |
| 1154 | Reference number | C | an..35 | - |
| 1156 | Line number | C | an..6 | - |
| 4000 | Reference version number | C | an..35 | MRN |

RFF[12], REFERENCE, C, 999x

MEDDELANDE – HUVUD

| | | | | |
|------|--------------------------|---|--------|---|
| C506 | REFERENCE | M | | |
| 1153 | Reference qualifier | M | an..3 | 'ZMS' Fel status på MRN i Tidigare handlingar |
| 1154 | Reference number | C | an..35 | - |
| 1156 | Line number | C | an..6 | - |
| 4000 | Reference version number | C | an..35 | MRN |

ERP[15], ERROR POINT DETAILS, C, 99x

MEDDELANDE - HUVUD

| | | | | |
|------|-------------------------------|---|--------|---|
| C701 | ERROR POINT DETAILS | C | | |
| 1049 | Message section, coded | C | an..3 | Sektion av meddelande, se kodlista K505 |
| 1052 | Message item number | C | an..35 | Varupostnummer |
| 1054 | Message sub-item number | C | n..6 | - |
| C853 | ERROR SEGMENT POINT DETAILS | C | | |
| 9166 | Segment tag | C | an..3 | - |
| 1050 | Sequence number | C | an..10 | - |
| 1159 | Sequence number source, coded | C | an..3 | - |

ERC[17], APPLICATION ERROR INFORMATION, C, 99x

MEDDELANDE - HUVUD

| | | | | |
|------|-------------------------------------|---|-------|---|
| C901 | APPLICATION ERROR DETAIL | M | | |
| 9321 | Application error identification | M | an..8 | Felkod, se kodlista K502, K503, K504 eller K509 |
| 1131 | Code list qualifier | C | an..3 | Svarskodstyp, se kodlista K501 |
| 3055 | Code list responsible agency, coded | C | an..3 | - |

Mapping till segment
CUSRES

TDR050, bilaga H
Version 4.0.5
2014-03-24

UNT[52], MESSAGE TRAILER, M/1x

INTERCHANGE - MEDDELANDE, R/1x

0074 NUMBER OF SEGMENTS IN THE MESSAGE

M n..6 *Number of segments in the message*

0062 MESSAGE REFERENCE NUMBER

M an..14 *Message reference*

6 Meddelandet AUTACK

OBS! Under en övergångsperiod kommer två sigilleringsmetoder att fungera parallellt. Dels den ”gamla” som beskrivs i detta dokument och dels den ”nya” som beskrivs i ett separat regelverk, SCTS-SC. Hur lång övergångsperioden kommer att vara och vilka datum som gäller för start och stopp för nya och gamla metoden kommer att informeras om på tullverket.se.

UNH[1], MESSAGE HEADER, M/1x

INTERCHANGE - MEDDELANDE, R/1x

| | | | | |
|------|---------------------------|---|--------|--------------------------|
| 0062 | MESSAGE REFERENCE NUMBER | M | an..14 | <i>Message reference</i> |
| S009 | MESSAGE IDENTIFIER | M | | |
| 0065 | Message type | M | an..6 | 'AUTACK' |
| 0052 | Message version number | M | an..3 | '4' |
| 0054 | Message release number | M | an..3 | '1' |
| 0051 | Controlling agency | M | an..2 | 'UN' |
| 0057 | Association assigned code | C | an..6 | '145050' |
| 0068 | COMMON ACCESS REFERENCE | C | an..35 | - |
| S010 | STATUS OF THE TRANSFER | C | | |
| 0070 | Sequence of transfers | M | n..2 | - |
| 0073 | First and last transfer | C | a1 | - |

USH[2], SECURITY HEADER, M/1x

INTERCHANGE - MEDDELANDE - SECURITY HEADER, R/1x

| | | | | |
|------|--|---|--------|--|
| 0501 | SECURITY SERVICES, CODED | M | an..3 | '8', se kodlista K301 |
| 0534 | SECURITY REFERENCE NUMBER | M | an..14 | Security reference number |
| 0541 | SCOPE OF SECURITY APPLICATION, CODED | C | an..3 | '3', se kodlista K302 |
| 0503 | RESPONSE TYPE, CODED | C | an..3 | - |
| 0505 | FILTER FUNCTION, CODED | C | an..3 | - |
| 0507 | ORIGINAL CHARACTER SET ENCODING, CODED | C | an..3 | - |
| 0509 | ROLE OF SECURITY PROVIDER, CODED | C | an..3 | '1', se kodlista K303 |
| S500 | SECURITY IDENTIFICATION DETAILS | C | | |
| 0577 | Security party qualifier | M | an..3 | '1', se kodlista K304 |
| 0538 | Key name | C | an..35 | - |
| 0511 | Security party identification | C | an..17 | Security party identification, organisationsnummer |
| 0513 | Security party code list qualifier | C | an..3 | - |
| 0515 | Security party code list responsible agency, coded | C | an..3 | - |
| 0586 | Security party name | C | an..35 | - |
| 0586 | Security party name | C | an..35 | - |
| 0586 | Security party name | C | an..35 | - |
| 0520 | SECURITY SEQUENCE NUMBER | C | an..35 | - |
| S501 | SECURITY DATE AND TIME | C | | |
| 0517 | Date and time qualifier | M | an..3 | '1' |
| 0338 | Event date | C | n..8 | Security date (n8), CCYYMMDD |
| 0314 | Event time | C | an..15 | Security time (n6), HHMMSS |
| 0336 | Time offset | C | n4 | - |

USH(*)USA[3], SECURITY ALGORITHM, C/3x

**INTERCHANGE - MEDDELANDE - SECURITY HEADER -
SECURITY ALGORITHM, DOCUMENT, R/1x**

| | | | | |
|------|--|---|---------|-------------------------|
| S502 | SECURITY ALGORITHM | M | | |
| 0523 | Use of algorithm, coded | M | an..3 | '1', se kodlista K305 |
| 0525 | Cryptographic mode of operation, coded | C | an..3 | 'ZT1', se kodlista K306 |
| 0533 | Mode of operation code list identifier | C | an..3 | - |
| 0527 | Algorithm, coded | C | an..3 | 'Z01', se kodlista K307 |
| 0529 | Algorithm code list identifier | C | an..3 | - |
| S503 | ALGORITHM PARAMETER | C | | |
| 0531 | Algorithm parameter qualifier | M | an..3 | - |
| 0554 | Algorithm parameter value | M | an..512 | - |

USH(*).USC[4], CERTIFICATE, M/1x

INTERCHANGE - MEDDELANDE - SECURITY HEADER - CERTIFICATE, R/1x

| | | | | |
|------|--|---|--------|---|
| 0536 | CERTIFICATE REFERENCE | C | an..35 | <i>Certificate reference (inom företaget)</i> |
| S500 | SECURITY IDENTIFICATION DETAILS | C | | |
| 0577 | Security party qualifier | M | an..3 | - |
| 0538 | Key name | C | an..35 | - |
| 0511 | Security party identification | C | an..17 | - |
| 0513 | Security party code list qualifier | C | an..3 | - |
| 0515 | Security party code list responsible agency, coded | C | an..3 | - |
| 0586 | Security party name | C | an..35 | - |
| 0586 | Security party name | C | an..35 | - |
| 0586 | Security party name | C | an..35 | - |
| 0545 | CERTIFICATE SYNTAX VERSION, CODED | C | an..3 | - |
| 0505 | FILTER FUNCTION, CODED | C | an..3 | - |
| 0507 | ORIGINAL CHARACTER SET ENCODING, CODED | C | an..3 | - |
| 0543 | CERTIFICATE ORIGINAL CHARACTER SET REPERTOIRE, CODED | C | an..3 | - |
| 0546 | USER AUTHORISATION LEVEL | C | an..35 | - |
| S505 | SERVICE CHARACTER FOR SIGNATURE | C | | |
| 0551 | Service character for signature qualifier | M | an..3 | - |
| 0548 | Service character for signature | M | an..4 | - |

Mappning till segment
AUTACK

TDR050, bilaga H
Version 4.0.5
2014-03-24

USH(*)USC[4], CERTIFICATE, M/1x, forts.

INTERCHANGE - MEDDELANDE - SECURITY HEADER - CERTIFICATE, R/1x

| | | | | |
|------|-------------------------|---|--------|---|
| S501 | SECURITY DATE AND TIME | C | | |
| 0517 | Date and time qualifier | M | an..3 | - |
| 0338 | Event date | C | n..8 | - |
| 0314 | Event time | C | an..15 | - |
| 0336 | Time offset | C | n4 | - |
| 0567 | SECURITY STATUS, CODED | C | an..3 | - |
| 0569 | REVOCAION REASON, CODED | C | an..3 | - |

USH(*).USC(*).USA[5], SECURITY ALGORITHM, C/3x

INTERCHANGE - MEDDELANDE - SECURITY HEADER - CERTIFICATE -
SECURITY ALGORITHM, USER, R/1x

| | | | | |
|------|--|---|---------|-------------------------|
| S502 | SECURITY ALGORITHM | M | | |
| 0523 | Use of algorithm, coded | M | an..3 | '6', se kodlista K305 |
| 0525 | Cryptographic mode of operation, coded | C | an..3 | 'ZT2', se kodlista K306 |
| 0533 | Mode of operation code list identifier | C | an..3 | - |
| 0527 | Algorithm, coded | C | an..3 | 'Z02', se kodlista K307 |
| 0529 | Algorithm code list identifier | C | an..3 | - |
| S503 | ALGORITHM PARAMETER | C | | |
| 0531 | Algorithm parameter qualifier | M | an..3 | - |
| 0554 | Algorithm parameter value | M | an..512 | - |

USX[8], SECURITY REFERENCES, M/1x

INTERCHANGE - MEDDELANDE - SECURITY REFERENCES, R/1x

| | | | | |
|------|---|---|--------|--------------------------------------|
| 0020 | INTERCHANGE CONTROL REFERENCE | C | an..14 | <i>Interchange control reference</i> |
| S002 | INTERCHANGE SENDER | C | | |
| 0004 | Interchange sender identification | M | an..35 | - |
| 0007 | Identification code qualifier | C | an..4 | - |
| 0008 | Interchange sender internal identification | C | an..35 | - |
| 0042 | Interchange sender internal sub-identification | C | an..35 | - |
| S003 | INTERCHANGE RECIPIENT | C | | |
| 0010 | Interchange recipient identification | M | an..35 | - |
| 0007 | Identification code qualifier | C | an..4 | - |
| 0014 | Interchange recipient internal identification | C | an..35 | - |
| 0046 | Interchange recipient internal sub-identification | C | an..35 | - |
| 0048 | GROUP REFERENCE NUMBER | C | an..14 | - |
| S006 | APPLICATION SENDER IDENTIFICATION | C | | |
| 0040 | Application sender identification | M | an..35 | - |
| 0007 | Identification code qualifier | C | an..4 | - |
| S007 | APPLICATION RECIPIENT IDENTIFICATION | C | | |
| 0044 | Application recipient identification | M | an..35 | - |
| 0007 | Identification code qualifier | C | an..4 | - |
| 0062 | MESSAGE REFERENCE NUMBER | C | an..14 | <i>Message reference number</i> |

USX[8], SECURITY REFERENCES, M/1x, forts.

INTERCHANGE - MEDDELANDE - SECURITY REFERENCES, R/1x

| | | | | |
|------|--|---|--------|-------------------------------|
| S009 | MESSAGE IDENTIFIER | C | | |
| 0065 | Message type | M | an..6 | <i>Message type</i> |
| 0052 | Message version number | M | an..3 | <i>Message version number</i> |
| 0054 | Message release number | M | an..3 | <i>Message release number</i> |
| 0051 | Controlling agency, coded | M | an..3 | <i>'UN'</i> |
| 0057 | Association assigned code | C | an..6 | - |
| 0110 | Code list directory version number | C | an..6 | - |
| 0113 | Message type sub-function identification | C | an..6 | - |
| 0800 | PACKAGE REFERENCE NUMBER | C | an..14 | - |
| S501 | SECURITY DATE AND TIME | C | | |
| 0517 | Date and time qualifier | M | an..3 | - |
| 0338 | Event date | C | n..8 | - |
| 0314 | Event time | C | an..15 | - |
| 0336 | Time offset | C | n4 | - |

Mappning till segment
AUTACK

TDR050, bilaga H
Version 4.0.5
2014-03-24

**USX(*).USY[9], SECURITY ON REFERENCES, M/9x
R/1x**

INTERCHANGE - MEDDELANDE - SECURITY REFERENCES - DOCUMENT SEAL,

| | | | | |
|------|----------------------------|---|---------|----------------------------------|
| 0534 | SECURITY REFERENCE NUMBER | M | an..14 | <i>Security reference number</i> |
| S508 | VALIDATION RESULT | C | | |
| 0563 | Validation value qualifier | M | an..3 | <i>'ZS1', se kodlista K308</i> |
| 0560 | Validation value | C | an..512 | <i>Document seal</i> |
| 0571 | SECURITY ERROR, CODED | C | an..3 | - |

Mappning till segment
AUTACK

TDR050, bilaga H
Version 4.0.5
2014-03-24

USX(*).USY[9], SECURITY ON REFERENCES, M/9x

INTERCHANGE - MEDDELANDE - SECURITY REFERENCES - USER SEAL, R/1x

| | | | | |
|------|----------------------------|---|---------|----------------------------------|
| 0534 | SECURITY REFERENCE NUMBER | M | an..14 | <i>Security reference number</i> |
| S508 | VALIDATION RESULT | C | | |
| 0563 | Validation value qualifier | M | an..3 | <i>'ZS2', se kodlista K308</i> |
| 0560 | Validation value | C | an..512 | <i>User seal</i> |
| 0571 | SECURITY ERROR, CODED | C | an..3 | - |

Mapping till segment
AUTACK

TDR050, bilaga H
Version 4.0.5
2014-03-24

UNT[12], MESSAGE TRAILER, M/1x

INTERCHANGE - MEDDELANDE, R/1x

0074 NUMBER OF SEGMENTS IN THE MESSAGE

M n..6 *Number of segments in the message*

0062 MESSAGE REFERENCE NUMBER

M an..14 *Message reference*

7 Meddelandet CONTRL

UNH[1], MESSAGE HEADER, M/1x

INTERCHANGE - MEDDELANDE, R/1x

| | | | | |
|------|---------------------------|---|--------|--------------------------|
| 0062 | MESSAGE REFERENCE NUMBER | M | an..14 | <i>Message reference</i> |
| S009 | MESSAGE IDENTIFIER | M | | |
| 0065 | Message type | M | an..6 | 'CONTRL' |
| 0052 | Message version number | M | an..3 | 'D' |
| 0054 | Message release number | M | an..3 | '3' |
| 0051 | Controlling agency | M | an..2 | 'UN' |
| 0057 | Association assigned code | C | an..6 | '145050' |
| 0068 | COMMON ACCESS REFERENCE | C | an..35 | - |
| S010 | STATUS OF THE TRANSFER | C | | |
| 0070 | Sequence of transfers | M | n..2 | - |
| 0073 | First and last transfer | C | a1 | - |

UCI[2], INTERCHANGE RESPONSE, M/1x

INTERCHANGE - MEDDELANDE - INTERCHANGE RESPONSE, R/1x

| | | | | |
|------|--|---|--------|--|
| 0020 | INTERCHANGE CONTROL REFERENCE | M | an..14 | <i>Interchange control reference</i> |
| S002 | INTERCHANGE SENDER | M | | |
| 0004 | Sender identification | M | an..35 | <i>Message sender</i> |
| 0007 | Identification code qualifier | C | an..4 | <i>Sender identification code qualifier</i> |
| 0008 | Address for reverse routing | C | an..14 | <i>Sending application</i> |
| S003 | INTERCHANGE RECIPIENT | M | | |
| 0010 | Recipient identification | M | an..35 | <i>Message recipient</i> |
| 0007 | Identification code qualifier | C | an..4 | <i>Recipient identification code qualifier</i> |
| 0014 | Routing address | C | an..14 | <i>Receiving application</i> |
| 0083 | ACTION, CODED | M | an..3 | <i>Åtgärd, se kodlista K201</i> |
| 0085 | SYNTAX ERROR, CODED | C | an..3 | <i>Feltyp, se kodlista K202</i> |
| 0013 | SERVICE SEGMENT TAG, CODED | C | a3 | <i>Interchange service segment</i> |
| S011 | DATA ELEMENT IDENTIFICATION | C | | |
| 0098 | Erroneous data element position in segment | M | n..3 | <i>Position of erroneous data element</i> |
| 0104 | Erroneous component data element position | C | n..3 | <i>Position of erroneous data component</i> |

UCM[3], MESSAGE RESPONSE, C/99999x

INTERCHANGE - MEDDELANDE - MESSAGE RESPONSE, D/2x

| | | | | |
|------|--|---|--------|---|
| 0062 | MESSAGE REFERENCE NUMBER | M | an..14 | <i>Message reference</i> |
| S009 | MESSAGE IDENTIFIER | M | | |
| 0065 | Message type | M | an..6 | <i>Message type</i> |
| 0052 | Message version number | M | an..3 | <i>Message version</i> |
| 0054 | Message release number | M | an..3 | <i>Message release number</i> |
| 0051 | Controlling agency | M | an..2 | <i>Controlling agency</i> |
| 0057 | Association assigned code | C | an..6 | <i>Association assigned code</i> |
| 0083 | ACTION, CODED | M | an..3 | <i>Åtgärd, se kodlista K201</i> |
| 0085 | SYNTAX ERROR, CODED | C | an..3 | <i>Feltyp, se kodlista K202</i> |
| 0013 | SERVICE SEGMENT TAG, CODED | C | a3 | <i>Message service segment</i> |
| S011 | DATA ELEMENT IDENTIFICATION | C | | |
| 0098 | Erroneous data element position in segment | M | n..3 | <i>Position of erroneous data element</i> |
| 0104 | Erroneous component data element position | C | n..3 | <i>Position of erroneous data component</i> |

TDR050, bilaga H

Version 4.0.5

2014-03-24

Mappning till segment
CONTRL

**UCM(*)UCS[4], SEGMENT ERROR INDICATION, C/999x
D/999x**

INTERCHANGE - MEDDELANDE - MESSAGE RESPONSE - SEGMENT ERRORS,

0096 SEGMENT POSITION IN MESSAGE

M n..6 *Segment position in message*

0085 SYNTAX ERROR, CODED

C an..3 *Feltyp, se kodlista K202*

Mappning till segment
CONTRL

TDR050, bilaga H
Version 4.0.5
2014-03-24

**UCM(*).UCS(*).UCD[5], DATA ELEMENT ERROR
INDICATION, C/99x**

**INTERCHANGE - MEDDELANDE - MESSAGE RESPONSE - SEGMENT ERRORS -
DATA ELEMENT ERRORS, D/99x**

| | | | | |
|------|--|---|-------|---|
| 0085 | SYNTAX ERROR, CODED | M | an..3 | Feltyp, se <i>kodlista K202</i> |
| S011 | DATA ELEMENT IDENTIFICATION | M | | |
| 0098 | Erroneous data element position in segment | M | n..3 | <i>Position of erroneous data element</i> |
| 0104 | Erroneous component data element position | C | n..3 | <i>Position of erroneous data component</i> |

Mappning till segment
CONTRL

TDR050, bilaga H
Version 4.0.5
2014-03-24

UNT[10], MESSAGE TRAILER, M/1x

INTERCHANGE - MEDDELANDE, R/1x

0074 NUMBER OF SEGMENTS IN THE MESSAGE

M n..6 *Number of segments in the message*

0062 MESSAGE REFERENCE NUMBER

M an..14 *Message reference*