ID	R/C Code	Functional Description	Technical Description	Implemented as Dom	ain Tag	Check Code	Check Funct.	Check Tech.	Check DROOLS	Check Domain	Check Tag
4	B1030	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN C0001 shall be disabled AND /*/Consignment/HouseConsignment/Consignee shall not be used</tpenddate></decisive>	No NC	TS P5 #MS #CTC #optionality #constraint #commonDomain	NEW	NEW	NEW	NEW	NEW	NEW
5	B1031	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN C0502 shall be disabled AND /*/Consignment/HouseConsignment/referenceNumberUCR shall not be used</tpenddate></decisive>	No NC	TS P5 #MS #CTC #optionality #constraint #commonDomain	NEW	NEW	NEW	NEW	NEW	NEW
6	B1032	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN C0909 shall be disabled AND /*/Consignment/HouseConsignment/countryOfDispatch shall not be used</tpenddate></decisive>	No NC	TS P5 #MS #CTC #optionality #constraint #commonDomain	NEW	NEW	NEW	NEW	NEW	NEW
8	B1201	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN /CD018C/Consignment/DepartureTransportMeans/identificationNumber format shall be set to an27</tpenddate></decisive>	Yes NC	TS P5 #format #constraint #commonDomain						UPDATED
9	B1202	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN /CD018C/Consignment/SupportingDocument/referenceNumber AND /CD018C/Consignment/IduitionalReference/referenceNumber AND /CD018C/Consignment/IduseConsignment/SupportingDocument/referenceNumber AND /CD018C/Consignment/HouseConsignment/TransportDocument/referenceNumber AND /CD018C/Consignment/HouseConsignment/AdditionalReference/referenceNumber AND /CD018C/Consignment/HouseConsignment/ConsignmentItem/SupportingDocumen referenceNumber AND /CD018C/Consignment/HouseConsignment/ConsignmentItem/TransportDocument ferenceNumber AND /CD018C/Consignment/HouseConsignment/ConsignmentItem/AdditionalReference ferenceNumber AND /CD018C/Consignment/HouseConsignment/ConsignmentItem/AdditionalReference eferenceNumber AND</tpenddate></decisive>	r V r	TS P5 #format #constraint #commonDomain						UPDATED
10	B1203	N/A	If <decision an42<br="" date="" set="" to="">If <decision an42<br="" date="" set="" to="">THEN /CD018C/Consignment/HouseConsignment/ConsignmentItem/Packaging/shippingt arks format shall be set to an42</decision></decision>		TS P5 #format #constraint #commonDomain						UPDATED
11	B1206	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN /CD018C/Consignment/grossMass AND /CD018C/Consignment/HouseConsignment/ConsignmentItem/Commodity/GoodsM asure/grossMass AND /CD018C/Consignment/HouseConsignment/ConsignmentItem/Commodity/GoodsM asure/netMass format shall be set to n11,3</tpenddate></decisive>	e	TS P5 #format #constraint #commonDomain						UPDATED
20	B1819	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN R0219 attached to /*/Consignment/HouseConsignment/ConsignmentItem/Packaging/numberOfPackag es shall be disabled</tpenddate></decisive>		TS P5 #N/A	NEW	NEW	NEW	NEW	NEW	NEW

DDNTA for NCTS P5. Release 5.15.1 -v1.00 REF:DDNTA_APP_Q2_R_C

ID	R/C Code	Functional Description	Technical Description	Implemented a DROOLS	^{is} Domain	Tag	Check Code	Check Funct.	Check Tech.	Check DROOLS	Check Domain	Check Tag
21	B1820	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN IF //Consignment/countryOfDestination is in SET CL009 THEN IF //Consignment/Consignee is PRESENT THEN //Consignment/HouseConsignment/Consignment/tem/Consignee = "N" ELSE /*/Consignment/HouseConsignment/Consignment/tem/Consignee = "R" ELSE IF //Consignment/HouseConsignment/ConsignmentItem/Consignee = "R" ELSE IF //Consignment/HouseConsignment/ConsignmentItem/Consignee = "R" ELSE IF //TransitOperation/security is in SET (0,1) THEN IF /*/Consignment/ConsignmentItem/Consignee = "R" ELSE IF //TransitOperation/security is in SET (0,1) THEN IF /*/Consignment/ConsignmentItem/Consignee = "R" ELSE IF //TransitOperation/security is in SET (0,1) THEN IF /*/Consignment/ConsignmentItem/Consignee = "N" ELSE IF at least one instance of /*/Consignment/IdditionalInformation/code is EQUAL to '30600' THEN /*/Consignment/Consignment/ConsignmentItem/Consignee = "N" ELSE IF at least one instance of /*/Consignment/HouseConsignment/ConsignmentItem/Consignee = "N" ELSE IF at least one instance of /*/Consignment/HouseConsignment/ConsignmentItem/Consignee = "N" ELSE IF At least one instance of /*/Consignment/HouseConsignment/ConsignmentItem/Consignee = "N" ELSE IF At least one instance of /*/Consignment/HouseConsignment/ConsignmentItem/Consignee = "N" ELSE IF At least one instance of /*/Consignment/HouseConsignment/ConsignmentItem/Consignee = "N" ELSE IF At least one instance of /*/Consignment/Consignment/Consignment/Consignment/Consignee = "N" ELSE IF /*/Consignment/Consignment/Consignment/Consignee = "N" ELSE IF /*/Consignment/Consignment/ConsignmentItem/Consignee = "N" ELSE IF /*/Consignment/Consignment/Consignment/Consignee = "N" ELSE IF /*/Consignment/Consignment/Consignment/Consignment/Consignee = "N" ELSE IF /*/Consignment/C</tpenddate></decisive>	Yes 	NCTS P5	#complex #MS #CTC #checkByRecipientRe quired #constraint #optionality #countries #allDomains			UPDATED			
24	B1823	N/A	ELSE /*/Consignment/HouseConsignment/Consi	Yes	NCTS P5	#complex #MS #CTC #checkByRecipientRe quired #optionality #constraint #countries #allDomains			UPDATED			
28	B1834	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN C0153 attached to /*/Consignment/HouseConsignment/Consignmentttem/Commodity/CommodityCode shall be disabled and the D.G. will become optional</tpenddate></decisive>	Yes	NCTS P5	#checkByRecipientRe quired #constraint #optionality #allDomains			UPDATED			
30	B1836 B1854	N/A N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN C0030 shall be disabled AND IF /'/TransitOperation/declarationType is EQUAL to 'TIR' THEN /'/CustomSOfficeOfTransitDeclared = "\" ELSE IF the first two characters of /'/CustomSOfficeOfDeparture/referenceNumber is in SET CL112 OR the first two characters of /'/CustomSOfficeOfDestinationDeclared/referenceNumber is in SET CL112 OR /'/TransitOperation/declarationType is EQUAL to 'T2' OR (/'/TransitOperation/declarationType is EQUAL to 'T2' OR (/'/TransitOperation/declarationType is EQUAL to 'T2' OR /'/CustomSOfficeOfTransitDeclared = "R" ELSE //CustomSOfficeOfTransitDeclared = "C" IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN C0812 and C0191 will be disabled AND IF //DransitOperation/security is EQUAL to '0'</tpenddate></decisive></tpenddate></decisive>	Yes		<pre>#checkByRecipientRe quired #constraint #optionality #commonDomain #commonDomain #checkByRecipientRe quired #commonDomain</pre>			UPDATED			
CSE	51.8.2		THEN if //Consignment/PlaceOfUnioading = "N" ELSE IF the last 2 characters of //messageRecipient is NOT in SET CL147 THEN ///Consignment/PlaceOfUnioading = "N" ELSE IF //TransitOperation/specificCircumstanceIndicator is EQUAL to 'XXX' THEN ///Consignment/PlaceOfUnioading = "O" ELSE ///Consignment/PlaceOfUnioading = "N" Appendix Q2 R/C, Tags, DROOLS in	6-							Daga	2 of 11

Appendix Q2 R/C, Tags, DROOLS info

DDNTA for NCTS P5. Release 5.15.1 -v1.00 REF:DDNTA_APP_Q2_R_C

ID	R/C Code	Functional Description	Technical Description	Implemented a DROOLS	^S Domain	Tag	Check Code	Check Funct.	Check Tech.	Check DROOLS	Check Domain	Check Tag
54	B1896	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN IF /*/TransitOperation/security is in SET {1, 2, 3} THEN IF /*/Consignment/referenceNumber/UCR is NOT PRESENT AND /*/Consignment/HouseConsignment/ConsignmentItem/referenceNumber/UCR is NOT PRESENT AND /*/TransitOperation/declarationType is NOT EQUAL to 'TIR' THEN /*/Consignment/HouseConsignment/ConsignmentItem[1]/TransportDocument = "R" ELSE /*/Consignment/HouseConsignment/ConsignmentItem/TransportDocument = "O"</tpenddate></decisive>	Yes	NCTS P5	#checkByRecipientRe quired #constraint #optionality #allDomains			UPDATED			
65	B1919	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN R0220 attached to /*/Consignment/HouseConsignment/ConsignmentItem/Packaging/typeOfPackages shall be disabled</tpenddate></decisive>	No	NCTS P5	#N/A	NEW	NEW	NEW	NEW	NEW	NEW
67	B1922	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN R0601 will be disabled AND IF //Consignment/HouseConsignment/ConsignmentItem/AdditionalReference/type is in SET (C1234 (DocumentTypeExcise) (i.e. Export of excise goods followed by transit (EMCS&AES+NCTS)) THEN IF ///Consignment/HouseConsignment/ConsignmentItem/PreviousDocument/type is EQUAL to 'N830' THEN IF ///Consignment/HouseConsignment/ConsignmentItem/declarationType is PRESENT THEN ///Consignment/HouseConsignment/ConsignmentItem/declarationType is EQUAL to 'T1' ELSE //TransitOperation/declarationType is in SET {T1,TIR} ELSE //TransitOperation/declaration type' data items ELSE IF ///Consignment/HouseConsignment/ConsignmentItem/SupportingDocument/type is in SET (C1234 (DocumentTypeExcise) (i.e. Transit movement of EU goods under excise suspension (EMCS+NCTS)) THEN IF ///Consignment/HouseConsignment/ConsignmentItem/SupportingDocument/type is pRESENT THEN /*/Consignment/HouseConsignment/ConsignmentItem/SupportingDocument/type is IF ///Consignment/HouseConsignment/ConsignmentItem/SupportingDocument/type is pRESENT THEN /*/Consignment/HouseConsignment/ConsignmentItem/SupportingDocument/type is IF SPRESENT THEN /*/Consignment/HouseConsignment/ConsignmentItem/SupportingDocument/type is IF ST (T2, T2F) ELSE //TransitOperation/declarationType is in SET {T2, T2F}</tpenddate></decisive>		NCTS P5	#exciseGoods #declarationType #complex duired quired #constraint #allDomains			UPDATED			
68	B1964	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN R0364 attached to /*/Consignment/HouseConsignment/ConsignmentItem/Packaging/numberOfPackag es shall be disabled</tpenddate></decisive>	No	NCTS P5	#N/A	NEW	NEW	NEW	NEW	NEW	NEW
70	B2200	N/A	IF <decisive date=""> is GREATER than <tpenddate> THEN /*/Consignment/ActiveBorderTransportMeans/conveyanceReferenceNumber format shall be set to an17</tpenddate></decisive>	Yes	NCTS P5	#format #constraint #commonDomain						UPDATED
72	B2400	N/A	If <decisive date=""> is GREATER than <tpenddate> THEN /*/Consignment/incident = "N"; IF <decisive date=""> is GREATER than <tpenddate> THEN /*/Enquiry/returnCopyReturnedDate = "N"; IF <decisive date=""> is GREATER than <tpenddate> THEN /*/Consignment/HouseConsignment/ConsignmentItem/Consignee = "N"; IF <decisive date=""> is GREATER than <tpenddate> THEN /*/Consignment/HouseConsignment/ConsignmentItem/TransportDocument = "N"; IF <decisive date=""> is GREATER than <tpenddate> THEN /*/Consignment/HouseConsignment/ConsignmentItem/TransportDocument = "N"; IF <decisive date=""> is GREATER than <tpenddate> THEN /*/Consignment/HouseConsignment/ConsignmentItem/TransportCharges = "N"; IF <decisive date=""> is GREATER than <tpenddate> THEN /*/Consignment/HouseConsignment/Consignment/Consignment/HouseConsignment/Consignmen</tpenddate></decisive></tpenddate></decisive></tpenddate></decisive></tpenddate></decisive></tpenddate></decisive></tpenddate></decisive></tpenddate></decisive></tpenddate></decisive></tpenddate></decisive></tpenddate></decisive></tpenddate></decisive>	Yes	NCTS P5	#incident #complex #checkByRecipientRe quired #allDomains			UPDATED			
CSE 5	51.8.2		Appendix Q2 R/C, Tags, DROOLS ir	nfo							Page	3 of 11

ID	R/C Code	Functional Description	Technical Description	Implemented a DROOLS	^s Domain	Tag	Check Code	Check Funct.	Check Tech.	Check DROOLS	Check Domain	Check Tag
79	C0014	IF the last two characters of <message sender=""> are EQUAL to the 3rd and 4rth character of <guarantee reference.grn=""> AND IF <cd205c-guarantee.guarantee type=""> is in SET {1, 2, 4, 9} THEN <guarantee reference-guarantor=""> = "R" ELSE <guarantee -guarantor="" reference=""> = "O"</guarantee></guarantee></cd205c-guarantee.guarantee></guarantee></message>	IF the last two characters of /*/messageSender are EQUAL to the 3rd and 4rth character of /*/GuaranteeQuaranteeType is in SET {1, 2, 4, 9} THEN /*/GuaranteeReference/Guarantor = "R" ELSE /*/GuaranteeReference/Guarantor = "O"	Yes	NCTS P5	#crosslEs #commonDomain		UPDATED				
80	C0015	IF <consignment-house consignment-consignment="" item-additional<br="">REFERNCE.Type> is in SET CL234 (DocumentTypeExcise) THEN <consignment-house consignment-consignment="" item-<br="">ADDITIONAL REFERENCE.Reference number> = "R" ELSE <consignment-house consignment-consignment="" item-<br="">ADDITIONAL REFERENCE.Reference number> = "0"</consignment-house></consignment-house></consignment-house>	IF /*/Consignment/HouseConsignment/ConsignmentItem/AdditionalReference/type is in SET CL234(DocumentTypeExcise) THEN /*/Consignment/HouseConsignment/ConsignmentItem/AdditionalReference/referenc eNumber = "R" ELSE /*/Consignment/HouseConsignment/ConsignmentItem/AdditionalReference/referenc eNumber = "0"		NCTS P5	#exciseGoods #allDomains				UPDATED		
82	C0027	IF <ctl control=""> is PRESENT THEN <cc043c-consignment> = "N" AND <cc043c-transit operation.declaration="" type=""> = "N" AND <cc043c-transit acceptance="" date="" operation.declaration=""> = "N" AND <cc043c-transit acceptance="" date="" operation.declaration=""> = "N" AND <cc043c-consignment.gross mass=""> = "N" ELSE <cc043c-holder of="" procedure="" the="" transit=""> = "R" AND <cc043c-transit operation.declaration="" type=""> = "R" AND <cc043c-transit acceptance="" date="" operation.declaration=""> = "R" AND <cc043c-transit acceptance="" date="" operation.declaration=""> = "R" AND <cc043c-consignment.gross mass=""> = "R"</cc043c-consignment.gross></cc043c-transit></cc043c-transit></cc043c-transit></cc043c-holder></cc043c-consignment.gross></cc043c-transit></cc043c-transit></cc043c-transit></cc043c-consignment></ctl>	IF //CTLControl is PRESENT THEN /CC043C/HolderOfTheTransitProcedure = "N" AND /CC043C/Consignment = "N" AND /CC043C/TransitOperation/declarationAcreptanceDate = "N" AND /CC043C/Consignment/grossMass = "N" ELSE /CC043C/HolderOfTheTransitProcedure = "R" AND /CC043C/Consignment = "R" AND /CC043C/Consignment = "R" AND /CC043C/TransitOperation/declarationAcceptanceDate = "R" AND /CC043C/TransitOperation/declarationAcceptanceDate = "R" AND /CC043C/Consignment/grossMass = "R"	Yes	NCTS P5	#declarationType #externalDomain						UPDATED
94	C0128	IF the first three characters of <message recipient=""> is EQUAL to 'NTA' THEN <invalidation.decision> = "N" ELSE <invalidation.decision> = "R"</invalidation.decision></invalidation.decision></message>	IF the first three characters of /*/messageRecipient is EQUAL to 'NTA' THEN /*/Invalidation/decision = "N" ELSE /*/Invalidation/decision = "R"	Yes	NCTS P5	#externalDomain		UPDATED	UPDATED			
98	C0153	IF <transit declarationtype="" operation=""> is EQUAL to 'TR' AND <consignment-house consignment-previous="" document.type=""> IS NOT EQUAL to 'N830' (Goods declaration for exportation) THEN <consignment-house consignment-consignment="" item-<br="">COMMODITY-COMMODITY CODE> = "O" ELSE <consignment-house consignment-consignment="" item-<br="">COMMODITY-COMMODITY CODE> = "R"</consignment-house></consignment-house></consignment-house></transit>	IF /*/TransitOperation/declarationType is EQUAL to 'TIR' AND /*/Consignment/HouseConsignment/PreviousDocument/type IS NOT EQUAL to 'N830' (Goods declaration for exportation) THEN /*/Consignment/HouseConsignment/ConsignmentItem/Commodity/CommodityCode = "O" ELSE /*/Consignment/HouseConsignment/ConsignmentItem/Commodity/CommodityCode = "R"	Yes	NCTS P5	#allDomains		UPDATED	UPDATED			
127	C0352	IF <transit indicator="" operation.release=""> is in SET {2,3} THEN <consignment> = "R" ELSE <consignment> = "N"</consignment></consignment></transit>	IF /*/TransitOperation/releaseIndicator is in SET {2,3} THEN /*/Consignment = "R" ELSE /*/Consignment = "N"	Yes	NCTS P5	#externalDomain		UPDATED	UPDATED			
138	C0404	IF <cc015c-consignment-place loading="" of=""> is PRESENT OR <cc013c-consignment-place loading="" of=""> is PRESENT THEN <cc170c-consignment-place loading="" of=""> = "0" ELSE <cc170c-consignment-place loading="" of=""> = "R"</cc170c-consignment-place></cc170c-consignment-place></cc013c-consignment-place></cc015c-consignment-place>	IF (/CC015C/Consignment/PlaceOfLoading is PRESENT OR /CC013C/Consignment/PlaceOfLoading is PRESENT) THEN /CC170C/Consignment/PlaceOfLoading = "0" ELSE /CC170C/Consignment/PlaceOfLoading = "R"	Yes	NCTS P5	#crossIEs #externalDomain						UPDATED
147	C0466	IF <transit code="" operation.request="" reason="" rejection=""> is PRESENT THEN <customs (declared)="" of="" office="" transit=""> = "N" AND <customs (declared)="" exit="" for="" of="" office="" transit=""> = "N" AND <risk analysis="" identification=""> = "N" AND <transit carnet="" number="" operation.tir=""> = "N" AND <transit circumstance="" indicator="" operation.specific=""> = "N" AND of other conditions is performed ELSE: the optionality of <customs (declared)="" of="" office="" transit=""> will be derived from other conditions AND <rustoms (declared)="" exit="" for="" of="" office="" transit=""> will be derived from other conditions AND <risk analysis="" identification=""> will be derived from other conditions AND <risk analysis="" identification=""> will be derived from other conditions AND <transit carnet="" number="" operation.tir=""> will be derived from other conditions AND</transit></risk></risk></rustoms></customs></transit></transit></risk></customs></customs></transit>	IF/*/TransitOperation/requestRejectionReasonCode is PRESENT THEN /*/CustomsOfficeOfTransitDeclared = "N" AND /*/CustomsOfficeOfTransitDeclared = "N" AND /*/RiskAnalysisIdentification = "N" AND /*/TransitOperation/tirCarnetNumber = "N" AND /*/TransitOperation/specificCircumstanceIndicator = "N" AND /*/TransitOperation/specificCircumstanceIndicator = "N" AND validation of other conditions is performed ELSE the optionality of /*/CustomsOfficeOfTransitDeclared will be derived from other conditions AND /*/CustomsOfficeOfExilForTransitDeclared will be derived from other conditions AND /*/TransitOperation/tirCarnetNumber will be derived from other conditions AND /*/TransitOperation/tirCarnetNumber will be derived from other conditions AND /*/TransitOperation/specificCircumstanceIndicator will be derived from other conditions	Yes	NCTS P5	#positiveNegativeIE #commonDomain		UPDATED	UPDATED			
148	C0467	CINIONIANS IF <ccd28c-transit acceptance="" date="" operation.declaration=""> is PRESENT THEN <transit operation.mrn=""> = "R" AND <transit operation.lrn=""> = "N" ELSE <transit operation.mrn=""> = "N" AND <transit operation.lrn=""> = "R"</transit></transit></transit></transit></ccd28c-transit>	IF /CC028C/TransitOperation/declarationAcceptanceDate> is PRESENT THEN /*/TransitOperation/MRN = "R" AND /*/TransitOperation/LRN = "N" ELSE /*/TransitOperation/MRN = "N" AND /*/TransitOperation/LRN = "R"	Yes	NCTS P5	#crossIEs #externalDomain						UPDATED

ID	R/C Code	Functional Description	Technical Description	Implemented a	^S Domain	Тад	Check Code	Check Funct.	Check Tech.	Check DROOLS	Check Domain	Check Tag
152	Code C0505	IF <holder of="" procedure-address.country="" the="" transit=""> is in SET CL505(CountryWithoutZip) THEN <holder of="" procedure-address.postcode="" the="" transit=""> = "O" ELSE <holder of="" procedure-address.postcode="" the="" transit=""> = "R"; IF <consignment-consignor-address.country> is in SET CL505 (CountryWithoutZip) THEN <consignment-consignor-address.postcode> = "O" ELSE <consignment-consignor-address.postcode> = "C" ELSE <consignment-consignor-address.postcode> = "C" ELSE <consignment-consignee-address.country> is in SET CL505 (CountryWithoutZip) THEN <consignment-consignee-address.postcode> = "C" ELSE <consignment-consignee-address.postcode> = "C" ELSE <consignment-consignee-address.postcode> = "C" ELSE <consignment-consignee-address.postcode> = "C" ELSE <consignment-incident-location.country> is in SET CL505 (CountryWithoutZip) THEN <consignment-incident-location-address.postcode> = "C" ELSE <consignment-incident-location-address.postcode> = "C"</consignment-incident-location-address.postcode></consignment-incident-location-address.postcode></consignment-incident-location.country></consignment-consignee-address.postcode></consignment-consignee-address.postcode></consignment-consignee-address.postcode></consignment-consignee-address.postcode></consignment-consignee-address.country></consignment-consignor-address.postcode></consignment-consignor-address.postcode></consignment-consignor-address.postcode></consignment-consignor-address.country></holder></holder></holder>	Technical Description IF /*/NolderOThe TransitProcedure/Address/country is in SET CL505 THEN /*NolderOThe TransitProcedure/Address/postcode = *0* ELSE /*/HolderOThe TransitProcedure/Address/postcode = *0* ELSE /*/Consignment/Consignor/Address/postcode = *0* ELSE /*/Consignment/Consignor/Address/postcode = *0* ELSE /*/Consignment/Consignor/Address/postcode = *0* ELSE /*/Consignment/Consignee/Address/postcode = *0* ELSE /*/Consignment/Consignee/Address/postcode = *0* ELSE /*/Consignment/Consignee/Address/postcode = *0* ELSE /*/Consignment/Location/Address/postcode = *0* ELSE /*/Consignment/Incident/Location/Address/postcode = *0* ELSE /*/Consignment/Incident/Location/Address/postcode = *0* ELSE /*/Consignment/Incident/Location/Address/postcode = *0* ELSE /*/Consignment/Incident/Location/Address/postcode = *0* ELSE /*/Consignment/LocationOfGoods/Address/postcode = *0* ELSE /*/Consignment/HouseConsignment/Consigner/Address/postcode = *0* ELSE /*/Consignment/HouseConsignment/Consignee/Address/postcode = *0* ELSE /*/Consi	Yes	Domain NCTS P5	Tag #incident #complex #allDomains	Code	Funct. UPDATED	Tech. UPDATED	DROOLS	Domain	Tag
		ADDRESS.Postcode> = "0" ELSE <consignment-house consignment-consignor-<br="">ADDRESS Postcode> = "8".</consignment-house>	THEN /*/Guarantor/Address/postcode = "0" ELSE /*/Guarantor/Address/postcode = "R";									
158	C0587	III JIRESS POSICIONES = N° IF <transit operation.declaration="" type="">is in SET {2,3} THEN IF the first two characters of at least one iteration of the <customs office<br="">OF TRANSIT DECLARED.Reference number> is NOT in CL147 THEN <customs declared="" exit="" for="" of="" office="" transit=""> = "0" ELSE <customs declared="" exit="" for="" of="" office="" transit=""> = "N"</customs></customs></customs></transit>	IF /*/TransitOperation/security is in SET {2,3} THEN IF the first two characters of at least one iteration of the /*/CustomsOfficeOfTransitDeclared/referenceNumber is NOT in SET CL147 THEN /*/CustomsOfficeOfExitForTransitDeclared = "0" ELSE /*/CustomsOfficeOfExitForTransitDeclared = "N"	Yes	NCTS P5	#allDomains		UPDATED	UPDATED			
160	C0599	IF <transit operation.security=""> is in SET {1,2,3} AND <transit declaration="" operation.additional="" type=""> is EQUAL to 'A' THEN <consignment.mode at="" border="" of="" the="" transport=""> = "R" ELSE <consignment.mode at="" border="" of="" the="" transport=""> = "0"</consignment.mode></consignment.mode></transit></transit>	IF /*/TransitOperation/security is in SET {1,2,3} AND /*/TransitOperation/additionalDeclarationType is EQUAL to 'A' THEN /*/Consignment/modeOfTransportAtTheBorder = "R" ELSE /*/Consignment/modeOfTransportAtTheBorder = "O"	Yes	NCTS P5	#modeOfTranspor #externalDomain	t					UPDATED
164	C0685	IF <cc028c-transit acceptance="" date="" operation.declaration=""> is PRESENT THEN <cc060c-transit operation.mrn=""> = "R" AND <cc060c-transit OPERATION.LRN> = "N" ELSE <cc060c-transit operation.mrn=""> = "N" AND <cc060c-transit OPERATION.LRN> = "R"</cc060c-transit </cc060c-transit></cc060c-transit </cc060c-transit></cc028c-transit>	IF /CC028C/TransitOperation/declarationAcceptanceDate is PRESENT THEN /CC060C/TransitOperation/MRN = "R" AND /CC060C/TransitOperation/LRN = "N" ELSE /CC060C/TransitOperation/MRN = "N" AND /CC060C/TransitOperation/LRN = "R"		NCTS P5	#crossIEs #externalDomain						UPDATED

IC		R/C Code	Functional Description	Technical Description	Implemente DROOLS	d as Domain	Tag	Check Code	Check Funct.	Check Tech.	Check DROOLS	Check Domain	Check Tag
16		C0715	IF <risk analysis="" identification.code=""> is EQUAL to 'R' THEN <risk analysis="" analysis-risk="" analysis<br="" identification-risk="">RESULT.Code> = "R" AND <risk analysis="" analysis-risk="" analysis<br="" identification-risk="">RESULT.Risk area code> = "O" ELSE IF <risk analysis="" analysis-risk="" analysis<br="" identification-risk="">RESULT.Code> = "N" AND <risk analysis="" analysis-risk="" analysis<br="" identification-risk="">RESULT.Risk area code> = "R" ELSE IF <risk analysis="" analysis-risk="" analysis<br="" identification-risk="">RESULT.Risk area code> = "R" ELSE IF <risk analysis="" analysis-risk="" analysis<br="" identification-risk="">RESULT.Risk area code> = "R" ELSE IF <risk analysis="" analysis-risk="" analysis<br="" identification-risk="">RESULT.Code> = "R" ELSE IF <risk analysis="" analysis-risk="" analysis<br="" identification-risk="">RESULT.Code> = "R" AND <risk analysis="" analysis-risk="" analysis<br="" identification-risk="">RESULT.Code> = "R" AND <risk analysis="" analysis-risk="" analysis<br="" identification-risk="">RESULT.Risk area code> = "O"]} AND { at least one occurrence of <risk analysis="" analysis-risk="" analysis<br="" identification-risk="">RESULT.Risk area code> = "O"]} AND { at least one occurrence of <risk analysis="" analysis-risk="" analysis<br="" identification-risk="">RESULT.Risk area code> = "O"]} AND { at least one occurrence of <risk analysis="" analysis-risk="" analysis<br="" identification-risk="">RESULT.RISK ANALYSIS IDENTIFICATION-RISK ANALYSIS-RISK ANALYSIS RESULT.RISK ANALYSIS IDENTIFICATION-RISK ANALYSIS-RISK ANALYSIS RESULT.RISK ANALYSIS IDENTIFICATION-RISK ANALYSIS-RISK ANALYSIS RESULT.Code> = "R" within any <risk analysis="" analysis-risk="" analysis<br="" identification-risk="">RESULT.Code> = "R" MD <risk analysis="" analysis-risk="" analysis<br="" identification-risk="">RESULT.RISK ANALYSIS IDENTIFICATION-RISK ANALYSIS-RISK ANALYSIS RESULT.RISK ANALYSIS IDENTIFICATION-RISK ANALYSIS-NISK ANALYSIS RESULT.RISK ANALYSIS IDENTIFICATION-RISK ANALYSIS-RISK ANALYSIS RESULT.RISK ANALYSIS IDENTIFICATION-RISK ANALYSIS-NISK ANALYSIS RESULT.RISK ANALYSIS IDENTIFICATION-RISK ANALYSISK ANALYSIS RESULT.RISK ANALYSIS IDENTIFICATION-RISK ANALYS</risk></risk></risk></risk></risk></risk></risk></risk></risk></risk></risk></risk></risk></risk></risk></risk>	IF /*/RiskAnalysisIdentification/code is EQUAL to 'R' THEN /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult/code = "R" AND /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult/riskAreaCode = "O" ELSE IF /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult/riskAreaCode = "N" AND /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult/riskAreaCode = "R" ELSE IF /*/RiskAnalysisIdentification/code is EQUAL to 'Y' THEN { at least one occurrence of /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult(within any /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult(within any /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult/riskAreaCode = "C"} R" AND /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult/riskAreaCode = "C"}} AND /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult/riskAreaCode = "C"}} AND /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult/riskAreaCode = "C"} AND /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult/riskAreaCode = "C"} AND /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult(within any /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult(within any /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult(within any /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult(within any /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysis/RiskAnalysisResult(within any /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysis/RiskAnalysis/RiskAnalysisResult/code = "N" AND	Yes	NCTS P5	#checkByRecipientNo tPossible #commonDomain		UPDATEC	UPDATED			
17	0 C	C0716	IF <cc906c-message type=""> is in SET {CC040C, CC042C, CC048C} THEN <cc906c-meader.lrn> = "N" and <cc906c-header.mrn> = "R" ELSE IF <cc906c-message type=""> is EQUAL to 'CC190C' THEN IF <cc190c-transit operation.lrn=""> is PRESENT THEN <cc906c-header.lrn> = "N" and <cc906c-header.mrn> = "N" ELSE <cc906c-header.lrn> = "N" and <cc906c-header.mrn> = "R" ELSE IF <cc906c-message type=""> is EQUAL to 'CC191C' THEN IF <cc191c-transit operation.lrn=""> is PRESENT THEN <cc906c-header.lrn> = "N" and <cc906c-header.mrn> = "N" ELSE <cc906c-header.lrn> = "N" and <cc906c-header.mrn> = "N" ELSE <cc906c-header.lrn> = "N" and <cc906c-header.mrn> = "N"</cc906c-header.mrn></cc906c-header.lrn></cc906c-header.mrn></cc906c-header.lrn></cc906c-header.mrn></cc906c-header.lrn></cc191c-transit></cc906c-message></cc906c-header.mrn></cc906c-header.lrn></cc906c-header.mrn></cc906c-header.lrn></cc190c-transit></cc906c-message></cc906c-header.mrn></cc906c-meader.lrn></cc906c-message>	IF /CC906C/messageType is in SET {CC040C, CC042C, CC048C} THEN /CC906C/messageType is EQUAL to 'CC190C' THEN IF /CC190C/TransitOperation/LRN is PRESENT THEN /CC906C/Header/LRN = "R" and /CC906C/Header/MRN = "N" ELSE //CC906C/Header/LRN = "N" and /CC906C/Header/MRN = "R" ELSE IF /CC906C/messageType is EQUAL to 'CC191C' THEN IF /CC191C/TransitOperation/LRN is PRESENT THEN CC906C/Header/LRN = "R" and /CC906C/Header/MRN = "N" ELSE CC191C/TransitOperation/LRN is PRESENT THEN CC906C/Header/LRN = "R" and /CC906C/Header/MRN = "N" ELSE CC906C/Header/LRN = "R" and /CC906C/Header/MRN = "N"	Yes	NCTS P5	#crossIEs #externalDomain						UPDATED
17	4 C	C0806	IF <consignment.mode at="" border="" of="" the="" transport=""> is EQUAL to '5' THEN <consignment-active border="" means="" transport=""> = "N" ELSE IF (<transit operation.security=""> is in SET {1,2,3} AND <transit declaration="" operation.additional="" type=""> is EQUAL to 'A') THEN <consignment-active border="" means="" transport=""> = "N" ELSE <consignment-active border="" means="" transport=""> = "0"</consignment-active></consignment-active></transit></transit></consignment-active></consignment.mode>	IF /*/Consignment/modeOfTransportAtTheBorder is EQUAL to '5' THEN /*/Consignment/ActiveBorderTransportMeans = 'N' ELSE IF (/*/TransitOperation/security is in SET {1,2,3} AND /*/TransitOperation/additionalDeclarationType is EQUAL to 'A') THEN /*/Consignment/ActiveBorderTransportMeans = 'R' ELSE /*/Consignment/ActiveBorderTransportMeans = 'O'	Yes	NCTS P5	#modeOfTransport #externalDomain						UPDATED
18	1 C	C0815	IF at least one occurrence of <guarantee.guarantee type=""> is in SET {2, 9} THEN <consignment> = "R"</consignment></guarantee.guarantee>	IF at least one occurrence of /*/Guarantee/guaranteeType is in SET {2, 9} THEN /*/Consignment = "R"	Yes	NCTS P5	#commonDomain			UPDATED			
18	9 C	C0824	ELSE <consignment> = "N" IF <cc013c-transit operation.declaration="" type=""> is PRESENT THEN IF <cc013c-consignment.container indicator=""> is PRESENT THEN <cc170c-consignment.container indicator=""> = "0" ELSE <cc170c-consignment.container indicator=""> = "R" ELSE IF <cc015c-consignment.container indicator=""> = "R" ELSE <cc170c-consignment.container indicator=""> = "0" ELSE <cc170c-consignment.container indicator=""> = "0" ELSE <cc170c-consignment.container indicator=""> = "0" ELSE <cc170c-consignment.container indicator=""> = "R"</cc170c-consignment.container></cc170c-consignment.container></cc170c-consignment.container></cc170c-consignment.container></cc015c-consignment.container></cc170c-consignment.container></cc170c-consignment.container></cc013c-consignment.container></cc013c-transit></consignment>	ELSE //Consignment = "N" IF //CO13C/TransitOperation/declarationType is PRESENT THEN IF //CO13C/Consignment/containerIndicator is PRESENT THEN //CO170C/Consignment/containerIndicator = "0" ELSE //CO170C/Consignment/containerIndicator = "R" ELSE IF //CO15C/Consignment/containerIndicator is PRESENT THEN //CO170C/Consignment/containerIndicator = "0" ELSE //CO170C/Consignment/containerIndicator = "0" ELSE //CC170C/Consignment/containerIndicator = "R"	Yes	NCTS P5	#declarationType #crossIEs #externalDomain			UPDATED			
19	6 C	C0840	IF <cc015c-authorisation.type> is NOT EQUAL to 'C521' OR <cc013c- AUTHORISATION.Type> is NOT EQUAL to 'C521' THEN <cc170c-transit date="" operation.limit=""> = "N" ELSE IF <cc015c-transit date="" operation.limit=""> is NOT PRESENT AND <cc013c TRANSIT OPERATION.Limit date> is NOT PRESENT THEN <cc170c-transit date="" operation.limit=""> = "R" ELSE <cc170c-transit date="" operation.limit=""> = "O"</cc170c-transit></cc170c-transit></cc013c </cc015c-transit></cc170c-transit></cc013c- </cc015c-authorisation.type>	IF /CC015C/Authorisation/type is NOT EQUAL to 'C521' OR /CC013C/Authorisation/type is NOT EQUAL to 'C521' THEN /CC170C/TransitOperation/limitDate = "N" ELSE IF /CC015C/TransitOperation/limitDate is NOT PRESENT AND /CC013C/TransitOperation/limitDate is NOT PRESENT THEN /CC170C/TransitOperation/limitDate = "R" ELSE /CC170C/TransitOperation/limitDate = "O"	Yes	NCTS P5	#crossIEs #externalDomain						UPDATED
20	1 C	C0867	IF <cd501c-holder of="" procedure="" the="" transit=""> is in SET CL234 (DocumentTypeExcise) THEN <cc191c-aes operation-goods="" results-export="" shipment=""> = "R" ELSE <cc191c-aes operation-goods="" results-export="" shipment=""> = "N"</cc191c-aes></cc191c-aes></cd501c-holder>	IF /CD501C/GoodsShipment/GoodsItem/PreviousDocument/type is in SET CL234 THEN /CC191C/AESResults/ExportOperation/GoodsShipment = "R" ELSE /CC191C/AESResults/ExportOperation/GoodsShipment = "N"	Yes	NCTS P5	#exciseGoods #nationalDomain						UPDATED
												_	

ID	R/C Code	Functional Description	Technical Description	Implemented as DROOLS	^S Domain	Tag	Check Code	Check Funct.	Check Tech.	Check DROOLS	Check Domain	Check Tag
202	C0870	IF the first three characters of <message recipient=""> is EQUAL to 'NTA' THEN <invalidation.decision and="" date="" time=""> = "N" ELSE <invalidation.decision and="" date="" time=""> = "R"</invalidation.decision></invalidation.decision></message>	IF the first three characters of /*/messageRecipient is EQUAL to 'NTA' THEN //Invalidation/decisionDateAndTime = "N" ELSE //Invalidation/decisionDateAndTime = "R"	Yes	NCTS P5	#externalDomain					UPDATED	
208	E1101	N/A	ELSE / Inivaliant/IndecisionLoareAnd Inite - X IF <pociaive <tpenddate="" date's="" equal="" is="" less="" or="" than="" to=""> THEN // RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult/code format shall be set to an. 5</pociaive>	Yes	NCTS P5	#format #constraint #commonDomain						UPDATED
209	E1102	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN /*/IdolderOfTheTransitProcedure/Address/postcode AND /*/Consignment/Consignee/Address/postcode AND /*/Consignment/Consignee/Address/postcode AND /*/Consignment/LocationOfGoods/Address/postcode AND /*/Consignment/HouseConsignment/Consignee/Address/postcode AND /*/Consignment/ConsigneeActual/Address/postcode AND /*/Cursignment/ConsigneeActual/Address/postcode AND /*/Cursignment/ConsigneeActual/Address/postcode AND /*/Cursignment/ConsigneeActual/Address/postcode AND</tpenddate></decisive>	Yes	NCTS P5	#format #constraint #allDomains			UPDATED			
210	E1103	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN /*/Consignment/ActiveBorderTransportMeans/identificationNumber AND /*/Consignment/DepartureTransportMeans/identificationNumber AND /CD038C/Consignment/Incident/Transhipment/TransportMeans/identificationNumbe format shall be set to an27</tpenddate></decisive>	Yes	NCTS P5	#incident #format #constraint #allDomains			UPDATED			
218	E1116	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN /*/TransitOperation/cancelEnquiryNotificationText AND /*/RiskAnalysisIdentification/RiskAnalysis/RiskAnalysisResult/text format shall be set to an350</tpenddate></decisive>	Yes	NCTS P5	#format #constraint #commonDomain						UPDATED
222	E1121	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN /*/Guarantee/GuaranteeReference/amountConcerned format shall be set to n15.2</tpenddate></decisive>	Yes	NCTS P5	#format #constraint #commonDomain						UPDATED
223	E1301	N/A	IF <decisive date=""> is LESS than or EQUAL to <tpenddate> THEN /*/Consignment/PreviousDocument AND /*/Consignment/PreviousDocument AND /*/Consignment/TansportDocument AND /*/Consignment/AdditionalReference AND /*/Consignment/AdditionalReference AND /*/Consignment/HouseConsignment/countryOfDispatch AND /*/Consignment/HouseConsignment/consignor AND /*/Consignment/HouseConsignment/Consignee AND /*/Consignment/HouseConsignment/Consignee AND /*/Consignment/HouseConsignment/Consignee AND /*/Consignment/HouseConsignment/DepartureTransportMeans AND /*/Consignment/HouseConsignment/SupportingDocument AND /*/Consignment/HouseConsignment/SupportingDocument AND /*/Consignment/HouseConsignment/TansportDocument AND /*/Consignment/HouseConsignment/AdditionalReference AND /*/Consignment/HouseConsignment/AdditionalReference AND /*/Consignment/HouseConsignment/TansportCharges AND /*/Consignment/HouseConsignment/TansportCharges AND /*/Consignment/HouseConsignment/TansportCharges AND</tpenddate></decisive>	Yes	NCTS P5	#allDomains			UPDATED			
243	G0017	'State of seals' = '0' in case that the seals are not in good state (i.e. expected but no present OR damaged OR present with discrepancies found). In this case, the <cd018c-control result.code=""> is 'A5' (or 'B1' if more (major) discrepancies are identified) as defined in the Transit Manual. 'State of seals' = '1' in case that the seals are in good state (present and not damaged, with no discrepancies found) OR [applicable for the CD018C only] not present as expected based on information received from other Customs Offices.</cd018c-control>	t N/A	No	NCTS P5	#allDomains		UPDATED				
251	G0026	The multiplicity of this D.G. at House Consignment level is defined as 99x for homogeneity with the multiplicity of the same D.G. at other levels. If this D.G. is used, it should be present only ONCE. This D.G. can be used only in case of standard customs declaration (Additional Declaration Type = 'A') with Export followed by Transit (Previous Document Export Type = 'N830') (There should be maximum one export MRN included per one House Consignment, no groupage of export declaration should be applied within one HC).	N/A	No	NCTS P5	#EFT #externalDomain #nationalDomain		UPDATED				
267	G0058	When <consignment-house consignment-consignment="" item-<br="">PREVIOUS DOCUMENT.Type> is in SET {C651, C658} the Unique Body Reference (UBR) is required to be recorded in this field.</consignment-house>	N/A	No	NCTS P5	#externalDomain		UPDATED				

Aligned to DDNTA RFC-List.37

DDNTA for NCTS P5. Release 5.15.1 -v1.00 REF:DDNTA_APP_Q2_R_C

ID	R/C Code	Functional Description	Technical Description	Implemented as DROOLS	Domain	Тад	Check Code	Check Funct.	Check Tech.	Check DROOLS	Check Domain	Check Tag
271		The Data Group <consignment-house consignment-="" consignment<br="">ITEM-ADDITIONAL REFERENCE> will be also used to include the information of EMCS consignment exported from one EU member state into a Non-EU-Member state, in case of Export Followed by Transit (where in messages CC013C or CC0156 the <consignment-house consignment-previous<br="">DOCUMENT.Type> = 'N830' AND <consignment-house consignment-<br="">CONSIGNMENT ITEM-ADDITIONAL REFERENCE.Type> is in SET CL234 (DocumentTypeExcise)). In this case, the Data Group <goods goods="" item-="" previous<br="" shipment-="">DOCUMENT- of the Export declaration, will be mapped with the Data Group <consignment item-additional<="" td=""><td>N/A</td><td>No</td><td>NCTS P5</td><td>#EFT #exciseGoods #MS #countries #externalDomain</td><td></td><td>UPDATED</td><td></td><td></td><td></td><td></td></consignment></goods></consignment-house></consignment-house></consignment-house>	N/A	No	NCTS P5	#EFT #exciseGoods #MS #countries #externalDomain		UPDATED				
273	G0071	REFERENCE> of the Transit declaration. In case of Export Followed by Transit (i.e. <consignment-house CONSIGNMENT- PREVIOUS DOCUMENT.Type> = 'N830'), all and only the goods items declared in <goods item="" shipment-goods=""> as defined in the related Export declaration (identified by the MRV) must be included in <consignment- HOUSE CONSIGNMENT- CONSIGNMENT ITEM> Data Group.</consignment- </goods></consignment-house 	N/A	No	NCTS P5	#EFT #externalDomain #nationalDomain		UPDATED				
274		In case of Export Followed By Transit (<consignment-house consignment-<br="">PREVIOUS DOCUMENT.Type> = 'N830'), -all the goods items declared in <goods item="" shipment-goods=""> as defined in the related Export declaration (identified by the MRN) and -all the goods items declared in the <consignment-house consignment-<br="">CONSIGNMENT ITEM> defined in the transit declaration must be listed in the same order (wth <goods shipment-goods<br="">ITEM.Declaration goods item number> = <consignment-house CONSIGNMENT- CONSIGNMENT ITEM.Goods item number>). Keeping the order of the goods item is required to enable the automatic validation of the matching of the goods in the context of Export followed by Transit.</consignment-house </goods></consignment-house></goods></consignment-house>	N/A	No	NCTS P5	#EFT #externalDomain #nationalDomain		UPDATED				
275		When the 'AES communication purpose' is EQUAL to '2' (= Allocation of the export MRN(s) referenced in the transit declaration), if the previous message CC191C includes one or more excise goods (i.e. <cc191c-aes results-export<br="">OPERATION-GOODS SHIPMENT> is PRESENT) then it is an external transit procedure (i.e. the <cc190c-transit operation-export="" operation.transit<br="">procedure category- shall be equal to '1'= External Transit Procedure) for that (or those) Export MRN(s).</cc190c-transit></cc191c-aes>	N/A	No	NCTS P5	#exciseGoods #nationalDomain		UPDATED				UPDATED
280	G0090	The Data Group 'Carrier' shall be provided if the value is different from the 'Holder of the transit procedure'. The Data Group 'Carrier' should not be present if the 'Holder of the transit procedure' is also the 'Carrier'.	N/A	No	NCTS P5	#allDomains		UPDATED				
288	G0114		N/A	No	NCTS P5	#externalDomain		UPDATED				
316		The 'CUSTOMS OFFICE OF RECOVERY REQUESTING' is the Competent Authority of Recovery that requests another Competent Authority to perform the recovery. The 'CUSTOMS OFFICE OF RECOVERY REQUESTED' is the Competent Authority of Recovery that is requested to perform the recovery.	N/A	No	NCTS P5	#N/A	NEW	NEW	NEW	NEW	NEW	NEW
319		The Data Group will be filled in with a Customs Office having the role 'ENQ' ('Competent Authority of Enquiry at Destination') valid in CS/RD2 at the time of sending the message.	N/A	Yes	NCTS P5	#commonDomain		UPDATED				
320	G0204	The Data Group will be filled in with a Customs Office having the role 'ENQ' ('Competent Authority of Enquiry at Destination') for the response codes {1, 2 or 3} or the role 'REC' ('Competent Authority of Recovery at Destination') for the response code '4' valid in CS/RD2 at the time of sending the message.	N/A	No	NCTS P5	#N/A	NEW	NEW	NEW	NEW	NEW	NEW
332		In case of excise goods where <consignment.house CONSIGNMENT CONSIGNMENT ITEM SUPPORTING DOCUMENT.Type> is EQUAL to 'C651 -AAD -Administrative Accompanying Document (EMCS)', the Administrative Reference Code (ARC number) shall be recorded in this field; In case of excise goods where <consignment.house CONSIGNMENT.CONSIGNMENT ITEM.SUPPORTING DOCUMENT.Type> is EQUAL to 'C658 -FAD -Fallback e-AD (EMCS)', the national Fallback registration number shall be recorded in this field.</consignment.house </consignment.house 	N/A	No	NCTS P5	#exciseGoods #externalDomain		UPDATED				
333		In case of excise goods where <consignment.house CONSIGNMENT.CONSIGNMENT ITEM.ADDITIONAL REFERENCE.Type> is EQUAL to 'C651 -AAD -Administrative Accompanying Document (EMCS)', the Administrative Reference Code (ARC number) shall be recorded in this field; In case of excise goods where <consignment.house CONSIGNMENT CONSIGNMENT TIEM.ADDITIONAL REFERENCE.Type> is EQUAL to 'C658C -FAD -Fallback e-AD (EMCS)', the national Fallback registration number shall be recorded in this field.</consignment.house </consignment.house 	N/A	No	NCTS P5	#exciseGoods #externalDomain		UPDATED				
336		The Customs Office of Exit for Transit shall be provided - in case of transit declaration combined with EXS - when the goods will exit the Security Area to enter (or re-enter) a CTC country that is not in the Security Area.	N/A	No	NCTS P5	#N/A	NEW	NEW	NEW	NEW	NEW	NEW
		Each occurrence of this data group can include either a common risk or a national		No	NCTS P5	#N/A				NEW		

DDNTA for NCTS P5. Release 5.15.1 -v1.00 REF:DDNTA_APP_Q2_R_C

ID	R/C Code	Functional Description	Technical Description	Implemented a DROOLS	^{IS} Domain	Тад	Check Code	Check Funct.	Check Tech.	Check DROOLS	Check Domain	Check Tag
340	G0716	During the Transitional Period, if more than one (1) iteration of the Data Group <risk analysis="" result=""> is needed to report multiple risks (combined or not) identified for one Goods Item (i.e. with the same 'Declaration goods item number' to report), then the Data Group <risk analysis=""> includes multiple iterations of the Data Group <risk analysis="" result=""> with the same 'Declaration goods item number' or multiple iterations of the Data Group <risk analysis=""> without 'Declaration goods item number' (as a workaround of the transitional rule E1406).</risk></risk></risk></risk>	N/A	Νο	NCTS P5	#N/A	NEW	NEW	NEW	NEW	NEW	NEW
342	G0821	The last character of the D.I. <risk analysis="" analysis-<br="" identification-risk="">RISK ANALYSIS RESULT.Code> shall be the value 'E' (where 'E' indicates 'Common risk analysis result to be communicated to the Office(s) of Exit for Transit and/or the Office(s) of Transit and/or the Office of Destination (NCTS)').</risk>	N/A	No	NCTS P5	#commonDomain		UPDATED				
352	G0990	It will include only the information for the Goods Items that are excise goods (i.e. with <goods document.type="" goods="" item-previous="" shipment-=""> being C651 or C658).</goods>	N/A	No	NCTS P5	#exciseGoods #nationalDomain		UPDATED				UPDATED
357	R0004	The value of <customs (declared).arrival="" and="" date="" of="" office="" time<br="" transit="">estimated> field is considered valid only if it is not LESS than or EQUAL to <transit date="" operation.release=""></transit></customs>	The value of /*/CustomsOfficeOfTransitDeclared/arrivalDateAndTimeEstimated field is considered valid only if it is not LESS than or EQUAL to /*/TransitOperation/releaseDate	Yes	NCTS P5	#checkByRecipientNo tPossible #allDomains				UPDATED		
358	R0005	The value of <customs (declared).arrival="" and="" date="" of="" office="" time<br="" transit="">estimated> field is considered valid only if it is not LESS than or EQUAL to <message. and="" date="" preparation="" time=""></message.></customs>		Yes	NCTS P5	#externalDomain #nationalDomain				UPDATED		
363	R0020	IF <transit operation.declaration="" type=""> is in SET {T2, T2F} AND the first two characters of <customs departure.reference="" number="" of="" office=""> is in SET CL112 (CountryCodesCTC) THEN (at least one <consignment-previous document.type=""> is in SET CL178 (PreviousDocumentUnionGoods)) OR (at least one <consignment-house consignment-consignment="" item-<br="">PREVIOUS DOCUMENT.Type> is in SET CL178 (PreviousDocumentUnionGoods)) for each and every Consignment Item IF <consignment-house consignment-consignment="" item.declaration<br="">type> is in SET {T2, T2F} AND the first two characters of <customs departure.reference<br="" of="" office="">number> is in SET CL112 (CountryCodesCTC) THEN (at least one <consignment-house consignment.type=""> is in SET CL178 (PreviousDocumentUnionGoods)) OR (at least one <consignment-house consignment-consignment="" item-<br="">PREVIOUS DOCUMENT.Type> is in SET CL178 (PreviousDocumentUnionGoods) for this 'Consignment item')</consignment-house></consignment-house></customs></consignment-house></consignment-house></consignment-previous></customs></transit>	IF /*/Transit Operation/declarationType is in SET {T2, T2F} AND the first two characters of /*/CustomsOfficeOfDeparture/referenceNumber is in SET CL112 THEN (at least one /*/Consignment/PreviousDocument/type is in SET CL178) OR (at least one /*/Consignment/PreviousDocument/type is in SET CL178) for each and every ConsignmentItem/PreviousDocument/lype is in SET CL178 for each and every Consignment Item IF /*/Consignment/HouseConsignment/ConsignmentItem/declarationType is in SET (T2, T2F) AND the first two characters of /*/CustomsOfficeOfDeparture/referenceNumber is in SET CL172 THEN (at least one /*/Consignment/PreviousDocument/type is in SET CL178) OR (at least one /*/Consignment/ConsignmentItem/PreviousDocument/type is in SET CL178 for this 'Consignment item')	Yes	NCTS P5	#CTC #declarationType #allDomains #countries		UPDATED	UPDATED)		
364	R0023	IF <consignment-house consignment-consignment="" item-additional<br="">REFERENCE.Type> is in SET CL234 (DocumentTypeExcise) THEN <consignment-house consignment-consignment="" item-<br="">ADDITIONAL REFERENCE.Reference number> shall not be '0' (zero)</consignment-house></consignment-house>	IF /*/Consignment/HouseConsignment/ConsignmentItem/AdditionalReference/type is in SET CL234 (DocumentTypeExcise) THEN /*/Consignment/HouseConsignment/ConsignmentItem/AdditionalReference/reference eNumber shall not be '0' (zero)	Yes	NCTS P5	#exciseGoods #allDomains				UPDATED		
367	R0054	Numbering of items: IF a discrepancy is identified in the Data Group THEN: - 'Sequence number' shall be unique AND EQUAL to the sequence number of the Data Group defined in the declaration for which the discrepancy is reported. IF a new Data Group is identified THEN: - 'Sequence number' shall be unique AND EQUAL to the number of the last sequence number of the Data Group + 1 and the rest of the Data Items contained in the Data Group and all sub–Data Groups shall be filled in except for the Data Elements that are defined as optional or dependent in the declaration. IF the information related to a Data Group is missing THEN: - 'Sequence number' shall be unique AND EQUAL to the sequence number of the Data Group defined in the declaration and the rest of the Data Items contained in the Data Group and all sub–Data Groups shall not be filled. Note: The Sequence number of a Data Group is unique if the XPath and the value of the sequence number of this Data Items is unique in this message.	Numbering of items: IF a discrepancy is identified in the Data Group THEN: - 'Sequence number' shall be unique AND EQUAL to the sequence number of the Data Group defined in the declaration for which the discrepancy is reported. IF a new Data Group is identified THEN: - Sequence number' shall be unique AND EQUAL to the number of the last sequence number of the Data Group + 1 and the rest of the Data Items contained in the Data Group and all sub–Data Groups shall be filled in except for the Data Elements that are defined as optional or dependent in the declaration. IF the information related to a Data Group is missing THEN: - Sequence number' shall be unique AND EQUAL to the sequence number of the Data Group defined in the declaration and the rest of the Data Items contained in the Data Group and all sub–Data Group defined in the declaration and the rest of the Data Items contained in the Data Group and all sub–Data Group and the rest of the Data Items contained in the Data Group and all sub–Data Group and the rest of the Data Items contained in the Data Group and all sub–Data Group and the rest of the Data Items contained in the Data Group and all sub–Data Group content in the declaration and the rest of the Data Items contained in the Data Group and all sub–Data Group content of the Data Group is unique if the XPath and the value o the sequence number of the Data Item is unique in this message.	Yes	NCTS P5	#allDomains		UPDATED	UPDATEC			

ID	R/C Code	Functional Description	Technical Description	Implemented DROOLS	as Domain	Тад	Check Code	Check Funct.	Check Tech.	Check DROOLS	Check Domain	Check Tag
368	R0055	Numbering of items: IF a discrepancy is identified in the Data Group THEN: - 'Declaration goods item number' shall be unique AND EQUAL to the declaration goods item number' shall be unique AND EQUAL to the declaration number defined in the declaration for which the discrepancy is reported AND - 'Goods item number' shall be unique AND EQUAL to the goods item number defined in the declaration for which the discrepancy is reported. IF a new Data Group is identified THEN: - 'Declaration goods item number defined in the declaration + 1 AND - 'Goods item number' shall be unique AND EQUAL to the last declaration = 1 AND - 'Goods item number' shall be unique AND EQUAL to the last goods item number defined in the declaration + 1 AND the rest of the Data Items contained in the Data Group and all sub–Data Groups shall be filled in except for the Data Elements that are defined as optional or dependent in the declaration. IF a Goods item number' shall be unique AND EQUAL to the number of the declaration goods item number' shall be unique AND EQUAL to the number of the declaration. IF a Goods item number' shall be unique AND EQUAL to the number of the declaration goods item number' shall be unique AND EQUAL to the number of the declaration shall be the declaration and sub–Data Groups shall not be filled. Note: The Sequence number of a Data Group is unique if the XPath and the value of the sequence number of this Data Item is unique in this message.	defined in the declaration + 1 AND the rest of the Data Items contained in the Data Group and all sub–Data Groups shall be filled in except for the Data Elements that are defined as optional or dependent in the declaration. IF a Goods item is missing THEN: - 'Declaration goods item number' shall be unique AND EQUAL to the number of the declaration goods item number defined in the declaration AND	Yes	NCTS P5	#allDomains		UPDATED	UPDATED			
377	R0219	IF <consignment-house consignment-consignment="" item-<br="">PACKAGING.Number of packages> is EQUAL to '0' (zero) THEN no further data group <consignment-house consignment-<br="">CONSIGNMENT ITEM-PACKAGING> with a value not equal to '0' (zero) in the data item <consignment-house consignment-consignment="" item-<br="">PACKAGING.Number of packages> is specified for this data group <consignment-house consignment-consignment="" item="">.</consignment-house></consignment-house></consignment-house></consignment-house>	IF /*/Consignment/HouseConsignment/ConsignmentItem/Packaging/numberOfPackag es is EQUAL to '0' (zero) THEN no further data group /*/Consignment/HouseConsignment/ConsignmentItem/Packaging with a value not equal to '0' (zero) in the data item /*/Consignment/HouseConsignment/ConsignmentItem/Packaging/numberOfPackag es is specified for this data group /*/HouseConsignment/Consignm	No	NCTS P5	#N/A	NEW	NEW	NEW	NEW	NEW	NEW
378	R0220	IF <consignment-house consignment-consignment="" item-<br="">PACKAGING.Number of packages> is EQUAL to '0' (zero) THEN <consignment-house consigmment-consigmment="" item-<br="">PACKAGING.Type of packages> shall not be in SET CL182 (KindOPackagesUnpacked) for this data group <consignment-house CONSIGNMENT-CONSIGNMENT ITEM>.</consignment-house </consignment-house></consignment-house>	IF /*/Consignment/HouseConsignment/ConsignmentItem/Packaging/numberOfPackag es is EQUAL to '0' (zero) THEN /*/Consignment/HouseConsignment/ConsignmentItem/Packaging/typeOfPackages shall not be in SET CL182 for this data group /*/ Consignment/HouseConsignment/ConsignmentItem.	No	NCTS P5	#N/A	NEW	NEW	NEW	NEW	NEW	NEW
379	R0221	IF <consignment-house consignment-consignment="" item-<br="">PACKAGING Number of packages> is EQUAL to '0' (zero) THEN for THIS CONSIGNMENT ITEM <consignment-house consignment-consignment="" item-<br="">COMMODITY-GOODS MEASURE.Gross mass> is EQUAL to '0' (zero) AND for THIS HOUSE CONSIGNMENT at least one other CONSIGNMENT ITEM must exist with <consignment-house consignment-consignment="" item-<br="">COMMODITY-GOODS MEASURE.Gross mass> having a value different from '0' (zero) ELSE for THIS CONSIGNMENT ITEM <consignment-house consignment-consignment="" item-<br="">COMMODITY-GOODS MEASURE.Gross mass> having a value different from '0' (zero) ELSE for THIS CONSIGNMENT-ITEM <consignment-house consignment-consignment="" item-<br="">COMMODITY-GOODS</consignment-house></consignment-house></consignment-house></consignment-house></consignment-house>	IF /*/Consignment/HouseConsignment/ConsignmentItem/Packaging/numberOfPackag es is EQUAL to '0' (zero) THEN for THIS CONSIGNMENT ITEM /*/Consignment/HouseConsignment/ConsignmentItem/Commodity/GoodsMeasure/g rossMass is EQUAL to '0' (zero) AND for THIS HOUSE CONSIGNMENT at least one other CONSIGNMENT ITEM must exist with /*/Consignment/HouseConsignment/ConsignmentItem/Commodity/GoodsMeasure/g rossMass having a value different from '0' (zero) ELSE for THIS CONSIGNMENT ITEM /*/Consignment/HouseConsignment/ConsignmentItem/Commodity/GoodsMeasure/g rossMass must be different from '0' (zero)		NCTS P5	#allDomains		UPDATED	UPDATED			

ID	R/C Code	Functional Description	Technical Description	Implemented as DROOLS	^s Domain		Check Code		Check Tech.	Check DROOLS	Check Domain	Check Tag
389	R0364	IF-CONSIGNMENT-HOUSE CONSIGNMENT-CONSIGNMENT ITEM- PACkAGINS is ECUAL to '0' (zero) THEN for THIS HOUSE CONSIGNMENT at least one other CONSIGNMENT ITEM must exist with (the same <consignment-house consignment-consignment="" item-<br="">PACKAGING.Shipping marks> AND with <consignment-house CONSIGNMENT-ONSIGNMENT THM-PACKAGING.Number of packages> having a value GREATER than '0' (zero) AND <consignment-house consignment="" item-<br="">PACKAGING.Type of packages> having a value NOT IN SET {CL181(KindOfPackagesBulk), CL182(KindOfPackagesUnpacked)}).</consignment-house></consignment-house </consignment-house>	THEN for THIS HOUSE CONSIGNMENT at least one other CONSIGNMENT ITEM must exist with (the same ///Consignment/HouseConsignment/ConsignmentItem/Packaging/shippingMarks AND with //Consignment/HouseConsignment/ConsignmentItem/Packaging/numberOfPackag es having a value GREATER than '0' (zero) AND ///Consignment/HouseConsignment/ConsignmentItem/Packaging/typeOfPackages having a value NOT IN SET {CL181, CL182}).	Yes	NCTS P5	#checkByRecipientNo tPossible #allDomains		UPDATED	UPDATED			
405		IF (the Data Item <transit flag="" operation.amendment="" type=""> is EQUAL to '1' and the movement is in state 'Guarantee under amendment') (i.e. the message CC013C is used for amending the Guarantee previously declared while the movement is in state 'Guarantee under amendment') THEN the only difference between this CC013C and the CC015C (or the previous CC013C) shall be located in the Data Group <guarantee> ELSE IF (the Data Item <transit flag="" operation.amendment="" type=""> is EQUAL to '0' AND the movement IS NOT IN STATE "Guarantee under amendment") THEN all Data Groups and Data Items of the original declaration can be amended, with the exception of the following Data Groups: - <holder of="" procedure="" the="" transit=""> - <representative> - <customs departure="" of="" office=""> and the exception of the following Data Items: - <transit declaration="" operation.additional="" type=""> - <transit operation.declaration="" type=""> - <transit operation.declaration="" type=""> - <transit operation.lrn=""> - <transit operation.lrn=""></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></transit></customs></representative></holder></transit></guarantee></transit>	IF (the Data Item //CC013C/TransitOperation/amendmentTypeFlag is EQUAL to '1' AND the movement is in state "Guarantee under amendment") (i.e. the message CC013C is used for amending the Guarantee previously declared while the movement is in state "Guarantee under amendment") THEN the only difference between this CC013C and the CC015C (or the previous CC013C) shall be located in the Data Group ///Guarantee ELSE IF (the Data Item //TransitOperation/amendmentTypeFlag is EQUAL to '0' AND the movement IS NOT IN STATE "Guarantee under amendment") THEN all Data Groups and Data Items of the original declaration can be amended, with the exception of the following Data Groups: - //HolderOTTheTransitProcedure - ///Representative and the exception of the following Data Items: - ///TransitOperation/AddItionalDeclarationType - //TransitOperation/AdeclarationType - //TransitOperation/MRN - //TransitOperation/MRN - //TransitOperation/LRN - //Consignment/HouseConsignment/ConsignmentItem/Commodity/ CommodityCode/harmonizedSystemSubHeadingCode - //TransitOperation/security	Yes	NCTS P5	#externalDomain		UPDATED	UPDATED			
407	R0601	IF <consignment-house consignment-consignment="" item-additional<br="">REFERENCE.Type> is in SET CL234 (DocumentTypeExcise) (i.e. Export of excise goods followed by transit (EMCS&AES+NCTS) THEN IF <consignment-house consignment-previous="" document.type=""> is EQUAL to 'N830' THEN IF <consignment-house consignment-consignment<br="">ITEM.Declaration type> is PRESENT THEN IF CONSIGNMENT-HOUSE CONSIGNMENT-CONSIGNMENT ITEM.Declaration type> is B EQUAL to 'T1' ELSE <transit operation.declaration="" type=""> is in SET {T1, TIR} ELSE IF <consignment-house consignment-consignment="" item-<br="">SUPPORTING DOCUMENT.Type> is in SET (L234 (DocumenTypeExcise) (i.e. Transit movement of EU goods under excise suspension (EMCS+NCTS)) THEN IF <consignment-house consignment-consignment="" item-<br="">Declaration type> is PRESENT THEN IF <consignment-house consignment-consignment="" item.<br="">Declaration type> is n SET (T2, T2F) ELSE <transit operation.declaration="" type=""> is in SET {T2, T2F}</transit></consignment-house></consignment-house></consignment-house></transit></consignment-house></consignment-house></consignment-house>	is in SET CL234 (DocumentTypeExcise) (i.e. Export of excise goods followed by transit (EMCS&AES+NCTS)) THEN IF /*/Consignment/HouseConsignment/PreviousDocument/type is EQUAL to 'N830' THEN IF /*/Consignment/HouseConsignment/ConsignmentItem/declarationType is PRESENT THEN /*/Consignment/HouseConsignment/ConsignmentItem/declarationType is EQUAL to 'T1' ELSE /*/TransitOperation/declarationType is in SET {T1, TIR} ELSE //TransitOperation/declarationType is in SET {T1, TIR} ELSE //FOnsignment/HouseConsignmentItem/SupportingDocument/type is	Yes	NCTS P5	#exciseGoods #declarationType #allDomains		UPDATED	UPDATED			
427		IF <cc013c -="" authorisation.type=""> is NOT EQUAL to 'C521' OR <cc015c -<br="">AUTHORISATION.Type> is NOT EQUAL to 'C521' THEN <control result.code=""> is in SET CL195 (ControlResultCodeDepartureSimplifiedExcluded)</control></cc015c></cc013c>	IF /CC013C/Authorisation/type is NOT EQUAL to 'C521' OR /CC015C/Authorisation/type is NOT EQUAL to 'C521' THEN /*/ControlResult/code is in SET CL195	Yes	NCTS P5	#checkByRecipientNo tPossible #crossIEs #allDomains			UPDATED			
444	S1010	N/A	The validation of particular Data Group/Item shall be performed in the following sequence: C0812 > C0186	Yes	NCTS P5	#commonDomain				UPDATED		