

Tulltaxan Fildistribution

XML-filer

Version 1.2

2015-08-17

1.	Uppbyggnad av XML-fil.....	6
1.1.	Detaljsektion i XML-filer som distribueras.....	6
2.	Innehåll i xml-filerna.....	8
2.1.	AdditionalCode.xml	8
2.1.1.	Gruppement additionalCodeFootnoteAssociation.....	8
2.1.2.	Gruppement additionalCodeDescriptionPeriod.....	9
2.1.3.	Gruppement additionalCodeDescription	9
2.1.4.	Exempel på <items> sektion.....	9
2.2.	Certificate.xml	10
2.2.1.	Gruppement certificateDescriptionPeriod	10
2.2.2.	Gruppement certificateDescription.....	11
2.2.3.	Exempel på <items> sektion.....	11
2.3.	DeclarableGoodsNomenclature.xml	12
2.3.1.	Uppbyggnad av xml-fil.....	12
2.3.2.	Exempel på <items> sektion.....	13
2.4.	Footnote.xml	13
2.4.1.	Gruppement footnoteDescriptionPeriod	14
2.4.2.	Gruppement footnoteDescription	14
2.4.3.	Exempel på <items> sektion.....	14
2.5.	GeographicalArea.xml	16
2.5.1.	Gruppement geographicalAreaMembership.....	16
2.5.2.	Gruppement geographicalAreaDescriptionPeriod.....	17
2.5.3.	Gruppement geographicalAreaDescription	17
2.5.4.	Exempel på <items> sektion.....	17
2.6.	GoodsNomenclatureGroup.xml	18
2.6.1.	Gruppement goodsNomenclatureGroupDescription	19
2.6.2.	Exempel på <items> sektion.....	19
2.7.	LookupTable.xml	19
2.7.1.	Gruppement lookupTableItem.....	20
2.7.2.	Gruppement lookupTableDescription	20
2.8.	MeasureAction.xml	21
2.8.1.	Grupp element measureActionDescription	21
2.8.2.	Exempel på <items> sektion.....	21
2.9.	MeasureConditionCode.xml.....	22
2.9.1.	Gruppement measureConditionCodeDescription	22

2.9.2. Exempel på <items> sektion.....	22
2.10. MeasureType.xml	23
2.10.1. Grupp element measureTypeDescription	24
2.10.2. Exempel på <items> sektion.....	24
2.11. Measurement.xml	24
2.11.1. Exempel på <items> sektion.....	25
2.12. MeasurementUnit.xml	25
2.12.1. Grupp element measurementUnitDescription	26
2.12.2. Exempel på <items> sektion.....	26
2.13. MeasurementUnitQualifier.xml	27
2.13.1. Grupp element measurementUnitQualifierDescription	27
2.13.2. Exempel på <items> sektion.....	27
2.14. MeursingTablePlan.xml	28
2.14.1. Exempel på <items> sektion.....	28
2.15. MeursingAdditionalCode.xml	29
2.15.1. Exempel på <items> sektion.....	29
2.15.2. Grupp element meursingTableCellComponent	29
2.15.3. Exempel på <items> sektion.....	30
2.16. MeursingHeading.xml.....	30
2.16.1. Grupp element meursingHeadingFootnoteAssociation.....	31
2.16.2. Grupp element meursingHeadingText.....	31
2.16.3. Exempel på <items> sektion.....	31
2.17. MeursingSubheading.xml.....	32
2.17.1. Exempel på <items> sektion.....	33
2.18. MonetaryExchangePeriod.xml.....	33
2.18.1. Grupp element monetaryExchangeRate	34
2.18.2. Exempel på <items> sektion.....	34
2.19. PreferenceCode.xml	35
2.19.1. Grupp element preferenceCodeDescription	35
2.19.2. Exempel på <items> sektion.....	35
2.20. QuotaBalanceEvent.xml	36
2.20.1. Exempel på <items> sektion.....	36
2.21. QuotaDefinition.xml.....	37
2.21.1. Grupp element quotaAssociation.....	37
2.21.2. Grupp element quotaBlockingPeriod	38

2.21.3. Gruppelement quotaSuspensionPeriod.....	38
2.21.4. Gruppelement extendedQuotaInformation	38
2.21.5. Exempel på <items> sektion.....	39
2.22. QuotaEvent.xml.....	41
2.22.1. quotaUnblockingEvent	41
2.22.2. quotaCriticalEvent	41
2.22.3. quotaExhaustionEvent	42
2.22.4. quotaReopeningEvent.....	42
2.22.5. quotaUnsuspendEvent.....	43
2.22.6. quotaClosedAndBalanceTransferredEvent	43
2.22.7. Exempel på <items> sektion.....	44
2.23. QuotaOrderNumber.xml.....	44
2.23.1. Gruppelement quotaOrderNumberOrigin.....	45
2.23.2. Gruppelement quotaOrderNumberOriginExclusion.....	45
2.23.3. Exempel på <items> sektion.....	45
2.24. Regulation.xml.....	46
2.24.1. baseRegulation.....	46
2.24.2. modificationRegulation	47
2.24.3. fullTemporaryStopRegulation	48
2.24.4. Gruppelement fullTemporaryStopRegulationAction	48
2.24.5. Exempel på <items> sektion.....	49
2.25. ReliefCode.xml.....	50
2.25.1. Gruppelement reliefCodeDescriptionPeriod	50
2.25.2. Gruppelement reliefCodeDescription	50
2.25.3. Exempel på <items> sektion.....	51
2.26. TaxCode.xml.....	51
2.26.1. Gruppelement taxDescription	52
2.26.2. Exempel på <items> sektion.....	52
2.27. DutyExpression.xml	53
2.27.1. Gruppelement dutyExpressionDescription	53
2.27.2. Exempel på <items> sektion.....	53
2.28. GoodsNomenclature.xml	54
2.28.1. Gruppelement goodsNomenclatureIndent	55
2.28.2. Gruppelement goodsNomenclatureDescriptionPeriod	55
2.28.3. Gruppelement goodsNomenclatureDescription	56

2.28.4.	Gruppelement goodsNomenclatureFootnoteAssociation	56
2.28.5.	Gruppelement goodsNomenclatureGroupMembership.....	56
2.28.6.	Exempel på <items> sektion.....	57
2.29.	ExportRefundNomenclature.xml.....	57
2.29.1.	Gruppelement exportRefundNomenclatureIndent	58
2.29.2.	Gruppelement exportRefundNomenclatureDescriptionPeriod.....	59
2.29.3.	Gruppelement exportRefundNomenclatureDescription	59
2.29.4.	Gruppelement exportRefundNomenclatureFootnoteAssociation.....	59
2.29.5.	Exempel på <items> sektion.....	60
2.30.	Measure.xml.....	61
2.30.1.	Gruppelement measureComponent	62
2.30.2.	Gruppelement measureCondition	63
2.30.3.	Gruppelement measureConditionComponent	63
2.30.4.	Gruppelement measureExcludedGeographicalArea.....	64
2.30.5.	Gruppelement measureFootnoteAssociation	64
2.30.6.	Gruppelement measurePartialTemporaryStop	64
2.30.7.	Exempel på <items> sektion.....	65
2.31.	CodeList.xml.....	66
2.31.1.	Grupp element codeTypeDescription	67
2.31.2.	Exempel på <items> sektion.....	67

1. Uppbyggnad av XML-fil

Var och en av XML-filerna innehåller samma huvudinformation och har olika detaljsektioner beroende av vilken XSD som blir refererad. Exemplet nedan visar ett utdrag ur en MeasureAction_{id}.xml fil. XSD-referensen indikeras med gul överstrykning.

```
<?xml version='1.0' encoding='UTF-8'?>
<export xsi:schemaLocation="http://www.arcticgroup.se/tariff/arctictariff/export
MeasureAction.xsd "
      xmlns="http://www.arcticgroup.se/tariff/arctictariff/export"
      xmlns:at="http://www.arcticgroup.se/tariff/arctictariff/export"
      xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <id>9d7c9857-7167-4acf-a7a4-ce65e9fc38ce</id>
  <exportType>MeasureActionObject</exportType>
  <parameters>
    <queryDateStart>2014-01-01</queryDateStart>
  </parameters>
  <items>
    :
    xml detalj sektion
    :
  </items>
</export>
```

1.1. Detaljsektion i XML-filer som distribueras

Elementgrupperingar och enskilda elementtaggar beskrivs i tabellform. Elementgrupperingar anges först i tabellerna och i kursiverad stil. Elementgrupperingar anges med sin förekomst (t. ex 0..n, 1..n). Enskilda element anges med sin typ. Ursprung indikerar om det är en av EU definierad element-tag eller en nationell element-tag.

Element ref/ Element namn	Beskrivning	Typ	Ursprung
<i>Underordnad elementgrupp i xml-beskrivning</i>	Element gruppreferens	Occurs 0..n	
Elementnamn	xxxxxx	N(19,0)	EU definierad

Element-typ	Beskrivning	Exempel
N(a, b)	Numeriskt element. a: totala antal positioner inklusive decimalavskiljare b: antalet decimala positioner	N(8,3)
C(a)	Textelement a: antalet tecken	C(100)

C(a+)	<p>Stort textelement</p> <p>a+: antal positioner som anges enligt EU dokumentation</p> <p>(CLOB): Indikerar att uppgifterna är lagrade i databas i ett "Character Large Object" och därför (rent tekniskt) kan innehålla fler tecken.</p>	C(2000+) (CLOB)
datum	<p>Datumfält med skiljetecken ('-' används)</p> <p>Formaterat som: yyyy-mm-dd</p> <p>yyyy: årssdel mm: månadsdel dd:: dagdel</p>	datum
timestamp	<p>Datumfält med tidsangivelse</p> <p>Formaterat som: yyyy-mm-ddTtt:mm:ss</p> <p>yyyy: årssdel mm: månadsdel dd: dagdel tt: timdel mm: minutdel ss: sekunddel</p>	timestamp
National (a)	<p>Indikator för Nationell uppgift</p> <p>Typen är alltid Numerisk 1 tecken (N(1)) och har den värdet 1 så indikerar det en nationell uppgift och värdet 0 indikerar en EU uppgift</p>	N(1)

Exempel:**<exportType>AdditionalCodeObject</exportType>**

Element ref / Element name	Description	Type	Origin
<i>additionalCodeFootnoteAssociation</i>	Element ref	Occurs 0..n	
<i>additionalCodeDescriptionPeriod</i>	Element ref	Occurs 0..n	
SID	SID for additional code	N(19,0)	EU defined

2. Innehåll i xml-filerna

2.1. AdditionalCode.xml

En tilläggskod (Additional code) identifierar en text som är associerad med en kombination av varukod och en åtgärd. En tilläggskod kan återanvändas.

<exportType>AdditionalCodeObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>additionalCodeFootnoteAssociation</i>	Element ref	Occurs 0..n	
<i>additionalCodeDescriptionPeriod</i>	Element ref	Occurs 0..n	
SID	SID for additional code	N(19,0)	EU defined
additionalCodeType	Additional code type id	C(1)	EU defined
additionalCodeId	Additional code, SAD Ref : Box 33:2-4	C(3)	EU defined
dateStart	Validity start date of additional code	datum	EU defined
dateEnd	Validity end date of additional code	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.1.1. Gruppement **additionalCodeFootnoteAssociation**

En fotnot kan ha en association med en tilläggskod för en del av fotnotens giltighetsperiod och för en del av tilläggskodens giltighetsperiod.

Element ref / Element name	Description	Type	Origin
footnoteType	Footnote type id	C(3)	EU defined
footnoteId	Footnote id	C(5)	EU defined
dateStart	Validity start date of association between additional codes and footnotes	datum	EU defined
dateEnd	Validity end date of association between additional codes and	datum	EU defined

	footnotes		
national	National Flag indication national data	N(1)	

2.1.2. Gruppement additionalCodeDescriptionPeriod

Beskrivningsperiod(er) associerad med text för tilläggskod. Beskrivningen av en tilläggskod kan ändras oberoende av tilläggskodens.

Element ref / Element name	Description	Type	Origin
<i>additionalCodeDescription</i>	Element ref	Occurs 1..n	
SID	SID for additional code description	N(19,0)	EU defined
dateStart	Validity start date of additional code description	Datum	EU defined
dateEnd	End date for completion of the period	Datum	EU defined
national	Indication of national data	N(1)	

2.1.3. Gruppement additionalCodeDescription

Beskrivning av en tilläggskodstyp. Det kan bara finnas en beskrivning för en tilläggskodstyp.

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	EU defined
description	Long description of additional code	C(2000+) (CLOB)	EU defined
national	Indication of national data	N(1)	

2.1.4. Exempel på <items> sektion

<items>

```

<additionalCode
  at:additionalCodeId="045"
  at:national="0" at:SID="2835"
  at:dateStart="1972-01-01"
  at:additionalCodeType="3"
  at:changeType="U">
  <additionalCodeDescriptionPeriod
    at:national="0" at:SID="287"
    at:dateStart="1972-01-01">
  <additionalCodeDescription
    at:description="Cold finished bar: if cold formed: LQEX."
    at:languageId="EN"

```

```

        at:national="0"/>
    <additionalCodeDescription
        at:description="Stång, färdigbearbetad i kallt tillstånd, tillformad i kallt tillstånd:
        LQEX." at:languageId="SV"
        at:national="0"/>
    </additionalCodeDescriptionPeriod>
</additionalCode>
</items>

```

2.2. Certificate.xml

I Certifikat.xml definieras licenser, certifikat och liknande dokument som krävs för att upprätta import/export deklarerationer. Certifikat är inte upprättade som separata åtgärdstyper utan som villkor för olika åtgärdstyper.

<exportType>CertificateObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>certificateDescriptionPeriod</i>	Element ref	Occurs 0..n	
certificateType	SID for additional code	C(1)	EU defined
certificateCode	Additional code type id	C(3)	EU defined
dateStart	Validity start date of certificate	datum	EU defined
dateEnd	Validity end date of certificate	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.2.1. Gruppement certificateDescriptionPeriod

Beskrivningen av ett certifikat kan ändras oberoende av certifikat typkod och certifikatkod. Beskrivningsperioden för ett certifikat innehåller start-/slutdatum och beskrivningen för certifikatet.

Element ref / Element name	Description	Type	Origin
<i>certificateDescription</i>	Element ref	Occurs 1..n	
SID	SID for certificate description	N(19,0)	EU defined
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
national	National Flag indication of national data	N(1)	

2.2.2. Gruppement certificateDescription

Certifikat beskrivningen innehåller beskrivningen för certifikatet för ett specificerat språk och för en särskild period.

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	EU defined
description	Short description of certificate	C(2000)	EU defined
national	Indication of national data	N(1)	

2.2.3. Exempel på <items> sektion

```

<items>
  <certificate
    at:certificateCode="079"
    at:certificateType="L"
    at:national="0"
    at:dateStart="1993-01-01"
    at:changeType="U">
    <certificateDescriptionPeriod
      at:national="0"
      at:SID="1030"
      at:dateStart="1993-01-01">
      <certificateDescription
        at:description="Textile products: import licence"
        at:languageId="EN"
        at:national="0"/>
      <certificateDescription
        at:description="Textilvaror: importlicens"
        at:languageId="SV"
        at:national="0"/>
    </certificateDescriptionPeriod>
  </certificate>
</items>

```

2.3. DeclarableGoodsNomenclature.xml

Innehåller alla varukoder som är deklarerabara mellan ett specificerat startdatum och ett specificerat slutdatum. Varukoder för export och import ligger i samma xml-fil. Export/Import varukoder åtskiljs mha. antalet tecken i *goodsNomenclatureCode* elementet. Varukoder för export är dem med 8-ställig kod och varukoder för import är dem med 10-ställig varukod.

2.3.1. Uppbyggnad av xml-fil

DeclarableGoodsNomenclature.xml skiljer sig från de övriga xml-filerna då den även specificerar tag-paret `<queryDateEnd></queryDateEnd>` i parameter-sektionen.

```
<?xml version='1.0' encoding='UTF-8'?>
<export xsi:schemaLocation="http://www.arcticgroup.se/tariff/arctictariff/export
DeclarableGoodsNomenclature.xsd "
        xmlns="http://www.arcticgroup.se/tariff/arctictariff/export"

        xmlns:at="http://www.arcticgroup.se/tariff/arctictariff/export"
        xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <id>e28df9d1-17d4-4db7-bab5-bc7033e1b2d0</id>
  <exportType>GoodsNomenclatureObject</exportType>
  <parameters>
    <queryDateStart>2010-03-01</queryDateStart>
    <queryDateEnd>2017-03-01</queryDateEnd>
  </parameters>
  <items>
    :
    xml detalj sektion
    :
  </items>
</export>
```

<exportType>GoodsNomenclatureObject</exportType>

Element ref / Element name	Description	Type	Origin
goodsNomenclatureCode	Goods nomenclature item id	C(10)	EU defined
dateStart	Start date of declarable code	datum	EU defined
dateEnd	End date of declarable code	datum	EU defined
changeType	Represent the type of update that has been performed for this element	C(1)	
type	'E' indicates Export and 'I' indicates Import	C(1)	

2.3.2. Exempel på <items> sektion

```

<items>
  <declarableGoodsNomenclature
    at:goodsNomenclatureCode="01029021"
    at:dateEnd="2011-12-31"
    at:dateStart="1993-01-01"
    at:changeType="U"
    at:type='E'>
    </declarableGoodsNomenclature>
    <declarableGoodsNomenclature
    at:goodsNomenclatureCode="9931270000"
    at:dateStart="2009-01-01"
    at:changeType="U"
    at:type='I'>
    </declarableGoodsNomenclature>
    <declarableGoodsNomenclature
    at:goodsNomenclatureCode="9931240000"
    at:dateStart="2009-01-01"
    at:changeType="U"
    at:type='I'>
    </declarableGoodsNomenclature>
</items>

```

2.4. Footnote.xml

En fotnot refererar till en text som antingen är en klagörande beskrivning (t.ex för uppgifter i tulltaxan) eller en begränsning av dess användning (t.ex för en åtgärd).

<exportType>FootnoteObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>footnoteDescriptionPeriod</i>	Element ref	Occurs 0..n	
footnoteType	Footnote type	C(3)	EU defined
footnoteId	Footnote id	C(5)	EU defined
dateStart	Validity start date of footnote code	datum	EU defined
dateEnd	Validity end date of footnote code	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.4.1. Gruppement footnoteDescriptionPeriod

Beskrivningsperiod associerade med en fotnotstext. Beskrivningen av en fotnot kan ändras oberoende av fotnoten. Fotnot beskrivningsperioden innehåller start-/slutdatum av fotnotsbeskrivningen.

Element ref / Element name	Description	Type	Origin
<i>footnoteDescription</i>	footnoteDescription	Occurs 1..n	
SID	SID of footnote description period	N(19,0)	EU defined
dateStart	Validity start date of footnote description	datum	EU defined
dateEnd	End date for completion of the period	datum	EU defined
national	National Flag indication of national data	N(1)	

2.4.2. Gruppement footnoteDescription

Fotnotsbeskrivningen innehåller den text som är associerad med fotnoten för ett specifikt språk och en given period.

Element ref / Element name	Description	Type	Origin
languageld	Language id of description	C(2)	EU defined
description	Long description of footnote	C(2000+) (CLOB)	EU defined
national	Indication of national data	N(1)	

2.4.3. Exempel på <items> sektion

```
<items>
  <footnote
    at:footnoteId="053"
    at:footnoteType="TN"
    at:national="0"
    at:dateStart="1988-01-01"
    at:changeType="U">
    <footnoteDescriptionPeriod
      at:SID="1443"
      at:national="0"
      at:dateStart="1988-01-01">
  <footnoteDescription
    at:description="Special milk for infants means products free from pathogenic germs
      and which have fewer than 10 000 revivifiable aerobic bacteria and
      fewer than two coliform bacteria per gramme."
```

```
        at:languageId="EN"
        at:national="0"/>
<footnoteDescription
  at:description="Specialmjölk för spädbarn innebär produkter fria från
    sjukdomsalstrande mikrober och vilka har färre än 10|000 aeroba
    bakterier och mindre än två kolibakterier per gram."
  at:languageId="SV"
  at:national="0"/>
  </footnoteDescriptionPeriod>
</footnote>
</items>
```

2.5. GeographicalArea.xml

Definierar ett geografiskt område (land, områdesgrupp eller region). Det geografiska områdesid:et för ett land är dess ISO-kod. Det geografiska id:et för en områdesgrupp eller en region är inte en ISO-kod. Grupperingen av geografiska områden används för att begränsa datavolymen i de fall då samma information är giltig för flera geografiska områden (ett exempel är länder som omfattas av GSP). Geografiska områden upprättas och vidmakthålls i samband med EU-beslut.

<exportType>GeographicalAreaObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>geographicalAreaMembership</i>	Element ref	Occurs 0..n	
<i>geographicalAreaDescriptionPeriod"</i>	Element ref	Occurs 0..n	
SID	SID for geographical area	N(19,0)	EU defined
geographicalAreaCode	Geographical area code	N(1)	EU defined
geographicalAreald	Geographical area id, SAD Ref : Box 34 (Country Code ISO 3166)	C(4)	EU defined
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
SIDParentGroup	SID for parent geographical area group	N(19,0)	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.5.1. Gruppelment geographicalAreaMembership

Det geografiska områdets medlemskap definierar den period som ett geografiskt område är en medlem av en grupp. Det är inte obligatoriskt att medlemsperioden omfattar hela giltighetsperioderna för det geografiska området eller den geografiska områdesgruppen.

Element ref / Element name	Description	Type	Origin
SIDGeographicalAreaGroup	SID for geographical area group	N(19,0)	EU defined
dateStart	Validity start date of geographical area	datum	EU defined

	membership		
dateEnd	Validity end date of geographical area membership	datum	EU defined
national	National Flag indication national data	N(1)	

2.5.2. Gruppement geographicalAreaDescriptionPeriod

Namnet på det geografiska området kan ändras över tiden.

Element ref / Element name	Description	Type	Origin
<i>geographicalAreaDescription</i>	Element ref	Occurs 1..n	
SID	SID for additional code description	N(19,0)	EU defined
dateStart	Validity start date of geographical area description	datum	EU defined
dateEnd	End date for completion of the period	datum	EU defined
national	Indication of national data	N(1)	

2.5.3. Gruppement geographicalAreaDescription

Den geografiska områdesbeskrivningen innehåller namnet för det geografiska området för ett specifikt språk och en given period.

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	EU defined
description	Short description, for Geographical area name	C(2000)	EU defined
national	Indication of national data	N(1)	

2.5.4. Exempel på <items> sektion

<items>

```
<geographicalArea
  at:geographicalAreaId="GE"
  at:national="0"
  at:SID="111"
  at:dateStart="1992-06-01"
  at:geographicalAreaCode="0"
  at:changeType="U">
```

```

<geographicalAreaMembership
  at:dateEnd="2005-06-30"
  at:SIDGeographicalAreaGroup="217"
  at:dateStart="1993-01-01"
  at:national="0"/>
<geographicalAreaDescriptionPeriod
  at:national="0"
  at:SID="168"
  at:dateStart="1992-06-01">
  <geographicalAreaDescription
    at:description="Georgia"
    at:languageId="EN"
    at:national="0"/>
    <geographicalAreaDescription
      at:description="Georgien"
      at:languageId="SV"
      at:national="0"/>
  </geographicalAreaDescriptionPeriod>
</geographicalArea>
</items>

```

2.6. GoodsNomenclatureGroup.xml

Varukodsgrupper används för att gruppera varukoder i olika klasser eller kategorier. T.ex. alla koder som hör till en textilkategori eller en jordbrukssektor.

<exportType>GoodsNomenclatureGroupObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>goodsNomenclatureGroupDescription</i>	Element ref	Occurs 0..n	
goodsNomenclatureGroupType	Goods nomenclature group type	C(1)	EU defined
goodsNomenclatureGroupId	Goods nomenclature group id	C(6)	EU defined
dateStart	Validity start date of goods nomenclature group	datum	EU defined
dateEnd	Validity end date of goods nomenclature group	datum	EU defined
nomenclatureGroupFacilityCode	Nomenclature group facility code	C(1)	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of	C(1)	

	update that has been performed for this element		
--	---	--	--

2.6.1. Gruppelement goodsNomenclatureGroupDescription

Beskrivningen av en varukodsgrupp.

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	EU defined
description	Short description of nomenclature group	C(2000)	EU defined
national	Indication of national data	N(1)	

2.6.2. Exempel på <items> sektion

```

<item>
  <goodsNomenclatureGroup
    at:nomenclatureGroupFacilityCode="0"
    at:goodsNomenclatureGroupId="010000"
    at:goodsNomenclatureGroupType="A"
    at:national="0"
    at:dateStart="1970-01-01"
    at:changeType="U">
    <goodsNomenclatureGroupDescription
      at:description="Agricultural products of Annex I of the Treaty"
      at:languageId="EN"
      at:national="0"/>
  <goodsNomenclatureGroupDescription
    at:description="Jordbruksprodukter upptagna i bilaga I till Fördraget"
    at:languageId="SV"
    at:national="0"/>
  </goodsNomenclatureGroup>
</item>

```

2.7. LookupTable.xml

Innehåller min- och maxvärden som används i nationella avgiftsberäkningar och som gör det möjligt att definiera olika avgiftsnivåer baserat på t.ex. antal eller vikt.

Element ref / Element name	Description	Type	Origin
lookupTableItem	Element ref	Occurs 0..n	

<i>lookupTableDescription</i>	Element ref	Occurs 0..n	
SID	SID of lookup table	N(19,0)	EU defined
tableId	Lookup table id	C(20)	EU defined
dateStart	Validity start date of lookup table	datum	EU defined
dateEnd	Validity end date of lookup table	datum	EU defined
minInterval	Minimum interval of lookup table	N(16,8)	EU defined
maxInterval	Maximum interval of lookup table	N(16,8)	
interpolate	Interpolate flag indication {0, 1}	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.7.1. Gruppelement lookupTableItem

Innehåller detaljuppgifter om olika intervall för min- och max värden i lookup-tabell.

Element ref / Element name	Description	Type	Origin
threshold	Threshold value in the range of MIN_INTERVAL and MAX_INTERVAL	N(16,8)	EU defined
value	The lookup table item value	N(16,8)	EU defined

2.7.2. Gruppelement lookupTableDescription

Beskrivning av en lookup-tabell. Det kan bara finnas en beskrivning för varje specificerat språk.

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	EU defined
description	Long description of lookup table	C(2000)	EU defined

2.8. MeasureAction.xml

Aktiviteter för åtgärder definierar det som ska ske när ett givet villkor är uppfyllt. T.ex. beskrivningen ”01” som betyder ”tillämplig avgift”, som ska förstås som att kostnaden/avgiften för åtgärden ska läggas till totalen.

<exportType>MeasureActionObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>measureActionDescription</i>	Element ref	Occurs 0..n	
actionCode	Action code	C(3)	EU defined
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
national	National Flag indication of national data	C(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.8.1. Grupp element measureActionDescription

Beskrivningen av en aktivitet för en åtgärd.

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	EU defined
description	Short description	C(500)	EU defined
national	National Flag indication of national data	C(1)	

2.8.2. Exempel på <items> sektion

```
<items>
  <measureAction
    at:actionCode="01"
    at:national="0"
    at:dateStart="1970-01-01"
    at:changeType="U">
    <measureActionDescription
      at:description="Apply the amount of the action (see components)"
      at:languageId="EN" at:national="0"/>
    <measureActionDescription
      at:description="Tillämpa beloppet" at:languageId="SV"
      at:national="0"/>
  </measureAction>
</items>
```

```

    </measureAction>
  </items>

```

2.9. MeasureConditionCode.xml

Ett villkor för en åtgärd definierar ett brett område där villkor krävs, t.ex. "C" som indikerar att det förväntas att ett certifikat ska uppvisas; "uppvisande av certifikat krävs".

<exportType>MeasureConditionCodeObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>measureConditionCodeDescription</i>	Element ref	Occurs 0..n	
conditionCode	Condition code	C(2)	EU defined
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.9.1. Gruppement measureConditionCodeDescription

Beskrivningen av en villkorskod för en åtgärd.

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	EU defined
description	Short description of measure condition	C(500)	EU defined
national	National Flag indication of national data	N(1)	

2.9.2. Exempel på <items> sektion

```

<items>
  <measureConditionCode
    at:conditionCode="A"
    at:national="0"
    at:dateStart="1995-01-01"
    at:changeType="U">
    <measureConditionCodeDescription

```

```

        at:description="Presentation of an anti-dumping/countervailing
        document"
        at:languageId="EN"
        at:national="0"/>
<measureConditionCodeDescription at:description="Antidumpnings-
/utjämningsstulldokument ska uppvisas"
        at:languageId="SV"
        at:national="0"/>
</measureConditionCode>
</item>

```

2.10. MeasureType.xml

Åtgärdstypen definierar en tullmässig åtgärd. Åtgärder i Tulltaxan täcker ett stort fält av information som bl.a. innehåller avgiftsåtgärder (t.ex. skatter och anti-dumping avgifter) och icke-avgiftsåtgärder (t.ex. kvantitativ begränsning eller förbud).

<exportType>MeasureTypeObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>measureTypeDescription</i>	Element ref	Occurs 0..n	
measureType	Measure type id	C(6)	EU defined
dateStart	Validity start date of measure type id	datum	EU defined
dateEnd	Validity end date of measure type id	datum	EU defined
tradeMovementCode	Trade movement code	C(1)	EU defined
priorityCode	Priority code	C(1)	EU defined
measureComponentApplicableCode	Measure component applicable code	C(1)	EU defined
originDestinationCode	Origin/destination code	C(1)	EU defined
orderNumberCaptureCode	Order number capture code	C(1)	EU defined
explosionLevel	Measure explosion level	C(2)	EU defined
measureTypeSeriesId	Measure type series id	C(2)	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.10.1. Grupp element measureTypeDescription

Beskrivningen av en åtgärdstyp.

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	EU defined
description	Short description of measure type	C(500)	EU defined
national	National Flag indication of national data	C(1)	

2.10.2. Exempel på <items> sektion

```

<items>
  <measureType
    at:measureComponentApplicableCode="1"
    at:explosionLevel="10"
    at:national="0"
    at:orderNumberCaptureCode="2"
    at:originDestinationCode="0"
    at:priorityCode="1"
    at:measureTypeSeriesId="C"
    at:dateStart="1972-01-01"
    at:tradeMovementCode="0"
    at:measureType="103"
    at:changeType="U">
    <measureTypeDescription
      at:description="Third country duty"
      at:languageId="EN"
      at:national="0"/>
    <measureTypeDescription
      at:description="Tredjelandstullsats"
      at:languageId="SV" at:national="0"/>
  </measureType>
</item>

```

2.11. Measurement.xml

Beräkning definierar relationen mellan en beräkningsenhet och en kvalificerare. Detta upprättas för att undvika meningslösa kombinationer.

<exportType>MeasurementObject</exportType>

Element ref / Element name	Description	Type	Origin
-------------------------------	-------------	------	--------

measurementUnitCode	Measurement unit code	C(3)	EU defined
measurementUnitQualifierCode	measurementUnitQualifierCode	C(1)	EU defined
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.11.1. Exempel på <items> sektion

```

<items>
  <measurement
    at:measurementUnitCode="LTR"
    at:measurementUnitQualifierCode="A"
    at:national="0"
    at:dateStart="1970-01-01"
    at:changeType="U"/>
  <measurement
    at:measurementUnitCode="MTQ"
    at:measurementUnitQualifierCode="C"
    at:national="0"
    at:dateStart="1970-01-01"
    at:changeType="U"/>
  <measurement
    at:measurementUnitCode="NAR"
    at:measurementUnitQualifierCode="B"
    at:national="0" at:dateStart="1970-01-01"
    at:changeType="U"/>
</items>

```

2.12. MeasurementUnit.xml

Beräkningsenhet refererar till motsvarande ISO-kod.

<exportType>MeasurementUnitObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>measurementUnitDescription</i>	Element ref	Occurs 0..n	
measurementUnitCode	Measurement unit code	C(3)	EU defined
dateStart	Validity start date of	datum	EU defined

	measurement unit code		
dateEnd	Validity end date of measurement unit code	datum	EU defined
national	National Flag indication of national data	N(1)	
nationalAbbreviation	National Abbreviation	C(200)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.12.1. Gruppelement measurementUnitDescription

Beskrivningen av en beräkningsenhet.

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	EU defined
description	Short description of measurement unit	C(500)	EU defined
national	National Flag indication of national data	C(1)	

2.12.2. Exempel på <items> sektion

```

<items>
  <measurementUnit
    at:measurementUnitCode="ASV"
    at:national="0"
    at:dateStart="1970-01-01"
    at:changeType="U">
    <measurementUnitDescription
      at:description="% vol"
      at:languageId="EN"
      at:national="0"/>
    <measurementUnitDescription
      at:description="vol-% "
      at:languageId="SV"
      at:national="0"/>
  </measurementUnit>
</item>

```

2.13. MeasurementUnitQualifier.xml

Extra mängdenheter används för att detaljspecificera mängdenheter. T.ex. kan mängdenheten ”kilogram” ytterligare specificeras som ”netto” eller ”gross”.

<exportType>MeasurementUnitQualifierObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>measurementUnitQualifierDescription</i>	Element ref	Occurs 0..n	
measurementUnitQualifierCode	Measurement unit qualifier code	C(1)	EU defined
dateStart	Validity start date of measurement unit qualifier code	datum	EU defined
dateEnd	Validity end date of measurement unit qualifier code	datum	EU defined
national	National Flag indication of national data	N(1)	
nationalAbbreviation	National Abbreviation	C(200)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.13.1. Gruppement measurementUnitQualifierDescription

Beskrivning av en extra mängdenhet.

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	EU defined
description	Short description of measurement unit qualifier	C(500)	EU defined
national	National Flag indication of national data	C(1)	

2.13.2. Exempel på <items> sektion

<items>

```
<measurementUnitQualifier
  at:national="0"
  at:measurementUnitQualifierCode="A"
  at:dateStart="1970-01-01"
  at:changeType="U">
```

```

    <measurementUnitQualifierDescription
      at:description="Total alcohol"
      at:languageId="EN"
      at:national="0"/>
    <measurementUnitQualifierDescription
      at:description="total alkoholhalt"
      at:languageId="SV"
      at:national="0"/>
  </measurementUnitQualifier>
</item>

```

2.14. MeursingTablePlan.xml

Meursingtabell plan innehåller ramen för en specifik meursingtabell som består av tilläggs-koder strukturerade i rubriker och underrubriker.

<exportType>MeursingTablePlanObject</exportType>

Element ref / Element name	Description	Type	Origin
meursingTablePlanId	Meursing table plan id	C(2)	EU defined
dateStart	Validity start date of Meursing table plan	datum	EU defined
dateEnd	Validity end date of Meursing table plan	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.14.1. Exempel på <items> sektion

```

<items>
  <meursingTablePlan
    at:national="0"
    at:meursingTablePlanId="01"
    at:dateStart="1988-01-01"
    at:changeType="U"/>
</items>

```

2.15. MeursingAdditionalCode.xml

En Meursing tilläggskod refererar till en särskild sammansättning av en vara. T.ex. innehållande av mjölkfett eller mjölkprotein.

<exportType>MeursingAdditionalCodeObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>meursingTableCellComponent</i>	Element ref	Occurs 0..n	
SID	SID for Meursing additional code	N(19,0)	EU defined
additionalCodeId	additionalCodeId	C(3)	EU defined
dateStart	Validity start date of Meursing additional code	datum	EU defined
dateEnd	Validity end date of Meursing additional code	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.15.1. Exempel på <items> sektion

```
<items>
  <meursingAdditionalCode
    at:additionalCodeId="520"
    at:national="0"
    at:SID="397"
    at:dateStart="1988-01-01"
    at:changeType="U">
  <meursingTableCellComponent
    at:headingNumber="010"
```

2.15.2. Gruppement meursingTableCellComponent

En Meursing tabellcell innehåller en association mellan en Meursing tilläggskod och en sammansättning av innehåll. Alla tabellceller med samma Meursing tilläggskod beskriver tillsammans alla valida sammansättningar för aktuell tilläggskod.

Element ref / Element name	Description	Type	Origin
meursingTablePlanId	meursingTablePlanId	C(2)	EU defined
headingNumber	Meursing heading number	C(3)	EU defined
rowColumnCode	Meursing row/column code	C(1)	EU defined
subheadingSequenceNumber	Meursing subheading sequence number	C(4)	EU defined
dateStart	Validity start date of Meursing table cell component	datum	EU defined
dateEnd	Validity end date of Meursing table cell component	datum	EU defined
national	National Flag indication national data	N(1)	

2.15.3. Exempel på <items> sektion

```

<items>
  <meursingAdditionalCode
    at:additionalCodeId="520"
    at:national="0"
    at:SID="397"
    at:dateStart="1988-01-01"
    at:changeType="U">
  <meursingTableCellComponent
    at:headingNumber="010"

```

2.16. MeursingHeading.xml

Meursing rubrikerna innehåller delar av regelverket för Meursing tilläggs-koder.

<exportType>MeursingHeadingObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>meursingHeadingFootnoteAssociation</i>	Element ref	Occurs 0..n	
<i>meursingHeadingText</i>	Element ref	Occurs 0..n	
meursingTablePlanId	Meursing table plan id	C(2)	EU defined
headingNumber	Meursing heading number	C(3)	EU defined
rowColumnCode	Row/column code	C(1)	EU defined

dateStart	Validity start date of Meursing heading	datum	EU defined
dateEnd	Validity end date of Meursing heading	datum	EU defined
national	National Flag indication national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.16.1. Gruppelement meursingHeadingFootnoteAssociation

Associationen mellan en fotnot och en Meursingrubrik kan vara applicerbar för en del av giltighetsperioden för endera fotnoten eller giltighetsperioden för Meursingrubriken.

Element ref / Element name	Description	Type	Origin
footnoteType	Footnote type	C(3)	EU defined
footnoteld	Footnote id	C(5)	EU defined
dateStart	Start of validity of association between Meursing heading and footnote	datum	EU defined
dateEnd	End of validity of association between Meursing heading and footnote	datum	EU defined
national	National Flag indication national data	N(1)	

2.16.2. Gruppelement meursingHeadingText

Beskrivningen av Meursing rubrik

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	EU defined
description	Short description of Meursing heading	C(500)	EU defined
national	National Flag indication national data	N(1)	

2.16.3. Exempel på <items> sektion

```
<items>
  <meursingHeading
    at:headingNumber="010"
```

```

at:meursingTablePlanId="01"
at:rowColumnCode="1"
at:national="0"
at:dateStart="1988-01-01"
at:changeType="U">
<meursingHeadingFootnoteAssociation
  at:footnoteId="001"
  at:footnoteType="MH"
  at:dateStart="1994-09-09"
  at:national="0"/>
<meursingHeadingText
  at:description="Stärkelse/Glukos (per viktprocent)"
  at:languageId="SV"
  at:national="0"/>
<meursingHeadingText
  at:description="Starch/Glucose (% by weight)"
  at:languageId="EN"
  at:national="0"/>
</meursingHeading>
</item>

```

2.17. MeursingSubheading.xml

Innehåller delar av (definitions-)regelverket för Meursing tilläggs-koder.

<exportType>MeursingSubheadingObject</exportType>

Element ref / Element name	Description	Type	Origin
meursingTablePlanId	Meursing table plan id	C(2)	EU defined
headingNumber	Meursing heading number	C(3)	EU defined
rowColumnCode	Row/column code	C(1)	EU defined
subheadingSequenceNumber	Meursing subheading sequence number	C(4)	EU defined
dateStart	Validity start date of Meursing subheading	datum	EU defined
dateEnd	Validity end date of Meursing subheading	datum	EU defined
description	Short description of Meursing subheading	C(500)	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.17.1. Exempel på <items> sektion

```

<items>
  <meursingSubheading
    at:description="&gt;= 0 &lt; 5"
    at:headingNumber="010"
    at:meursingTablePlanId="01"
    at:rowColumnCode="1"
    at:subheadingSequenceNumber="0010"
    at:national="0" at:dateStart="1988-01-01"
    at:changeType="U"/>
  <meursingSubheading
    at:description="&gt;= 0 &lt; 5"
    at:headingNumber="010"
    at:meursingTablePlanId="01"
    at:rowColumnCode="1"
    at:subheadingSequenceNumber="0020"
    at:national="0"
    at:dateStart="1988-01-01"
    at:changeType="U"/>
</items>

```

2.18. MonetaryExchangePeriod.xml

Innehåller överordnad ("förälder") valutakod och period information.

<exportType>MonetaryExchangePeriodObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>monetaryExchangeRate</i>	Element ref	Occurs 0..n	
SID	SID for exchange period	N(19,0)	EU defined
monetaryUnitCode	Parent monetary unit code	C(3)	EU defined
dateStart	Start date of exchange period	datum	EU defined
dateEnd	End date of exchange period	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.18.1. Gruppement monetaryExchangeRate

Innehåller underordnad ("barn") valutakod och växlingskurser. Växelkursen definierar den mängd av underordnad ("barn") valuta som behövs för att erhålla 1 enhet av överordnad ("förälder") valutaenheten för en given period.

Element ref / Element name	Description	Type	Origin
monetaryUnitCode	Child monetary unit code	C(3)	EU defined
monetaryConversionRate	Exchange rate	N(16,8)	EU defined
calculationUnit	Multiplier to apply to EXCHANGE_RATE before displaying it	N(19,0)	National defined
national	National Flag indication national data	N(1)	

2.18.2. Exempel på <items> sektion

```

<items>
  <monetaryExchangePeriod
    at:national="0"
    at:monetaryUnitCode="EUC"
    at:SID="-2"
    at:dateStart="2006-05-01"
    at:changeType="U">
  <monetaryExchangeRate
    at:monetaryConversionRate="1"
    at:monetaryUnitCode="EUR"
    at:national="0"/>
</monetaryExchangePeriod>
<monetaryExchangePeriod
  at:dateEnd="2014-01-31"
  at:national="0"
  at:monetaryUnitCode="EUR"
  at:SID="2913"
  at:dateStart="2014-01-01"
  at:changeType="U">
  <monetaryExchangeRate
    at:monetaryConversionRate="4.4813"
    at:monetaryUnitCode="RON"
    at:national="0"/>
  <monetaryExchangeRate
    at:monetaryConversionRate="3.4528"
    at:monetaryUnitCode="LTL"
    at:national="0"/>
</monetaryExchangePeriod>
</items>

```

2.19. PreferenceCode.xml

Innehåller förmånskoder och giltighetsperioder.

<exportType>PreferenceCodeObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>preferenceCodeDescription</i>	Element ref	Occurs 0..n	
prefCode	Preference code id	C(3)	
dateStart	Validity start date of preference code	datum	
dateEnd	Validity end date of preference code	datum	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.19.1. Grupp element preferenceCodeDescription

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	
description	Long description of preference code	C(2000)	

2.19.2. Exempel på <items> sektion

```

<items>
  <preferenceCode
    at:prefCode="100"
    at:dateStart="1971-01-01"
    at:changeType="U">
    <preferenceCodeDescription
      at:description="Tullsats för tredjeland erga omnes"
      at:languageId="SV"/>
    <preferenceCodeDescription
      at:description="Erga omnes third country duty rates"
      at:languageId="EN"/>
  </preferenceCode>
</item>

```

2.20. QuotaBalanceEvent.xml

Information om balansen (volymen) för en tullkvot.

<exportType>QuotaBalanceEventObject</exportType>

Element ref / Element name	Description	Type	Origin
SIDQuotaDefinition	Quota definition SID	N(19,0)	EU defined
oldBalance	Old balance	N(14,3)	EU defined
newBalance	New balance	N(14,3)	EU defined
importedAmount	Imported amount	N(14,3)	EU defined
occurrenceTimestamp	Quota event occurrence timestamp	timestamp	EU defined
lastImportDate	Last import date in allocation	datum	EU defined
endOccurrenceTimestamp	Timestamp just before the occurrence timestamp of next record	timestamp	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.20.1. Exempel på <items> sektion

```

<items>
  <quotaBalanceEvent
    at:importedAmount="1038096"
    at:occurrenceTimestamp="2009-06-18T15:56:14"
    at:SIDQuotaDefinition="2508"
    at:lastImportDate="2009-06-15"
    at:national="0"
    at:newBalance="8961904"
    at:oldBalance="9001614"
    at:changeType="U"/>
  <quotaBalanceEvent
    at:importedAmount="2000000"
    at:occurrenceTimestamp="2009-06-19T15:05:55"
    at:SIDQuotaDefinition="1295"
    at:lastImportDate="2009-06-17"
    at:national="0" at:newBalance="0"
    at:oldBalance="123794"
    at:changeType="U"/>
</items>

```

2.21. QuotaDefinition.xml

Innehåller EU-gemensam information om tullkvoter. Definierar giltighetsperiod och volym för vilka en tullkvot är tillämplig. Definitionerna gäller kvota och sub-kvota. ”Monetary unit code” och ”measurement unit code” (som är valfri att uppges) är ömsesidigt uteslutande.

<exportType>QuotaDefinitionObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>quotaAssociation</i>	Element ref	Occurs 0..n	
<i>quotaBlockingPeriod</i>	Element ref	Occurs 0..n	
<i>quotaSuspensionPeriod</i>	Element ref	Occurs 0..n	
<i>extendedQuotaInformation</i>	Element ref	Occurs 0..n	
SID	Quota definition SID	N(19,0)	EU defined
quotaOrderNumber	Quota order number id, SAD ref Box 39	C(6)	EU defined
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
volume	Volume	N(14,3)	EU defined
initialVolume	Initial volume	N(14,3)	EU defined
monetaryUnitCode	Monetary unit code	C(3)	EU defined
measurementUnitCode	Measurement unit code	C(3)	EU defined
measurementUnitQualifierCode	Measurement unit qualifier code	C(1)	EU defined
quotaMaximumPrecision	Maximum precision	N(19,0)	EU defined
quotaCriticalStateCode	Quota critical state	C(1)	EU defined
quotaCriticalThreshold	Quota critical threshold	N(19,0)	EU defined
description	Short description related to the quota definition	C(500)	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.21.1. Gruppelment quotaAssociation

Kvota associeringar definierar relationen mellan kvota och sub-kvota.

Element ref / Element name	Description	Type	Origin
SIDSubQuota	Quota definition SID (sub-quota)	N(19,0)	EU defined

relationType	Sub-Quota Relation Type	N(19,0)	EU defined
coefficient	Coefficient	N(16,5)	EU defined
national	National Flag indication national data	N(1)	

2.21.2. Gruppelement quotaBlockingPeriod

Definierar en blockerande period för en (sub-)kvota.

Element ref / Element name	Description	Type	Origin
SID	Quota blocking period definition SID	N(19,0)	EU defined
dateStart	Blocking start date	datum	EU defined
dateEnd	Blocking end date	datum	EU defined
blockingPeriodType	Blocking period type	N(1)	EU defined
description	Short description related to the quota blocking period	C(500)	EU defined
national	National Flag indication national data	N(1)	

2.21.3. Gruppelement quotaSuspensionPeriod

Definierar en suspension period för en (sub-)kvota.

Element ref / Element name	Description	Type	Origin
SID	Quota suspension period definition SID	N(19,0)	EU defined
dateStart	Suspension start date	datum	EU defined
dateEnd	Suspension end date	datum	EU defined
description	Short description of suspension reason	C(500)	EU defined
national	National Flag indication national data	N(1)	

2.21.4. Gruppelement extendedQuotaInformation

Definierar extra information för en given (sub-)kvota.

Element ref / Element name	Description	Type	Origin
balance	balance	N(14,3)	EU defined

importedAmount	Imported amount	N(14,3)	EU defined
lastAllocationDate	Last allocation date	datum	EU defined
allocatedPercentage	Allocated percentage	N(6,3)	EU defined
lastImportDate	Last import date	datum	EU defined
quotaExhaustionStateCode	Quota exhaustion state	C(1)	EU defined
exhaustionDate	Quota exhaustion state	datum	EU defined
quotaBlockedStateCode	Quota blocked state	C(1)	EU defined
quotaSuspendedStateCode	Quota suspended state	C(1)	EU defined
totalAwaitingAllocation	Total awaiting allocation	N(14,3)	EU defined
national	National Flag indication national data	N(1)	

2.21.5. Exempel på <items> sektion

<items>

<quotaDefinition

at:description="Transfer from licence system to FCFS (see Commission Regulation (EC) No

437/2009 of 26/05/2009 - OJ L 128 of 27/05/2009) "

at:dateEnd="2014-06-30" at:initialVolume="24070"

at:measurementUnitCode="NAR"

at:national="0"

at:quotaCriticalStateCode="N"

at:quotaCriticalThreshold="90"

at:quotaMaximumPrecision="0"

at:quotaOrderNumber="090113"

at:SID="7486"

at:SIDQuotaOrderNumber="2455"

at:dateStart="2013-07-01"

at:volume="24070" at:changeType="U">

</quotaDefinition>

<quotaDefinition

at:description="COMMISSION IMPLEMENTING REGULATION (EU) No 812/2012 amending

Council Regulation (EC) No 747/2001 as regards tariff quotas of the Union for certain

agricultural and processed agricultural products originating in Morocco"

at:dateEnd="2014-05-31"

at:initialVolume="28000000"

at:measurementUnitCode="KGM"

at:national="0" at:quotaCriticalStateCode="Y"

at:quotaCriticalThreshold="90"

at:quotaMaximumPrecision="0"

at:quotaOrderNumber="091112"

at:SID="7652"

at:SIDQuotaOrderNumber="501"

at:dateStart="2013-11-01"

```

    at:volume="45476663"
    at:changeType="U">
    <quotaAssociation
      at:coefficient="1"
      at:SIDSubQuota="7653"
      at:national="0"
      at:relationType="NM"/>
  </quotaDefinition>
  <quotaDefinition
    at:description="Commission Regulation (EU) No. 185/2011 of 25 February 2011
(OJ L53 page
  36)"
    at:dateEnd="2014-04-30"
    at:initialVolume="950000"
    at:measurementUnitCode="KGM"
    at:national="0"
    at:quotaCriticalStateCode="N"
    at:quotaCriticalThreshold="90"
    at:quotaMaximumPrecision="0"
    at:quotaOrderNumber="090812"
    at:SID="7772"
    at:SIDQuotaOrderNumber="2544"
    at:dateStart="2013-05-01"
    at:volume="950000" at:changeType="U">
      <quotaSuspensionPeriod
        at:description="COUNCIL REGULATION (EC) No 185/2011 Art. 1 § 4"
        at:dateEnd="2013-06-15"
        at:national="0" at:SID="156"
        at:dateStart="2013-05-01"/>
    </quotaDefinition>
    <quotaDefinition
      at:description="COMMISSION REGULATION (EC) No 928/2006 amending
Council Regulation
(EC) No 32/2000 as regards certain new Community tariff quotas bound in GATT
(OJ L 170,
  23.6.2006, p.14)" at:dateEnd="2014-12-31"
      at:initialVolume="107000"
      at:measurementUnitCode="KGM"
      at:national="0"
      at:quotaCriticalStateCode="Y"
      at:quotaCriticalThreshold="90"
      at:quotaMaximumPrecision="3"
      at:quotaOrderNumber="090085"
      at:SID="8268" at:SIDQuotaOrderNumber="90"
      at:dateStart="2014-01-01"
      at:volume="107000"
      at:changeType="U">
        <quotaBlockingPeriod
          at:blockingPeriodType="3"
          at:dateEnd="2014-12-31"

```



```

    at:national="0"
    at:SID="2494"
    at:dateStart="2014-12-11"/>
  </quotaDefinition>
</items>

```

2.22. QuotaEvent.xml

<exportType>QuotaEventObject</exportType> byggs upp av 6 oberoende event-objekt som kan förekomma.

2.22.1. quotaUnblockingEvent

Definierar att en (sub-)kvota är oblockerad.

Element ref / Element name	Description	Type	Origin
SIDQuotaDefinition	Quota definition SID	N(19,0)	EU defined
occurrenceTimestamp	Quota event occurrence timestamp	timestamp	EU defined
unblockingDate	Unblocking date	datum	EU defined
endOccurrenceTimestamp	Timestamp just before the occurrence timestamp of next record	timestamp	National
National	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.22.2. quotaCriticalEvent

Definierar en förändring av kritisk status för en (sub-)kvota.

Element ref / Element name	Description	Type	Origin
SIDQuotaDefinition	Quota definition SID	N(19,0)	EU defined
occurrenceTimestamp	Quota event occurrence timestamp	timestamp	EU defined
quotaCriticalStateCode	Quota critical state	C(2)	EU defined
criticalDate	Critical state change date	datum	EU defined
endOccurrenceTimestamp	Timestamp just before the occurrence timestamp of next	timestamp	National

	record		
National	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.22.3. quotaExhaustionEvent

Definierar när en (sub-)kvota tar slut.

Element ref / Element name	Description	Type	Origin
SIDQuotaDefinition	Quota definition SID	N(19,0)	EU defined
occurrenceTimestamp	Quota event occurrence timestamp	timestamp	EU defined
exhaustionDate	Exhaustion date	datum	EU defined
endOccurrenceTimestamp	Timestamp just before the occurrence timestamp of next record	timestamp	National
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.22.4. quotaReopeningEvent

Definierar återöppningen för en (sub-)kvota efter det att den tagit slut.

Element ref / Element name	Description	Type	Origin
SIDQuotaDefinition	Quota definition SID	N(19,0)	EU defined
occurrenceTimestamp	Quota event occurrence timestamp	timestamp	EU defined
reopeningDate	Reopening date	datum	EU defined
endOccurrenceTimestamp	Timestamp just before the occurrence timestamp of next record	timestamp	National
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this	C(1)	

	element		
--	---------	--	--

2.22.5. quotaUnsuspendationEvent

Definierar slutet för en kvots suspensionsperiod.

Element ref / Element name	Description	Type	Origin
SIDQuotaDefinition	Quota definition SID	N(19,0)	EU defined
occurrenceTimestamp	Quota event occurrence timestamp	timestamp	EU defined
unsuspensionDate	Unsuspension date	datum	EU defined
endOccurrenceTimestamp	Timestamp just before the occurrence timestamp of next record	timestamp	National
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.22.6. quotaClosedAndBalanceTransferredEvent

Definierar stängningen av en tullkvot efter det att dess återstående volym har överförs.

Element ref / Element name	Description	Type	Origin
SIDQuotaDefinition	Quota definition SID	N(19,0)	EU defined
occurrenceTimestamp	Quota event occurrence timestamp	timestamp	EU defined
closingDate	Closing Date	datum	EU defined
transferredAmount	Transferred amount	N(14,3)	EU defined
SIDTargetDefinition	Target quota definition SID	N(19,0)	EU defined
endOccurrenceTimestamp	Timestamp just before the occurrence timestamp of next record	timestamp	National
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.22.7. Exempel på <items> sektion

```

<items>
  <quotaUnblockingEvent
    at:occurrenceTimestamp="2005-08-16T14:41:58"
    at:SIDQuotaDefinition="2012"
    at:national="0"
    at:unblockingDate="2005-08-16"
    at:changeType="U"/>
  <quotaCriticalEvent
    at:criticalDate="2003-07-01"
    at:quotaCriticalStateCode="Y"
    at:occurrenceTimestamp="2003-06-13T15:54:36"
    at:SIDQuotaDefinition="1392"
    at:national="0"
    at:changeType="U"/>
  <quotaExhaustionEvent
    at:exhaustionDate="2004-03-26"
    at:occurrenceTimestamp="2004-03-30T14:49:44"
    at:SIDQuotaDefinition="3841"
    at:national="0"
    at:changeType="U"/>
  <quotaReopeningEvent
    at:occurrenceTimestamp="2009-07-01T13:28:45"
    at:SIDQuotaDefinition="79"
    at:national="0"
    at:reopeningDate="2009-06-25"
    at:changeType="U"/>
  <quotaUnsuspendingEvent
    at:occurrenceTimestamp="2013-05-02T15:54:03"
    at:SIDQuotaDefinition="7030"
    at:national="0"
    at:unsuspendingDate="2013-05-02"
    at:changeType="U"/>
</items>

```

2.23. QuotaOrderNumber.xml

Innehåller information om EU-gemensamma ordernummer/kvotnummer.

<exportType>QuotaOrderNumberObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>quotaOrderNumberOrigin</i>	Element ref	Occurs 0..n	
SID	Quota order number SID	N(19,0)	EU defined
quotaOrderNumber	Quota order number id, SAD	C(6)	EU defined

	Ref Box 39		
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.23.1. Gruppelement quotaOrderNumberOrigin

Element ref / Element name	Description	Type	Origin
<i>quotaOrderNumberOriginExclusion</i>	Element ref	0..n	
SID	SID for Quota order number origin	N(19,0)	EU defined
SIDGeographicalArea	ID for geographical area	N(19,0)	EU defined
geographicalAreald	Geographical area id	C(4)	EU defined
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
national	National Flag indication of national data	N(1)	

2.23.2. Gruppelement quotaOrderNumberOriginExclusion

Element ref / Element name	Description	Type	Origin
geographicalAreald	SID for geographical area	N(8)	EU defined
national	National Flag indication of national data	N(1)	

2.23.3. Exempel på <items> sektion

<items>

```

<quotaOrderNumber
  at:national="0"
  at:quotaOrderNumber="090703"
  at:SID="203"
  at:dateStart="2005-04-01"
  at:changeType="U">
<quotaOrderNumberOrigin
  at:geographicalAreaId="NO"
  at:national="0" at:SID="6414"

```

```

    at:SIDGeographicalArea="252"
    at:dateStart="2009-04-01"/>
  </quotaOrderNumber>
</items>

```

2.24. Regulation.xml

<exportType>RegulationObject</exportType> byggs upp av 4 oberoende förordningsobjekt (regulation) som kan förekomma.

2.24.1. baseRegulation

För en grundläggande ”förordning” skapas åtgärder. Åtgärderna behöver inte ha ett slutdatum men ska alltid ha ett startdatum. Undantaget från den här regeln är när en förordning har ett startdatum som beror på publiceringsdatum. I detta fall kan en tillfällig basförordning utgöras av uppgifter som överförs utan ett startdatum. Basförordningar kan modifieras, förlängas, suspenderas eller bli helt återtagna.

Element ref / Element name	Description	Type	Origin
regulationRoleType	Base regulation role	C(1)	EU defined
regulationId	Base regulation id	C(8)	EU defined
datePublished	Base regulation publication date	datum	EU defined
officialJournalId	Official journal number	C(5)	EU defined
journalPage	Official journal page	C(4)	EU defined
dateStart	Validity start date of base regulation	datum	EU defined
dateEnd	Validity end date of base regulation	datum	EU defined
effectiveEndDate	Base regulation effective end date	datum	EU defined
communityCode	Community code	C(1)	EU defined
regulationGroup	Regulation group id	C(3)	EU defined
antidumpingRegulationRoleType	Anti-dumping regulation role	C(1)	EU defined
antidumpingRegulationId	Related anti-dumping regulation id	C(8)	EU defined
replacementIndicator	Replacement indicator	C(1)	EU defined
stoppedFlag	Stopped flag	C(1)	EU defined
description	Information text	C(500)	EU defined
regulationApprovedFlag	Approved flag	C(1)	EU defined
url	URL with more information about the regulation. Represent the national column	C(1000)	National

	X_URL		
national	National Flag indication of national data	N(1)	National
changeType	Represent the type of update that has been performed for this element	C(1)	

2.24.2. modificationRegulation

En modifieringsförordning används för att göra tillägg till en existerande basförordning. Detta har ingen effekt på den ursprungliga förordningen. Tilläggen utgörs av nya åtgärder eller stängning av gamla åtgärder. En modifieringsförordning kan bara appliceras inom giltighetsperioden för basförordningen.

Element ref / Element name	Description	Type	Origin
modificationRegulationRoleType	Modification regulation role	C(1)	EU defined
modificationRegulationId	Modification regulation id	C(8)	EU defined
datePublished	Modification regulation publication date	datum	EU defined
officialJournalId	Official journal number	C(5)	EU defined
journalPage	Official journal page	C(4)	EU defined
dateStart	Validity start date of modification regulation	datum	EU defined
dateEnd	Validity end date of modification regulation	datum	EU defined
effectiveEndDate	Modification regulation effective end date	datum	EU defined
baseRegulationRoleType	Base regulation role	C(1)	EU defined
baseRegulationId	Base regulation id	C(8)	EU defined
replacementIndicator	Replacement indicator	C(1)	EU defined
stoppedFlag	Stopped flag	C(1)	EU defined
description	Information text	C(500)	EU defined
regulationApprovedFlag	Approved flag	C(1)	EU defined
national	National Flag indication of national data	N(1)	National
changeType	Represent the type of update that has been performed for this element	C(1)	

2.24.3. fullTemporaryStopRegulation

En fullt temporärt stopp förordning (också kallat temporär suspension) påverkar en eller flera bas- eller modifieringsförordningar. Användningen av en förordning är stoppad från ett givet datum fram till det fördefinierade slutdatumet eller tills den temporära suspensionen blir återtagen. Alla åtgärder som är relaterade till den suspenderade förordningen påverkas.

Element ref / Element name	Description	Type	Origin
<i>fullTemporaryStopRegulationAction</i>	Element ref	0..n	
ftsRegulationRoleType	Full temporary stop regulation role	C(1)	EU defined
ftsRegulationId	Full temporary stop regulation id	C(8)	EU defined
datePublished	Full temporary stop regulation publication date -	datum	EU defined
officialJournalId	Official journal number	C(5)	EU defined
journalPage	Official journal page	C(4)	EU defined
dateStart	Validity start date of full temporary stop regulation	datum	EU defined
dateEnd	Validity end date of full temporary stop regulation	datum	EU defined
effectiveEndDate	Effective end date of full temporary stop regulation	datum	EU defined
replacementIndicator	Replacement indicator	C(1)	EU defined
stoppedFlag	Stopped flag	C(1)	EU defined
description	Information text	C(500)	EU defined
regulationApprovedFlag	Approved flag	C(1)	EU defined
national	National Flag indication of national data	N(1)	National
changeType	Represent the type of update that has been performed for this element	C(1)	

2.24.4. Gruppelment fullTemporaryStopRegulationAction

Innehåller den stoppade förordningen.

Element ref / Element name	Description	Type	Origin
stoppedRegulationRoleType	Role of stopped regulation	C(1)	EU defined
stoppedRegulationId	Stopped regulation id	C(8)	EU defined

national	National Flag indication of national data	N(1)	
----------	---	------	--

2.24.5. Exempel på <items> sektion

```

<items>
  <baseRegulation
    at:regulationApprovedFlag="1"
    at:communityCode="1"
    at:datePublished="1995-06-29"
    at:regulationGroup="ADD"
    at:officialJournalId="L 145"
    at:journalPage="47"
    at:regulationId="R9514840"
    at:regulationRoleType="1"
    at:national="0"
    at:replacementIndicator="0"
    at:dateStart="1995-07-01"
    at:stoppedFlag="0"
    at:description="Additional duties (Poultry)"
    at:changeType="U"/>
  <modificationRegulation
    at:regulationApprovedFlag="1"
    at:baseRegulationId="R9217661"
    at:baseRegulationRoleType="1"
    at:modificationRegulationId="C9700630"
    at:modificationRegulationRoleType="4"
    at:national="0" at:replacementIndicator="1"
    at:dateStart="1997-02-25"
    at:stoppedFlag="0"
    at:description="Measure 103 (Chapter 10)"
    at:changeType="U"/>
  <fullTemporaryStopRegulation
    at:regulationApprovedFlag="1"
    at:officialJournalId="L 81"
    at:journalPage="89"
    at:ftsRegulationId="D0402642"
    at:ftsRegulationRoleType="8"
    at:national="0"
    at:datePublished="2004-03-19"
    at:replacementIndicator="0"
    at:dateStart="2004-03-20"
    at:description="ADUMP - 552 - CN - Chap 27" at:changeType="U">
    <fullTemporaryStopRegulationAction
      at:stoppedRegulationId="D0402641"
      at:stoppedRegulationRoleType="4" at:national="0"/>
  </fullTemporaryStopRegulation>
</items>

```

2.25. ReliefCode.xml

Innehåller tullfrihetskoder. Varje kod är grupperad under en tullfrihetkodtyp men kodtypen används aldrig som ett sätt att identifiera tullfrihetskoden.

För tullfrihetsprocedur så görs det en distinktion för vilken tullfrihet som kan tillämpas i förhållande till vilket SAD fält som har använts (fält 37B = 37 och fält 44 = 44).

<exportType>ReliefCodeObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>reliefCodeDescriptionPeriod</i>	Element ref	Occurs 0..n	
SID	SID of relief code	N(19,0)	
dateStart	Validity start date of relief code	datum	
dateEnd	Validity end date of relief code	datum	
reliefCodeType	Type id of relief code	C(1)	
reliefCode	Relief code. This id is used when calculating relief	C(7)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.25.1. Gruppement reliefCodeDescriptionPeriod

Innehåller tullfrihetskoden och start-/slutdatum för en beskrivning.

Element ref / Element name	Description	Type	Origin
<i>reliefCodeDescription</i>	Element ref	Occurs 0..n	
SID	SID of relief code description period	N(19,0)	
dateStart	Validity start date of relief code description	datum	
dateEnd	Validity start date of relief code description	datum	

2.25.2. Gruppement reliefCodeDescription

Innehåller beskrivningen av en tullfrihetskod.

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	

description	Long description of relief code	C(4000) (CLOB)	
-------------	---------------------------------	-------------------	--

2.25.3. Exempel på <items> sektion

```

<items>
  <reliefCode
    at:reliefCode="01"
    at:SID="-10002"
    at:dateStart="2009-01-01"
    at:reliefCodeType="E"
    at:changeType="U">
    <reliefCodeDescriptionPeriod
      at:SID="-10002"
      at:dateStart="2009-01-01">
      <reliefCodeDescription
        at:description="No calculation of Import duty"
        at:languageId="EN"/>
      </reliefCodeDescriptionPeriod>
    </reliefCode>
  <reliefCode
    at:reliefCode="02"
    at:SID="-10003"
    at:dateStart="2009-01-01"
    at:reliefCodeType="E"
    at:changeType="U">
    <reliefCodeDescriptionPeriod
      at:SID="-10003"
      at:dateStart="2009-01-01">
      <reliefCodeDescription
        at:description="No calculation of Excise"
        at:languageId="EN"/>
      </reliefCodeDescriptionPeriod>
    </reliefCode>
</items>

```

2.26. TaxCode.xml

Innehåller både EU-gemensamma och nationella avgiftskoder.

Element ref / Element name	Description	Type	Origin
<i>taxDescription</i>	Element ref	0..n	
SID	SID of tax code	N(19,0)	
dateStart	Validity start date of tax code	datum	
dateEnd	Validity end date of tax code	datum	

taxCode	Tax code	C(3)	
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.26.1. Gruppelement taxDescription

Innehåller beskrivningen för en avgiftskod.

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	
description	Long description of tax code	C(2000)	

2.26.2. Exempel på <items> sektion

```

<items>
  <taxCode
    at:national="1"
    at:SID="-10007"
    at:dateStart="2009-01-01"
    at:taxCode="S15"
    at:changeType="U">
    <taxCodeDescription
      at:description="National excise S15"
      at:languageId="EN"
      at:SID="-10007"/>
  </taxCode>
  <taxCode
    at:national="1"
    at:SID="-10006"
    at:dateStart="2009-01-01"
    at:taxCode="S14"
    at:changeType="U">
    <taxCodeDescription
      at:description="National excise S14"
      at:languageId="EN"
      at:SID="-10006"/>
  </taxCode>
</items>

```

2.27. DutyExpression.xml

Avgiftsberäkningen definierar typen av avgift som måste användas tillsammans med en beräkningskomponent. Det bestämmer även hur avgiften ska presenteras, t.ex om ett värde är ”tillåtet” eller ”obligatoriskt”.

<exportType>DutyExpressionObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>dutyExpressionDescription</i>	Element ref	0..n	
dutyExpressionId	Duty expression id	C(2)	EU defined
dutyAmountApplicabilityCode	Duty amount applicability code	C(1)	EU defined
measurementUnitApplicabilityCode	Measurement unit applicability code	C(1)	EU defined
monetaryUnitApplicabilityCode	Monetary unit applicability code	C(1)	EU defined
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.27.1. Gruppelment dutyExpressionDescription

Beskrivning för en avgiftsberäkning.

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	EU defined
description	Short description of duty expression	C(500)	EU defined
national	National Flag indication of national data	N(1)	

2.27.2. Exempel på <items> sektion

<items>

```
<dutyExpression
  at:dutyAmountApplicabilityCode="1"
  at:dutyExpressionId="01"
  at:measurementUnitApplicabilityCode="0"
  at:monetaryUnitApplicabilityCode="0"
```

```

at:national="0"
at:dateStart="1972-01-01"
at:changeType="U">
<dutyExpressionDescription
  at:description="% or amount"
  at:languageId="EN"
  at:national="0"/>
<dutyExpressionDescription
  at:description="% eller belopp"
  at:languageId="SV"
  at:national="0"/>
</dutyExpression>
</item>

```

2.28. GoodsNomenclature.xml

Varukodsomenklaturen tillhandahåller klassificering av varor varvid det blir möjligt att associera åtgärder, fotnoter etc. med särskilda varor. Varukoden är en strukturerad 10-siffrig kod. De första 6 siffrorna är HS koden (Harmonised System). KN (Kombinerade Nomenklaturen) är en nedbrytning till 8-ställig nivå och Taric förfinar ned till 10-ställig nivå.

<exportType>GoodsNomenclatureObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>goodsNomenclatureIndent</i>	Element ref	Occurs 0..n	
<i>goodsNomenclatureDescriptionPeriod</i>	Element ref	Occurs 0..n	
<i>goodsNomenclatureFootnoteAssociation</i>	Element ref	Occurs 0..n	
<i>goodsNomenclatureGroupMembership</i>	Element ref	Occurs 0..n	
SID	SID for goods nomenclature item	N(19,0)	EU defined
goodsNomenclatureCode	Goods nomenclature item id, SAD Ref : Box 33:1	C(10)	EU defined
productLineSuffix	Product line suffix	C(2)	EU defined
dateStart	Validity start date of goods nomenclature item	datum	EU defined
dateEnd	Validity end date of goods nomenclature item	datum	EU defined
statisticalIndicator	Statistical/non statistical indicator	C(1)	EU defined
national	National Flag indication of national data	N(1)	

changeType	Represent the type of update that has been performed for this element	C(1)	
------------	---	------	--

2.28.1. Gruppelement goodsNomenclatureIndent

Innehåller antalet indenteringar av varukoden.

Element ref / Element name	Description	Type	Origin
SID	SID for goods nomenclature indent	N(19,0)	EU defined
quantityIndents	Number of indents	C(2)	EU defined
dateStart	Validity start date of goods nomenclature indent	datum	EU defined
dateEnd	Validity end date of goods nomenclature indent	datum	EU defined
national	National Flag indication national data	N(1)	

2.28.2. Gruppelement goodsNomenclatureDescriptionPeriod

Beskrivningen av en varukod kan ändras över tiden. Beskrivningsperioden innehåller start-/slutdatum.

Element ref / Element name	Description	Type	Origin
<i>goodsNomenclatureDescription</i>	Element ref	0..n	
SID	SID for goods nomenclature description period	N(19,0)	EU defined
dateStart	Validity start date of goods nomenclature description	datum	EU defined
dateEnd	Validity end date of goods nomenclature description	datum	EU defined
National	National Flag indication national data	N(1)	

2.28.3. Gruppement goodsNomenclatureDescription

Beskrivningen är unik för en varukod för ett specifikt språk och en given period.

Element ref / Element name	Description	Type	Origin
Language	Language id of description	C(2)	EU defined
Description	Long description for goods nomenclature	C(4000) CLOB	EU defined
National	National Flag indication national data	N(1)	

2.28.4. Gruppement goodsNomenclatureFootnoteAssociation

Associationen mellan en fotnot och en varukod kan vara giltig för en del av giltighetsperioden för fotnoten likaväl som för en del av giltighetsperioden för varukoden.

Element ref / Element name	Description	Type	Origin
footnoteType	Footnote type	C(3)	EU defined
footnoteld	Footnote id	C(5)	EU defined
dateStart	Validity start date of association between goods nomenclature item and footnote	datum	EU defined
dateEnd	Validity end date of association between goods nomenclature item and footnote	datum	EU defined
National	National Flag indication national data	N(1)	

2.28.5. Gruppement goodsNomenclatureGroupMembership

Tillhörighet till en varukodsgrupp identifierar den period för vilken en varukod tillhör en varukodsgrupp. Det är inte nödvändigt att giltighetsperioderna överlappar varandra.

Element ref / Element name	Description	Type	Origin
goodsNomenclatureGroupType	Goods nomenclature group type	C(1)	EU defined
goodsNomenclatureGroupId	Goods nomenclature group	C(6)	EU defined
dateStart	Validity start date of membership of goods nomenclature group	datum	EU defined
dateEnd	Validity end date of membership of goods nomenclature group	datum	EU defined

National	National Flag indication national data	N(1)	
----------	--	------	--

2.28.6. Exempel på <items> sektion

```

<items>
  <goodsNomenclature
    at:goodsNomenclatureCode="0201300020"
    at:national="0"
    at:productLineSuffix="80"
    at:SID="96157"
    at:dateStart="2011-12-01"
    at:statisticalIndicator="0"
    at:changeType="U">
    <goodsNomenclatureIndent
      at:national="0"
      at:quantityIndents="02"
      at:SID="96212"
      at:dateStart="2011-12-01"/>
    <goodsNomenclatureDescriptionPeriod
      at:national="0"
      at:SID="118463"
      at:dateStart="2011-12-01">
    <goodsNomenclatureDescription
      at:description="Buffelkött"
      at:languageId="SV"
      at:national="0"/>
    <goodsNomenclatureDescription
      at:description="Buffalo meat"
      at:languageId="EN"
      at:national="0"/>
    </goodsNomenclatureDescriptionPeriod>
    <goodsNomenclatureGroupMembership/>
  </goodsNomenclature>
</items>

```

2.29. ExportRefundNomenclature.xml

Exportbidrag nomenklaturen är en särskild nomenklatur som används vid exportbidrag för vissa jordbruksprodukter. Denna nomenklatur består av en KN-kod tillsammans med en 4-ställig kod s.k. ”tilläggskod för exportbidrag”. Beskrivningen av godset är kopplad till den 12-ställiga (8+4) kombinationen. Tilläggs-koder för exportbidrag hanteras inte enskilt utan är alltid ett tillägg till KN-koden.

<exportType>ExportRefundNomenclatureObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>exportRefundNomenclatureIndent</i>	Element ref	Occurs 0..n	
<i>exportRefundNomenclatureDescriptionPeriod</i>	Element ref	Occurs 0..n	
<i>exportRefundNomenclatureFootnoteAssociation</i>	Element ref	Occurs 0..n	
SID	SID for export refund nomenclature	N(19,0)	EU defined
SIDGoodsNomenclature	SID for goods nomenclature	N(19,0)	EU defined
goodsNomenclatureCode	Goods nomenclature item id	C(10)	EU defined
additionalCodeType	Additional code type	C(2)	EU defined
exportRefundCode	Export refund code	C(3)	EU defined
productLineSuffix	Product line suffix	C(2)	EU defined
dateStart	Validity start date of export refund nomenclature	datum	EU defined
dateEnd	Validity end date of export refund nomenclature	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.29.1. Gruppelement exportRefundNomenclatureIndent

Beskriver antalet indenteringar för en exportbidragskod.

Element ref / Element name	Description	Type	Origin
dateStart	Validity start date of export refund nomenclature indent	datum	EU defined
dateEnd	Validity end date of export refund nomenclature indent	datum	EU defined
quantityIndents	Number of export refund	C(2)	EU defined

	nomenclature indents		
national	National Flag indication national data	N(1)	

2.29.2. Gruppement exportRefundNomenclatureDescriptionPeriod

Element ref / Element name	Description	Type	Origin
<i>exportRefundNomenclatureDescription</i>	Element ref	0..N	
SID	SID for export refund nomenclature description period	N(19,0)	EU defined
dateStart	Validity start date of export refund nomenclature description	datum	EU defined
dateEnd	Validity end date of export refund nomenclature description	datum	EU defined
national	National Flag indication national data	N(1)	

2.29.3. Gruppement exportRefundNomenclatureDescription

Beskrivning av Exportbidrag (ERN) för ett specifikt språk och en given period.

Element ref / Element name	Description	Type	Origin
language	Language id of description	C(2)	EU defined
description	Long description of export refund nomenclature	C(4000) CLOB	EU defined
national	National Flag indication national data	N(1)	

2.29.4. Gruppement exportRefundNomenclatureFootnoteAssociation

En association mellan en fotnot och exportbidrag kan vara giltig för en del av giltighetsperioden för fotnoten likaväl som en del av giltighetsperioden för exportbidraget.

Element ref / Element name	Description	Type	Origin
footnoteType	Footnote type	C(3)	EU defined

footnoteld	Footnote id	C(5)	EU defined
dateStart	Validity start date of association between export refund nomenclature and footnote	datum	EU defined
dateEnd	Validity end date of association between export refund nomenclature and footnote	datum	EU defined
national	National Flag indication national data	N(1)	

2.29.5. Exempel på <items> sektion

<items>

```

<exportRefundNomenclature
  at:additionalCodeType="9"
  at:goodsNomenclatureCode="0402219900"
  at:SIDGoodsNomenclature="29456"
  at:national="0"
  at:productLineSuffix="80"
  at:exportRefundCode="700"
  at:SID="64384" at:dateStart="1996-01-01"
  at:changeType="U">
  <exportRefundNomenclatureIndent
    at:national="0"
    at:quantityIndents="06"
    at:dateStart="1996-01-01"/>
  <exportRefundNomenclatureDescriptionPeriod
    at:national="0"
    at:SID="621"
    at:dateStart="1996-01-01">
    <exportRefundNomenclatureDescription
      at:description="Mer än 69 viktprocent men högst 79
viktprocent"
      at:languageId="SV"
      at:national="0"/>
    <exportRefundNomenclatureDescription
      at:description="Exceeding 69% but not exceeding 79%"
      at:languageId="EN"
      at:national="0"/>
    </exportRefundNomenclatureDescriptionPeriod>
  <exportRefundNomenclatureFootnoteAssociation
    at:footnoteId="055"
    at:footnoteType="NX"
    at:dateStart="1998-04-01"
    at:national="0"/>
  <exportRefundNomenclatureFootnoteAssociation
    at:footnoteId="040"

```

```

    at:footnoteType="NX"
    at:dateStart="1996-01-01"
    at:national="0"/>
  <exportRefundNomenclatureFootnoteAssociation
    at:footnoteId="037"
    at:footnoteType="NX"
    at:dateStart="1996-01-01"
    at:national="0"/>
</exportRefundNomenclature>
</items>

```

2.30. Measure.xml

Alla åtgärder har giltighetsperioder, startdatum och eventuellt slutdatum. Att använda ett simuleringsdatum är nödvändigt vid sökning efter åtgärder, det vill säga att smalna av sökningen till enbart de åtgärder som är giltiga på det angivna simuleringsdatumet.

<exportType>MeasureObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>measureComponent</i>	Element ref	Occurs 0..n	
<i>measureCondition</i>	Element ref	Occurs 0..n	
<i>measureExcludedGeographicalArea</i>	Element ref	Occurs 0..n	
<i>measureFootnoteAssociation</i>	Element ref	Occurs 0..n	
<i>measurePartialTemporaryStop</i>	Element ref	Occurs 0..n	
SID	SID for measure	N(19,0)	EU defined
measureType	Measure type	C(6)	EU defined
geographicalAreald	Geographical area, SAD Ref : Box 34 (Country Code ISO 3166)	C(4)	EU defined
goodsNomenclatureCode	Goods nomenclature item id	C(10)	EU defined
additionalCodeType	Additional code type	C(1)	EU defined
additionalCodeId	Additional code, SAD Ref : Box 33:2-4	C(3)	EU defined
quotaOrderNumber	Quota order number, SAD ref Box 39	C(6)	EU defined
reductionIndicator	Reduction indicator	C(1)	EU defined

dateStart	Validity start date of measure	datum	EU defined
dateEnd	Validity end date of measure	datum	EU defined
regulationRoleType	Role of measure-generating regulation	C(1)	EU defined
regulationId	Id of measure-generating regulation	C(8)	EU defined
justificationRegulationRoleType	Role of justification regulation	C(8)	EU defined
justificationRegulationId	Id of Justification regulation	C(8)	EU defined
stoppedFlag	Stopped flag	C(1)	EU defined
SIDGeographicalArea	SID for geographical area	N(19,0)	EU defined
SIDGoodsNomenclature	SID for goods nomenclature item	N(19,0)	EU defined
SIDAdditionalCode	SID for additional code	N(19,0)	EU defined
SIDExportRefundNomenclature	SID for export refund nomenclature	N(19,0)	EU defined
expression	National Duty expression (Free format)	C(1000)	
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.30.1. Gruppelement measureComponent

Innehåller avgiftsinformationen eller en del av avgiftsinformationen.

Element ref / Element name	Description	Type	Origin
dutyExpressionId	Duty expression id	C(2)	EU defined
dutyAmount	Duty amount, SAD Ref Box 42	N(11,4)	EU defined
monetaryUnitCode	Monetary unit code	C(3)	EU defined
measurementUnitCode	Measurement unit code	C(3)	EU defined
measurementUnitQualifierCode	Measurement unit qualifier code	C(1)	EU defined
national	National Flag indication national data	N(1)	

2.30.2. Gruppelement measureCondition

En åtgärd kan bero av villkor som beskrivs i en eller flera poster som kan ha en eller flera komponenter. Villkor för samma villkorstyp tilldelas sekvensnummer. Villkor av olika typer kan kombineras.

Element ref / Element name	Description	Type	Origin
<i>measureConditionComponent</i>	Element ref	0..N	
SID	SID for measure condition	N(19,0)	EU defined
conditionCodeId	Condition code	C(2)	EU defined
sequenceNumber	Component sequence number	C(3)	EU defined
dutyAmount	Condition duty amount	N(11,4)	EU defined
monetaryUnitCode	Condition monetary unit code	C(3)	EU defined
measurementUnitCode	Condition measurement unit code	C(3)	EU defined
measurementUnitQualifierCode	Condition measurement unit qualifier code	C(1)	EU defined
actionCode	Action code	C(3)	EU defined
certificateType	Certificate type code	C(1)	EU defined
certificateCode	Certificate code, SAD Ref Box 44	C(3)	EU defined
expression	National duty expression formula using national expression language	C(1000)	
national	National Flag indication national data	N(1)	

2.30.3. Gruppelement measureConditionComponent

Innehåller avgiftsinformationen eller en del av avgiftsinformationen för åtgärdsvillkoret.

Element ref / Element name	Description	Type	Origin
dutyExpressionId	Duty expression id	C(2)	EU defined
dutyAmount	Duty amount, SAD Ref Box 42	N(11,4)	EU defined
monetaryUnitCode	Monetary unit code	C(3)	EU defined
measurementUnitCode	Measurement unit code	C(3)	EU defined
measurementUnitQualifierCode	Measurement unit qualifier code	C(1)	EU defined
national	National Flag indication national data	N(1)	

2.30.4. Gruppelement measureExcludedGeographicalArea

Åtgärdsexkluderade geografiska områden modifierar de tillämpliga geografiska områdena för en åtgärd, som dessutom måste vara en geografisk områdesgrupp.

Element ref / Element name	Description	Type	Origin
geographicalAreald	Geographical area id	C(4)	EU defined
SIDGeographicalArea	SID for excluded geographical area	N(19,0)	EU defined
national	National Flag indication national data	N(1)	

2.30.5. Gruppelement measureFootnoteAssociation

Associationen av en footnot och en åtgärd är alltid tillämplig för hela åtgärdens giltighetsperiod.

Element ref / Element name	Description	Type	Origin
footnoteType	Footnote type id	C(3)	EU defined
footnoteld	Footnote id	C(5)	EU defined
national	National Flag indication national data	N(1)	

2.30.6. Gruppelement measurePartialTemporaryStop

Ett partiellt temporärt stopp förhindrar användningen av en åtgärd från ett givet datum under en specificerad period, eller till suspensionen upphävs.

Element ref / Element name	Description	Type	Origin
dateStart	Start date of partial temporary stop	datum	EU defined
dateEnd	End date of partial temporary stop	datum	EU defined
regulationId	Partial temporary stop regulation id	C(8)	EU defined
officialJournalId	Official journal number of partial temporary stop regulation	C(5)	EU defined
journalPage	Official journal page of partial temporary stop regulation	C(4)	EU defined
abrogationRegulationId	Abrogation regulation id	C(8)	EU defined
abrogationOfficialJournalId	Official journal number of abrogation regulation	C(5)	EU defined
abrogationJournalPage	Official journal page of abrogation regulation	C(4)	EU defined
National	National Flag indication national data	N(1)	

2.30.7. Exempel på <items> sektion

```

<items>
  <measure
    at:geographicalAreaId="MA"
    at:goodsNomenclatureCode="0805203000"
    at:SIDGoodsNomenclature="68509"
    at:measureType="490"
    at:national="0"
    at:regulationId="C1500300"
    at:regulationRoleType="4"
    at:SID="3413953"
    at:SIDGeographicalArea="159"
    at:dateStart="2015-02-11"
    at:stoppedFlag="0"
    at:changeType="U">
    <measureComponent
      at:dutyAmount="128.7"
      at:dutyExpressionId="01"
      at:measurementUnitCode="DTN"
      at:monetaryUnitCode="EUR"
      at:national="0"/>
  </measure>
  <measure
    at:geographicalAreaId="1011"
    at:goodsNomenclatureCode="0709931000"
    at:SIDGoodsNomenclature="94443"
    at:measureType="490"
    at:national="0"
    at:regulationId="R1501880"
    at:regulationRoleType="4"
    at:SID="3413768"
    at:SIDGeographicalArea="400"
    at:dateStart="2015-02-07"
    at:stoppedFlag="0"
    at:changeType="U">
    <measureComponent
      at:dutyAmount="233"
      at:dutyExpressionId="01"
      at:measurementUnitCode="DTN"
      at:monetaryUnitCode="EUR"
      at:national="0"/>
    <measureExcludedGeographicalArea
      at:geographicalAreaId="TR"
      at:national="0"
      at:SIDGeographicalArea="100"/>
    <measureExcludedGeographicalArea
      at:geographicalAreaId="MA"
      at:national="0"
      at:SIDGeographicalArea="159"/>
  </measure>

```

```

<measure
  at:dateEnd="2015-06-30"
  at:geographicalAreaId="1011"
  at:goodsNomenclatureCode="0604209090"
  at:SIDGoodsNomenclature="94426"
  at:justificationRegulationId="R1413200"
  at:justificationRegulationRoleType="4"
  at:measureType="710"
  at:national="0"
  at:regulationId="R1413200"
  at:regulationRoleType="4"
  at:SID="3411746"
  at:SIDGeographicalArea="400"
  at:dateStart="2014-12-20"
  at:stoppedFlag="0"
  at:changeType="U">
  <measureCondition
    at:actionCode="09"
    at:conditionCodeId="Y"
    at:national="0"
    at:sequenceNumber="003"
    at:SID="997085">
  </measureCondition>
  <measureCondition
    at:actionCode="29"
    at:certificateCode="900"
    at:certificateType="Y"
    at:conditionCodeId="Y"
    at:national="0"
    at:sequenceNumber="002"
    at:SID="997084">
  </measureCondition>
  <measureFootnoteAssociation
    at:footnoteId="370"
    at:footnoteType="CD"
    at:national="0"/>
</measure>
</items>

```

2.31. CodeList.xml

CodeList.xml skiljer sig från de övriga xml-filerna då den även specificerar tag-paren `<queryDateStart></queryDateStart>` och `<queryDateEnd></queryDateEnd>` i parameter-sektionen. Det förekommer ingen inkrementell hantering av koder, då alla koder alltid tas med.

```

<parameters>
  <queryDateStart>2015-07-20</queryDateStart>
  <queryDateEnd></queryDateEnd>
</parameters>
<items>
  :
  xml detalj sektion
  :
</items>

```

<exportType>CodeListObject</exportType>

Element ref / Element name	Description	Type	Origin
codeTypeDescription	Element ref	Occurs 0..n	
codeTypeid	Type-Id for Code	C(3)	EU defined
id	Id for code	C(3)	EU defined
exportImportType	"A" for all code types except for measure type (MTT) which will be determined based on the 'Trade Movement Code' data and hence "I" or "E"	C(1)	
measureTypeSeriesId		C(1)	EU defined
dateStart	Validity start date of Code	datum	EU defined
dateEnd	Validity end date of Code	datum	EU defined
changeType	Represent the type of update that has been performed for this element	C(1)	
national	National Flag indication national data	N(1)	

2.31.1. Grupp element codeTypeDescription

Element ref / Element name	Description	Type	Origin
description	Description of Code	C(2000)	EU defined
language	Language id of description	C(2)	EU defined
national	National Flag indication national data	N(1)	

2.31.2. Exempel på <items> sektion

```

<items>
  <codeType
    at:codeTypeid="ADD"
    at:exportImportType="A"
    at:id="2" at:national="0"

```

```

    at:dateStart="1970-01-01"
    at:changeType="U">
    <codeTypeDescription
      at:description="Tariff preference"
      at:languageId="EN"
      at:national="0"/>
    <codeTypeDescription
      at:description="Tullpreferens"
      at:languageId="SV"
      at:national="0"/>
  </codeType>
  <codeType
    at:codeTypeId="MTT"
    at:exportImportType="I"
    at:id="105"
    at:measureTypeSeriesId="C"
    at:national="0"
    at:dateStart="2007-01-01"
    at:changeType="U">
    <codeTypeDescription
      at:description="Non preferential duty under end use"
      at:languageId="EN"
      at:national="0"/>
    <codeTypeDescription
      at:description="Icke-preferentstull vid anvÄndning fÄr sÄrskilda ÄndamÄl"
      at:languageId="SV"
      at:national="0"/>
  </codeType>
  <codeType
    at:codeTypeId="ROL"
    at:exportImportType="A"
    at:id="UTS"
    at:national="0"
    at:dateStart="1970-01-01"
    at:changeType="U">
    <codeTypeDescription
      at:description="Supplementary unit"
      at:languageId="EN"
      at:national="0"/>
    <codeTypeDescription
      at:description="Extra mÄngdenhet"
      at:languageId="SV"
      at:national="0"/>
  </codeType>
  <codeType
    at:codeTypeId="ROL"
    at:exportImportType="A"
    at:id="VAU"
    at:national="0"
    at:dateStart="1970-01-01"
    at:changeType="U">
    <codeTypeDescription
      at:description="Unit price, standard import value"
      at:languageId="EN"
      at:national="0"/>
    <codeTypeDescription
      at:description="Enhetspris, schablonvÄrde"
      at:languageId="SV"
      at:national="0"/>
  </codeType>
</items>

```